

SHECA Certification Practice Statement (CPS)

Version 3.5

Effective Date: May 24, 2017



Shanghai Electronic Certification Authority Center Co.,Ltd.

18/F, No.1717, North Sichuan Road, Shanghai, China

Statement

The CPS conforms to the following criteria wholly or partially:

RFC3647: Internet X.509 Public Key Infrastructure - Certificate Policies and Certificate business statement framework

RFC2459:Internet X.509 Public Key Infrastructure - Certificate and CRL property

RFC2560: Internet X.509 Public Key Infrastructure - Online Certificate Status Protocol-OCSP

ITU-T X.509 V3 (1997): Information Technology-Open Systems Interconnection - The Directory: Authentication Framework

RFC 5280:Internet X.509 Public Key Infrastructure- Certificate and CRL structure

GB/T 20518-2006: Information Security Technology, Public Key Infrastructure , Digital Certificate Format

The CPS has been submitted to the independent audit institution, which will assess the CPS in accordance with AICPA/ CICA WebTrust for Certification Authority. The CPS meets the requirements states in above standards and is published on the website <http://www.sheca.com> .

Version Control

Version	Released Date	Issuer		
V3.5 (Current version)	May24,2017	SHECA Committee	Security	Certification
V3.4.2.3 (Previous version)	May 25,2016	SHECA Committee	Security	Certification
V3.4.2.2 (Previous version)	Sept 18,2015	SHECA Committee	Security	Certification
V3.4.2.1 (Previous version)	Sept 1,2014	SHECA Committee	Security	Certification
V3.4.2 (Previous version)	April 29,2014	SHECA Security Certification Committee		
V3.4.1 (Previous version)	April 8,2010	SHECA Security Certification Committee		
V3.4 (Previous version)	April 23,2009	SHECA Security Certification Committee		
V3.3 (Previous version)	March 26,2009	SHECA Committee	Security	Certification
V3.2 (Previous version)	March 18,2008	SHECA Committee	Security	Certification
V3.1 (Previous version)	July 1,2005	SHECA Committee	Security	Certification

Copyright Notices

Shanghai Electronic Certification Authority Center Co., Ltd. (abbreviated as SHECA) owns the copyright of this document. "SHECA" and its icons involved in this document are all exclusively owned by the Shanghai Electronic Certificate Authority Center Co., Ltd. and they are protected by copyright.

Any other individual and group can accurately and completely repost, paste or publish this document, but the above copyright notices and the main content in the previous paragraph should be marked on a prominent position in the beginning of each copy. Without the written consent of Shanghai Electronic Certification Authority Center Co., Ltd, any individuals and groups shall not in any way, any means (electronic, mechanical, photocopying, recording, etc.) repost, paste or publish the part of the CPS, and are not allowed to make modification to the document and repost.

For any request the copy of this document, please contact with Shanghai Electronic Certification Authority Center Co., Ltd..

Address: 18F, No.1717 North Sichuan Road, Shanghai, PRC(200080)

Tel : (021)36393100,

Fax : (021)36393200.

E-mail: cps@sheca.com.

For the latest version of the CPS, please visit our website <http://www.sheca.com/>, without further notice to specific individuals, businesses, governments and other social organizations.

SHECA Security Certification Committee is responsible for the interpretation of this CPS.

Note:

SHECA electronic certification service is to comply with the laws of the PRC. Any individual, institution or other organizations who violated the laws and influenced the SHECA electronic certification service, SHECA will retain all legal rights in order to maintain its interests.

The summary of main rights and obligations about SHECA CPS

This summary is only a brief description of an important part of the CPS , for a complete discussion of the relevant provisions and other important terms and details please see the full text of CPS .

1. The CPS file provides implementation and usage of SHECA electronic certification service. Electronic certification services include SHECA digital certificate issuance, management and authentication that cover the operational processes, operational management, operating environment, management policies, etc within the entire life cycle of a digital certificate.

2. Notes to the certificate applicants:

(1) The applicant before applying for a certificate has been recommended to receive appropriate training in relevant aspects of digital certificates.

(2) From SHECA website and other channels you can get files about digital signatures, certificates and the CPS, certificate applicants can also take relevant training and learning.

3. SHECA provides different types of certificate, applicants should consult by themselves SHECA in order to determine which certificate is suitable for their needs.

4. Applicants must accept the certificate before using the certificate to establish communication with other people or guiding others to use the certificate. That a applicant received a certificate means that he/she had accepted the rights and obligations under the CPS, and had assumed corresponding responsibilities.

5. If you are a recipient or relying party of the digital signature or digital certificate, you must decide whether to trust it. Prior to this, SHECA suggests that you should check SHECA certificate directory services to ensure that the certificate is correct and valid, and verify that digital signature is generated by the certificate holder within the valid period of certificate, moreover the relevant information has not been changed.

6. The certificate holder agrees that, if it happens to compromise security of the private key, he/she should promptly notify the SHECA and its authorized certificate service agencies.

7. Suggestions

If the user has any comments and suggestions on editing later CPS version, please Email to: cps@sheca.com;

Or please mail to:

18F,1717 North Sichuan Road, Shanghai ,PRC (200080).

8. For more information please visit SHECA website(<http://www.sheca.com>).

Contents

Contents	6
1. General Description	10
1.1. Overview	10
1.2. Document Name and Identification	15
1.3. Electronic Certification Event Participants	15
1.4. Certificate Usage	20
1.5. Policy Management	22
1.6. Definitions and Abbreviations	25
2. Publication and Repository Management	27
2.1. Publication of Certificate Information	27
2.2. The Time and Frequency of Releasing	28
2.3. Repository Access Control	30
3. Authentication and Identification	30
3.1 Naming	30
3.2 Initial Identity Validation	33
3.3 Identification and Authentication of Re-key Requests	38
3.4 Identification and Authentication for Revocation Requests	39
3.5 Identification and Authentication of Authorized Service Organization ..	40
4. Operational Requirements of Certification Life Cycle	40
4.1 Certification Application	41
4.2 Certificate Application Processing	53
4.3 Certificate Issuance	55
4.4 Certificate Acceptance	56

4.5	The Key Pair and Certificate Usage	57
4.6	Certificate Renewal	60
4.7	Certificate Key Renewal	62
4.8	Certificate Modification	64
4.9	Certificate Revocation and Suspension	66
4.10	Certificate Status Services	73
4.11	Termination	73
4.12	Key Generation, Backup and Recovery	73
4.13	Certificates and CRL Archiving	74
5.	Facility, Management and Operational Control	75
5.1	Physical Control	75
5.2	Procedural Control	77
5.3	Personnel Control	80
5.4	Audit Logging Procedures	83
5.5	Record Archive	85
5.6	Expiration Date of Root Certificate for Electronic Certification Services Agencies	88
5.7	Key Changeover of Electronic Certification Services Agencies	88
5.8	Compromise and Disaster Recovery	88
5.9	CA or RA Termination	90
6.	Technical Security Controls for Certification System	91
6.1	Key Pair Generation and Installation	91
6.2	Private Key Protection and Cryptographic Module Engineering Controls	93

6.3	Other Aspects of Key Pair Management	97
6.4	Activation Data	99
6.5	Security Controls of Computer	100
6.6	Technical Controls of Life Cycle	101
6.7	Security Controls of Network	102
6.8	Time-Stamping	102
7.	Certificates, Certificate Revocation Lists, and Online Certificate Status Protocol	102
7.1	Certificates	102
7.2	Certificate Revocation List	106
7.3	Online Certificate Status Protocol	106
8.	Compliance Audit and Other Assessments	108
8.1	Frequency and Circumstance of the Assessment	108
8.2	The Qualifications of the Assessor	108
8.3	Assessor's Relationship to Assessed Entity	109
8.4	Assessment Content	109
8.5	Actions Taken as a Result of Deficiency	110
8.6	Communications and Release of Results	110
9.	Other Business and Legal Matters	111
9.1	Fees	111
9.2	Financial Responsibility	112
9.3	Confidentiality of Business Information	113
9.4	Privacy of Personal Information	114
9.5	Intellectual Property Rights	116

9.6	Representations and Warranties	117
9.7	Disclaimers of Warranties	123
9.8	Limitations of Liability	124
9.9	Indemnities	124
9.10	Term and Termination	127
9.11	Individual Notices an Communications with Participants	128
9.12	Amendments	128
9.13	Dispute Resolution Provisions	130
9.14	Governing Law	130
9.15	Compliance with Applicable Law	130
9.16	General Provisions	131
9.17	All property of security information	132
Appendix		132
1.	Root Certificate	132
1.1.	Root Certificates in use	132
1.2.	Root Certificates out of use	134
2.	Cryptographic Algorithms and Key Strengths	134
2.1.	Root Certificates	134
2.2.	Sub-CA certificate	135

1. General Description

Shanghai Electronic Certification Authority Center Co., Ltd. (abbreviated as SHECA) is a third-party electronic certification service agency taking leading role in China, and who is the first to obtain licenses, with professional management, operation and technical supporting capabilities providing users with various types of digital certificate services and takes efforts to construct a harmonious, trusted network environment.

SHECA developed this document -- "SHECA Certification Practice Statement (CPS)" (hereinafter referred to as "the CPS"). The CPS accepts the "UniTrust Network Trust Service Hierarchy Certificate Policies" (referred to as "UniTrust NTSH certificate policies"), elaborates SHECA following the requirements of "UniTrust NTSH certificate policies", carries out the digital certificate service processes, controlling, management and supporting activities, and provides a digital certificate application, issuance, renewal, revocation, management and other business processes, methods, standards and norms to follow, and the corresponding services, technical measures, rights and obligations agreement, legal protection and so on.

1.1. Overview

SHECA in strict accordance with legal provisions such as the "Electronic Signature Law of the People's Republic of China" and the requirements of Ministry of Industry and Information Technology and State Cryptography Administration, has recommended, designed, constructed and operated the UniTrust Network Trust Service Hierarchy(abbreviated as UniTrust NTSH). UniTrust NTSH provides reliable digital certificates and related services to customers, constructs the trusted relationship based on all kinds of information interaction and trading activities on Internet, to assure the authenticity, privacy, and integrity of participant's identity and the non-repudiation of behaviors.

The CPS was edited mainly based on "Certification Practice Statement (Trial)" released by Ministry of Industry and Information Technology and following the "Electronic Signature Law of the People's Republic of China" "Measures for Administration of Electronic Authentication Services", "Measures for Administration of Electronic Authentication Service Password" and other laws and regulations. This document is in line with "UniTrust NTSH Certificate Policies", implemented and achieved provisions and requirements of the "UniTrust NTSH Certificate policies", and is applicable for all the CAs operated and managed by Unitrust hierarchy including the root CA and its sub-CA. All the CA-signed certificates within UniTrust hierarchy includes self-signed root certificates, sub -CA certificates and user certificates, are in accordance with operation and management, and performance of related rights and obligations as provided in this document.

The CPS elaborates the activities of SHECA in issuing and managing digital certificates, together with operating and maintaining certificate service facilities, and provides the norms to be followed in practical work and operation. The CPS elaborates the process of the entire certification business,

supervises its implementation, and provides legal constraints and reminds the parties to produce, use certificates, and validate certificates within the scope in terms of the CPS.

As a documentation providing practical application and operation, the CPS is suitable for SHECA, and the various types of registered institutions, services branches, service points and other institutions authorized by SHECA, all staff of SHECA, all related entities and their employees, certificate subscribers and relying parties. All these subjects must fully understand and implement the provisions of the SHECA CPS and enjoy the corresponding rights and assume the corresponding responsibilities and obligations. SHECA and its authorized service organizations of various kinds make commitments: be pursuant to the provisions of the CPS, issuing a certificate, in the case that the certificate is valid, to ensure that the certificate can be associated an entity with a clear identity uniquely, and its public key can correspond with an entity with a definite identity uniquely.

SHECA conforms to the latest version of CA/Browser Forum Baseline Requirements, guidelines and Minimum Requirements for Code Signing Certificates for the Issuance and Management of Publicly – Trusted Certificates published at www.cabforum.org. In the event that a discrepancy arises between interpretations of this document and Baseline Requirement, the Baseline Requirement, guidelines and Minimum Requirements for Code Signing Certificates shall govern.

The CPS announced the basic position and views of SHECA upon certificate service to the public, any organizations, institutions, groups and individuals related with SHECA must completely understand and accurately interpret its content.

1.1.1 SHECA

Shanghai Electronic Certification Authority Center Co., Ltd. (abbreviated as SHECA, referred to as Shanghai CA) was founded in 1998, co-invested by Shanghai Information Investment Co.,Ltd., Shanghai Alliance Investment Co.,Ltd., Shanghai Telecom Industrial (Group) Co., Ltd. and China Union pay Co., Ltd. As the only one pilot unit that obtained approval from the Central Password Leading Group, SHECA is the first professional third-party electronic certification authority of China and is also one of certification authorities with the most experience in operating nationwide , the most wide-ranging application and the largest user groups.

In August 1998, SHECA was approved as the pilot CA center by the Central Password Leading Group; In March 2001,SHECA passed the ISO9001:2000 certification; In January 2003, the Shanghai Municipal Government authorized SHECA as the only Certification Authority engaged in the digital certificate service and management in Shanghai; In August 2003,SHECA passed the technical appraisal organized by the State Encryption Management Commission Office; In April 2005, SHECA obtained the "Electronic Authentication Service Password Usage License" from the State Cryptography Administration; In September 2005, SHECA obtained the "Electronic Authentication Services License" from Ministry of Industry and Information Technology and became the first national qualification for operating the electronic certification service after the "Electronic Signature Law of the People's Republic of China" put into effect; In June 2008,SHECA obtained the international WebTrust Certification; In December 2008,SHECA was listed in the built-in root certificate of the Microsoft operating system, and is the first authority to achieve global electronic authentication services in China.

SHECA has a professional and strong Research and Development team, which is focusing on researching and developing required technologies, products and services to build the network trust system, and has a number of self-research, and proprietary core technologies, products and solutions. SHECA also has 2 certificates of invention patents covering distributive certificate authentication methods, 5 patented products and a number of software copyright certificates.

SHECA won the national electronic certification service license and passed technology appraisal performed by state cryptography administrative department. SHECA is a high-tech enterprise in Shanghai that is still vice president of Information Security Association, executive director of Electronic Commerce Association, executive director of Information Services Association, member unit of National Information Security Standardization Committee, member unit of Commercial Password Infrastructure Working Group. SHECA has been involved in and assumed the S219 information security program, the State CA demonstration project, Ministry of Science and Technology Innovation Fund projects, the Yangtze River Delta interconnection project, the state CA planning research projects and other projects launched by the state and Shanghai Municipal Government jointly. SHECA has also undertaken a number of certificate application demonstration projects and industry development fund projects, and has constructed the CA system of Shanghai official network, and has obtained multiple Shanghai science and technology progress prizes.

SHECA established by law as a third-party electronic certification service agency, has constructed and operated the UniTrust NTSH. UniTrust NTSH is China's most influential agencies responsible for issuing and managing digital certificate and issued and managed digital certificates have been widely used.


1.1.2 UniTrust Network Trust Service Hierarchy

UniTrust Network Trust Service Hierarchy(abbreviated as UNTSH) proposed the concept of digital certificate services "a card in hand, travel the world" , and UNTSH has issued digital certificates to participants involved in e-government, e-commerce, social services and other online business ,and can achieve cross-industrial, cross-regional electronic certification services.

Unitrust NTSH has a clear, complete PKI hierarchical architecture in order to achieve different needs for different applications of certification services. Unitrust NTSH includes root CA, sub-CA, the relevant Registration Authority (RA Centre), Registration Authority Branch (RAB), Registration Authority Terminal (RAT) and other authorized entities related with service, and those are service subjects at different levels within the Unitrust NTSH.All related certificate services and management within the Unitrust NTSH, completely, correctly and comprehensively perform and implement the document and the corresponding Certificate Policies.

PKI hierarchical architecture within Unitrust NTSH is as follows:


- UCA Root



The length of UCA Root key is 2048-bit. There are four sub-CAs under UCA Root-G2, including: (1) SHECA is responsible for issuing the 1024-bit individual certificates, organization certificates, equipment certificates and other certificates with RSA algorithm, and the sub-CA is forbidden to sign ssl certificates. (2) SHECA G2 is responsible for issuing the 1024-bit or 2048-bit certificate individual certificates, organization certificates, equipment certificates and other certificates with RSA algorithm, and the sub-CA is forbidden to sign ssl certificates as well. (3) SHECA G2-1 is responsible for issuing the 2048-bit SSL certificates with RSA algorithm. (4) SHECA G3 is responsible for issuing the 2048-bit SSL certificates with RSA and SHA256.

UCA Root will expire on December 31, 2029 and will no longer issue any subordinate certificates since January 1, 2025.


- UCA Root G2



The length of UCA Root G2 root key is 2048-bit, under which is SHECA G2 acting as the only sub-CA, responsible for issuing 2048-bit individual subscribers, organizational certificates, equipment certificates and other certificates.

UCA Root G2 will expire on December 31, 2036 and will no longer issue any subordinate certificates since January 1, 2032.


- UCA Global G2 Root



The length of UCA Global G2 Root's root key is 4096-bit, under which are two sub-CAs, including: (1) SHECA Global G3 SSL sub-CA only issues the 2048-bit SSL certificates with RSA and SHA256. (2) SHECA Global G3 Code Signing sub-CA only issues the 2048-bit code signing certificates with RSA and SHA256.

UCA Global G2 Root will expire on December 31, 2040 and will no longer issue any subordinate certificates since January 1, 2036.

- UCA Extended Validation Root



The length of UCA Extended Validation Root's root key is 4096-bit, under which are two sub-CAs, including: (1) SHECA Extended Validation SSL CA only issues the 2048-bit SSL certificates with RSA and SHA256. (2) SHECA Extended Validation Code Signig CA only issues the 2048-bit code signing certificates with RSA and SHA256.

UCA Extended Validation Root will expire on December 31, 2038 and will no longer issue any subordinate certificates since January 1, 2034.

- UCA Root-G1

UCA Root-G1 no longer issues any certificates since January 1, 2009.

- UCA Global Root

UCA Global Root no longer issues any certificates since April 27, 2017.

1.1.3 The Relationship Between CPS and CP

Each certificate under the Unitrust NTS is supported by a unique Certificate Policies (CP). The CP sets forth the requirements all participants of certificate services must meet under the UNTSH. Certification Practice Statement (CPS) is to mainly confirm the procedures, operation and control measures participants take for implementing and meeting the requirements of Certificate Policies.

while SHECA as a digital certificate operational service subject, is providing digital certificate services, and to describe and specify the required conditions, operational procedures and established guidelines to provide digital certificate services in detail. Certificate Policies (CP) and Certification Practice Statement (CPS) are serving the UNTSH, decided the level scope, purpose of trust for digital certificates under the UNTSH. Certification practice statement (CPS) is subordinate to the Certificate Policies (CP), when elaborating the same theme; Certificate Policies (CP) is the benchmark.

Currently, "SHECA Certification Practice Statement (CPS)" only supports "Unit trust NTSHECA Certificate Policies." If there is a need, "SHECA Certification Practice Statement (CPS)" can support multiple Certificate Policies to be applied to different purposes or different Relying Party groups.

1.2. Document Name and Identification

This document is "SHECA Certification Practice Statement (CPS)", referred to as SHECA CPS. "SHECA CPS", "Shanghai CA CPS", "Shanghai CA Certification Practice Statement", "Shanghai CA Authentication Service White Paper", "SHECA White Paper", "SHECA Certification Business Statement", "Shanghai CA Authentication Business Statement", "Shanghai CA Center CPS", "Shanghai CA Center Certification Practice Statement" and its similar expressions, no matter in what place, they should be seen as this document or the quote of this document. The CPS will be regularly updated based on the development of SHECA third-party electronic authentication services. Version number (such as "version 1.2" or "CPS1.2") should be indicated in the Certificate Practice Statement (CPS).

The CPS doesn't register the Object Identifier (OID) in relevant administration, SHECA assigned a self-defined Object Identifier (OID): 1.2.156.1.12570.149.

The CPS defines the OID of the ssl certificates that compliance with the Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates of the CA/B forum (www.cabforum.org) is:

1.2.156.1.12570.1.1.2.2

1.3. Electronic Certification Event Participants

1.3.1 Electronic Certification Service Authority

SHECA was established by law as electronic certification service authority (CA), constructing and operating UNTSH. As a trusted third party, UNTSH has a number of entities issuing the certificates, including the different root CAs and sub-CAs, the issuing entity as CA can also issue the certificates. Usually, root CA can only issue sub-CA certificates, sub-CA can issue end-user certificates or other CA certificates. Under the UNTSH CA issues digital certificates to other types of participants involved in e-government, e-commerce and other online business (hereinafter referred to as subjects or entities, organizations, individuals and any other entities who have a clear identity can become the subject or entity as this CPS claimed), to ensure that the public key can uniquely correspond with the subject's identity.

SHECA has established a perfect operational mechanism of the CA and the tight security control mechanisms, and has generated the independent key pair and self-issued root CA certificate (ROOT CA). SHECA can issue operational sub-CA certificate at the next lower level based on certificate development strategy, certificate application strategy and the related authorization and agreements. SHECA must renew root CA key pair, through the procedures specified by national competent authorities, law and policy etc, after approved by SHECA Security certification Committee. SHECA Security Certification Committee as SHECA digital certificate policy-making body shall decide SHECA root CA and the operational sub-CA Re-Key Pair and switchable strategies and actions.

Every certificate SHECA issued is binding with the public key each entity applying for the certificate. SHECA promises that the certificate issued within the valid period will use the directory server and Certificate Revocation Lists server and it will publish information and status of the certificate that can be disclosed.

Based on business requirements, SHECA will build interconnection with other CAs which is not involved in the SHECA certification system. Interconnection refers to two certification authorities that are of complete independence, and use their CPSs respectively to establish mutual trust so that mutual customers can achieve mutual authentication. When SHECA needs to build interconnection with a CA, it means that the certificate a CA issued has been trusted, SHECA will review CPS, related certificate business documents, commitment and operational procedures. If all institutions, which are trusting SHECA, are willing to accept the certificates issued by CA who has interconnection with SHECA, they must examine their own practical specification and other related certificate business documents. Interconnection does not mean that SHECA approved or offer other rights for non-SHECA agencies of independence.

1.3.2 Registration Authority

A Registration Authority (RA) is an entity that performs identification and authentication of certificate applicants for end-user certificates, initiates or passes along revocation requests for certificates for end-user certificates, and approves applications for renewal or re-keying certificates on behalf of a CA. SHECA itself is both a CA and a RA, also has authorized a number of external RAs. In addition to establishing the registration process for end-user certificate applicant, RA also manages and serves subordinate agencies, including Registration Authority Branch (RAB) and Registration Authority Terminal (RAT) and so on. Each RA can be divided into multiple RABs following the industry, administrative region and other factors or can directly connect with RAT to offer services to the end users. RA should follow authorization from the CPS and SHECA to establish the appropriate RAB or RAT.

RA has the responsibility to keep customer's data, which could not be allowed to be disclosed to any organization or individual who has nothing to do with certificate application, and to be used for commercial interests. RA must get the authorization from SHECA to operate sub-CA, be engaged in all kinds of certificate services and expand corresponding subordinate service agencies based on authorization. Various government agencies, enterprises, institutions can apply to become a Registration Authority under the architecture of SHECA certification service system.

Especially, the external RAs do not involve SSL certificate and code signing certificate. SHECA would not authorize the external RAs to validate the information which supplied to apply for a

SSL/code signing certificate and issue a SSL/code signing certificate.

In accordance with the nature of the applying organization, expectation of certificate development, the site and personnel, SHECA will decide to issue letter of authorization qualified by Security Certification Committee after performing a reasonable auditing assessment for the agency, in order to authorize it as a Registration Authority.

1.3.3 CA RAB

As an option of certificate services, RAB, whose function is similar to RA's, is not a necessary part within the architecture of SHECA authentication services, but CA or RA determines its establishment based on how certificate services will develop and how large user group is. When user groups of RA services exceed a certain amount, CA RAB could be established under the RA. RAB must be established with the authorization of RA and CA, according to the RA and CA's policies and rules shall be engaged in the certificate services and other authorized services. At the same time, as an organization authorized from RAT, RAB determines authorizing and managing RAT based on the high level units authorized. RAB 's creation or withdrawn authorized by the RA or CA.

SHECA will decide to issue letter of authorization qualified by Security Certification Committee after performing a reasonable auditing assessment for those who apply to become RAB directly to the SHECA, in order to authorize them as Registration Authorities SHECA will evaluate the nature of application organization, the expectation of certificate development, site and personnel and so on.

Registration Authority could make decisions upon whether to authorize those who apply to be RAB to Registration Authority and shall not violate policies and strategies of SHECA.

1.3.4 CA RAT

Registration Authority Terminal is abbreviated as RAT.

After examining SHECA and its authorized organization, SHECA and its authorized organizations may authorize a particular organization or entity as RAT in charge of processing and approving digital certificates applications, revocation and inquiry and other certificate services. Application procedures, handling process and processing requirements must be consistent with the CPS SHECA is implementing and license agreement between SHECA and RAT. RAT is responsible for providing information of certificate services for SHECA CA agency (covering SHECA and Sub CA) or the RA, including the name of the application entity, legal identification which indicates its identity and any legal documentation SHECA requires, contact information (mailing address, e-mail box, telephone) and so on. On the basis of this information, RAT provides certificate application, certificates manufacture, signature key generation, certificate check, certificate revocation, certificate renewal and other authorized services for application entities or according to the requirements of the application entity, provides any other services and technical supporting SHECA published, which are in line with the CPS. RAT takes legal responsibility relevant to affording certificate services, including but not limited to the CPS and the relevant content set forth in licensing agreements.

Depending on whether the RAT will bear the cost for a certificate applicant, RAT can be divided

into advancing-type RAT and non-advancing-type RAT. Unless otherwise stated, RAT usually refers to non-advancing-type RAT.

If RAT meets and achieves the requirements SHECA performs certificate advancing services, and obtains the authorization from SHECA and other authorized agencies, RAT of this type could be called advancing-type RAT.

If a RAT does not bear the cost for the certificate applicant (different from advancing-type RAT), this RAT is called non-advancing-type of RAT.

SHECA will decide to issue letter of authorization qualified by Security Certification Committee according to the nature of application organization, expectation of certificate development, site and personnel and so on, after performing a reasonable auditing assessment for those who apply to become RAB directly to the SHECA, in order to authorize them as Registration Authorities.

Registration Authority could make decisions upon whether to authorize those who apply to be RAT to Registration Authority, and shall not violate policies and strategies of SHECA.

1.3.5 Certificate Advance Vendor

Certificate Advance Vendor is groups or organizations who are able to bear all certificate service fees for subsidiary and served subscribers or potential subscribers. According to the provisions of CPS, other terms SHECA published, or related laws and policies. Certificate Advance Vendor has the right to ban all or part of certificate services offered to the certificate holder, and whose fees is born by the vendor, including but not limited to cancelling the holders' certificates. Certificate Advance Vendor must pre-book the number of certificates, pre-pay all certificate fees in accordance with the agreement with SHECA and enjoy certain preferential policies based on the provisions of SHECA. Certificate Advance Vendor is required to take all the responsibilities of the authenticity of the certificate holder's identity whose fees were born by the vendor.

1.3.6 Subscribers

Subscriber, namely the certificate holder, is the entity who receive the certificates from SHECA, including individuals, organizations or, infrastructure components such as trusted servers or other devices used to secure communications within an Organization and other subject or entity who has applied for or has owned digital certificate issued by SHECA , and any other objects who have defined identification and hold various certificates issued by SHECA , including any individuals, matters and organizations of entities or non-entity

Subscriber is divided into two types: (a) the pre-paid certificate holder whose certificate fees is paid by Certificate Advance Vendor; or (b) the own-paying certificate holder who bears the certificate fees by himself.

Before applying for certificates, subscribers have been advised to receive appropriate training of the usage of electronic authentication technology. Subscribers can get documents and learning materials relevant to electronic signatures, certificates, PKI from SHECA, and based on the actual situation, SHECA will provide these documents through the website, training activities, and promotional material. SHECA provide different types of certificates, and certificate subscribers shall decide the certificate he/she/it requires. Subscribers agree that they shall promptly notify the

issuing authority in case of compromising the private key security.

1.3.7 Relying Party

Relying Party, under the SHECA certification service system, is an individual or entity that acts in reliance of any certificate holders who use certificates for online business and any entities that have reasonable confidence in the authenticity of certificate according to the SHECA CPS. A Relying party may, or may not also be a Subscriber.

SHECA makes a commitment for a relying party that in addition to unverified subscriber's information, all the information in the certificate or in reference to the certificate is accurate. All issuing certificate authorities within the framework of SHECA certification system comply fully with all provisions of SHECA CPS to issue certificates.

Relying party should trust reasonably certificate and related digital signature. If you need extra assurance when you trust digital signature, the relying party will not reasonably trust the digital signature until he/she/it obtains these assurances.

Relying Party of SHECA certificate subscriber enjoy a variety of the corresponding rights that SHECA CPS provides, including certificate protection offered by SHECA as well as the interests involved in the CPS. Except SHECA assures the authenticity of certificates issued by the SHECA, relying party of non-SHECA subscribers trust and related signatures, SHECA shall assume no other obligations and responsibilities.

1.3.8 Certificate Applicant

Certificate Applicant, each entity who is certificate subscriber expecting to be SHECA or its subordinate CA , and, according to the type of certificate they want, they should provide the necessary information specified by CPS of SHECA and complete the application process.

If the certificate applicant cannot provide the required information for SHECA, the application process will be delayed or terminated. That certificate applicant submits a certificate application; means that all certificate applicants has authorized SHECA to conduct investigation of security. All of these investigations must be pursuant to the requirements of laws and regulations such as relevant privacy and data protection, and the applicants agree to assist SHECA or its authorized organizations to adopt the means that the latter deems it is appropriate and consistent with the CPS in order to determine all the facts, environment and other relevant information.

If the certificate application has passed the all necessary procedures of identification specified by Issuing Certificate Authority, SHECA will issue certificate to applicant in accordance with CPS to prove that SHECA has approved the applicant's certificate request. If the applicant fails to pass the identification, SHECA will reject the applicant's certificate application and notify the applicant of the failure, at the same time provide the reasons of failure for the applicant (except prohibited by law). Rejected certificate application could make an application again.

SHECA and its authorized service authorities issue certificates only after the certificate applicant's consent. Once applicant submits the certificate application, despite the fact that he has not accepted the certificate yet, but it is still regarded that the subscriber has agreed to accept the certificate from the issuing authority. Meanwhile the issuing authority could refuse to issue

certificates to any entities on the basis of the independent judgment and therefore does not bear any responsibility and obligation for any loss or costs caused by this.

1.3.9 Other Participants

Other entities not mentioned above who can provide certificate services within the entire SHECA and its service system, such as third-party authentication authority SHECA selected, PKI application technology service provider and so on.

1.4. Certificate Usage

1.4.1 Formal Certificate and Testing Certificate

SHECA provides the formal certificate and test certificate in the SHECA certification services system.

Applicants for formal certificate must go through the specified physical identification and procedures of authentication that SHECA required; usually it is valid for one year.

Applicants for test certificate can make an online application; usually it is valid for no more than three months. Test certificate can only be used to test whether it adapts to application system and how well the purpose of the technical could be achieved, and cannot be used for any formal purpose.

Whether it is a formal certificate or test certificate, any organization or individual involved in certificate issuance, application, acceptance, operation, management or usage should be familiar with the terms, conditions, requirements, recommendations, rights and interests and so on in the Certificate Policies of SHECA.

1.4.2 Certificate Assurance Level

All subscriber certificates issued by SHECA need to be strictly identified. All application subjects, whether individuals, organizations, equipment, etc., must provide supporting materials to confirm its real existence. While applying for equipment certificates or organization certificate, applicants should provide not only supporting materials but also authorization documents. From level of trust, all subscriber certificates issued by the root CA are in common use, all subscriber certificates could be trusted, no difference in security levels, no specific level of trust. However, different types of certificates, because of the different subject, the corresponding application requirements are also different, so they should be properly applied to appropriate use.

1.4.3 Appropriate Certificate Usage

From the function, certificates issued by SHECA meet the following security needs, unless required, SHECA usually does not achieve the function:

- Identification--to ensure that the identity of the certificate holder to trust services of SHECA is legitimate.
- Verifying the integrity of messages --to ensure whether the information in the transmission

process has been tampered, and whether messages sent are completely consistent with ounces received as digital certificates and digital signatures are used.

- Verifying digital signatures-- Validating digital signatures that are the evidence that the two trusted parties conduct a transaction without repudiation. It must be pointed out that for any electronic communications or transactions, non-repudiation should be ruled based on laws and dispute resolution.
- The confidentiality of SHECA certificate.--confidentiality ensures that messages delivered between senders and receipts are confidential and will not disclosed to other parties who are not authorized legally. But SHECA takes no appropriate responsibility for confidential events. For all the damage and loss caused by confidentiality purposes directly or indirectly, SHECA shall not assume responsibilities.

Certificates issued by SHECA are general certificate which are not subject to a limitation for particular purpose and scope, it also can be applied in e-government, e-commerce, social management and other online businesses in order to achieve authentication, electronic signature and other purposes. According to the different type of certificate, the certificate has its appropriate application. For example, individual certificate is used for sending signing and encrypting e-mail, personal online banking business, etc., organization certificate is used for B2B transactions, online tax declaration, equipment certificate is used to identify equipment, encrypt information channel. But there are exceptions because of limitation by laws, regulations and national policies. Certificate applicants, subscribers, relying parties and other subjects could decide the appropriate type of certificate according to actual needs and independent judgment to understand the type of application, the range of application so that they can choose their own way of application . Any usage of certificate beyond the terms of the CPS and the CP will not be protected by CPS, and SHECA will not provide any warranty or assurance for it.

1.4.3.1 The Usage of Identity Certificates

Identity certificate is divided into the identity certificate I, identity certificate II ,used for identify types of organizations, individuals and equipment, and which can be applied to various types of e-government, e-commerce and other society information activities such as various types of online transactions, payment, reporting, management, business, access control and other applications.

Identity Certificate I only uses a key pair for signing, verifying the signature, encrypting and decrypting information.

Identity certificate II owns two key pairs. One is used for signing and verifying signature and the other one is used for encrypting and decrypting information.

1.4.3.2 The Usage of E-mail Certificate

E-mail certificate identifies the user's e-mail address and is mainly used for e-mail digital signature, encryption and non-commercial, government-affair access control , which shall not be used for various types of transactions, payment and other applications requiring explicit

authentication.

1.4.3.3 The Usage of Code Signing Certificate

Code signing certificate identifies the source or owner of the software code, which can only be used for various types of digital signature and not be used for various types of transactions, payment, encryption and other applications.

Code signing certificate subscribers must promise not to use code signing certificate for signing malicious software, virus code, software infringement and the hacker software.

1.4.3.4 SSL Certificate Usage

SSL certificate identifies the Web site or Web server which can be used to prove the identity or qualification of site and to provide SSL-encrypted channel, and it must not be used for signing and verifying types of transactions or payment of the signature or verification.

Unless specifically stated in this CPS, SHECA has no responsibility for additional economic compensation of any usage of the certificate.

1.4.4 Prohibited Certificate Usage

Certificates shall be used only to the extent the use is consistent with subject's identity that certificate represents. For example, Individual Certificate can not be used as Organizational or Equipment certificate, Organizational Certificate can not be used as Individual or Equipment Certificate, Equipment Certificate can not be used as Individual Certificate or Organizational Certificate. Any unmatched application hasn't the protection from the CPS.

The certificate usage is prohibited in such circumstances such as any violation of state laws, regulations and national security or legal consequences, or users legal results led by that by themselves. In particular, the certificate is not designed for, not intended for, nor authorized for using in application systems including personal injury, environmental damage and other applications, such as navigation or communication systems, traffic control systems or weapons control systems and so on.

1.5. Policy Management

1.5.1 Organization Administering the Document

According to Electronic Signature Law of the People's Republic of China, Measures for Administration of Electronic Authentication Service and The Standard for Certification Practice Statement from Ministry of Information Industry, SHECA develops the Certification Practice Statement (CPS) and appoints a special body - SHECA Security Certification Committee as an agency of policy administration.

As an administration agency to develop all the policies under the SHECA certification system,

SHECA Security Certification Committee consisting of members from management layer, directors of relevant departments (service, operational and technical departments, etc.) and staff in charge of writing corresponding CPS is responsible for auditing CPS and implementing inspection and supervision as the highest decision-making body.

As a CPS agency, SHECA Strategy Development Department is responsible for drafting the CPS, is required to amend the report, and takes charge of external consultation services in this regard.

1.5.2 Contact Person

Specialized agencies designated by the SHECA and staff take the responsibility for controlling the version of CPS strictly. If you have any problems, suggestions, questions, etc., about CPS, you could contact with the contact person.

Contact Person: Shanghai Electronic Certification Authority Center Co., Ltd. SHECA Strategy Development Department.

Tel : 86-21-36393100

Fax :86-21-36393200

Address: 18F, 1717 North Sichuan Road, Shanghai, the People's Republic of China

Postal Code: 200080

E-mail: policy@sheca.com

1.5.3 CPS Decision in Line With Strategy Agency

As a competent department for electronic certification services, the Ministry of Information Industry issued "The Standard for Certification Practice Statement". SHECA has developed this CPS and submitted the Ministry of Information Industry for record. As the body for administrating the highest policy, SHECA Security Certification Committee is a decision-making organization in line with CPS policy which is responsible for approving and deciding whether the CPS meets the corresponding provisions of CP.

SHECA ensures that the CPS it develops and releases, the execution, interpretation, translation and effectiveness are in line with laws and regulations of PRC.

Strategy Development Department, as the authentication service department, is responsible for daily supervision and inspection of CPS implementation, and ensures that operation within the SHECA certification service system conforms to the requirements of the CPS.

1.5.4 SHECA Security Certification Board Panel

SHECA Security Certification Committee established the expert group consisting of technical experts, according to the laws and regulations and the requirements of this CPS, as an arbitration Agency for dispute resolution, solves disputes of certificates for users.

As an arbitration agency, expert group of SHECA Security Certification Commission is to collect relevant evidence to promote dispute resolution, and Strategy Development Department is to

coordinate the relationship between SHECA and the parties and is the final authors of recommendation report. In any case, SHECA, parties and other related stakeholders can take methods consistent with the CPS with the governing law, in order to find other solutions.

1.5.5 Release of the Certification Practice Statement

The release methods of CPS include:

1、the electronic means, publishing in SHECA repository, Website address :

<http://www.sheca.com/policy>

2、the electronic way, by e-mail, e-mail address: getcps@sheca.com

3、in writing, issued by the SHECA Strategy Development Department. Address:18F, 1717 North Sichuan Road, Shanghai ,PRC ; Post code : 200080

1.5.6 The Change and Release of Certificate Practice Statement

SHECA has the right to conduct scheduled and unscheduled revise to CPS. Scheduled revise is twice a year to check whether the CPS is consistent with the latest Guidelines and Baseline Requirement of CA/Browser Forum, if not, CPS must be revised accordingly. Unscheduled revise to CPS happens when company business adjusts or CA/Browser Forum modifies the Guidelines or Baseline Requirement which leads to the necessary change of CPS. Modified CPS will be recorded by Ministry of Information Industry within the prescribed time according to the requirements of Measures for Administration Electronic Authentication Service.

SHECA Security Certification Committee will research proposal report about modification provided by the Strategy Development Department prior to any changes in the CPS, and then it will make the final decision.

SHECA will announce the changed CPS on the website after the resolution forms. The changes of the CPS will take immediate effect from the released date of and the modifications of the CPS will replace any conflict and specified terms of the previous version.

SHECA will strictly control on version of CPS. Modified version will be published on SHECA website (<http://www.sheca.com>).

1.5.7 CPS Approval Procedure

After drafted by Strategy Development Department, the CPS is submitted to SHECA security certification Committee to audit. If the CPS will be modified because of changes in standards, improvements in technology, enhancements in security mechanism, changes in operating environment and the requirements of laws and regulations, the proposal report about modification will be submitted by Strategy Development Department, then would be audited by the SHECA Security Certification Commission to. After approved by the Committee, SHECA will publish it on the website: <http://www.sheca.com>.

Under the provisions of the "Electronic Signature Law of the People's Republic of China", "Measures for administration of Electronic Authentication Services", SHECA should announce to

the Ministry of Information Industry after publishing the CPS .

1.6. Definitions and Abbreviations

1.6.1 SHECA

Abbreviation for Shanghai Electronic Certification Authority Center Co., Ltd

1.6.2 UNTSH

An open key infrastructure constructed and operated by the Shanghai Electronic Certification Authority Center Co., Ltd. (abbreviated as SHECA) is referred to as UniTrust, and provides electronic certification services based on digital certificate. SHECA is established as third-party certification authority in accordance with the "Electronic Signature Law of the People's Republic of China" and is dedicated to create a harmonious environment for the network to provide Internet users with secure, reliable, trusted digital certificate services.

1.6.3 SHECA Security Certification Committee

It is the agency for managing highest policies and is decision-making agency pursuant to CPS within the SHECA certification services system.

1.6.4 The Electronic Certification Service Agency

SHECA and authorized subordinate CA are called not only electronic certification service agency but also the certificate authority, which means they are the entities that issue the certificate.

1.6.5 Registration Authority

Registration Authority (RA) is responsible for processing service requests from certificate applicants and certificate subscribers, and submitting them to the certification authority for the end-use certificate applicant to establish registration process . RA is also responsible for identifying and verifying certificate applicants , initiating or transferring certificate revocation request, approving certificate renewal or re-key request on behalf of the electronic certification service agency.

1.6.6 Registration Authority Branch

As the subordinate authority of RA, Registration Authority Branch (RAB) is engaged in the business authorized by RA according to the policies and rules RA confirmed .

1.6.7 Registration Authority Terminal

As service subject facing directly with users within the architecture of SHECA certification service, RAT is the terminal organization offering the certificate services and through the CA or RA , is authorized to be engaged in various services.

1.6.8 System Administrator

System Administrator is responsible for not only installing, configuring and maintaining CA hardware and software system but also starting and stopping the CA server and managing the CA operator.

1.6.9 Entry Clerk

Entry clerk is responsible for the input of the information submitted by the applicant and help the user handle digital certificates application, revocation renewal and other procedures.

1.6.10 Reviewer

The reviewer is responsible for checking the information of certificate application and help the user handle digital certificates application, revocation, renewal and other procedures.

1.6.11 Certificate Producer

Certificate producer is responsible for downloading and producing the certificate for certificate applicant and submit it to the user.

1.6.12 Certificate

Certificate refers to an electronic signature certificate, the electronic documents issued by the electronic certification authority to prove the electronic signature, identity, qualification and other relevant information of the certificate holder.

1.6.13 Digital Certificate

Digital certificate is used for identifying the signatory as a digital signature that indicates the signer has the recognized signature data. The certificate involved in CPS is the digital certificate, including signing certificate and encryption certificate.

1.6.14 Electronic Signature

Electronic signature, referred to as the signature, has the technical means of identifying signatory and showing the recognized signature data.

1.6.15 Digital Signature

The asymmetric encryption system is used for encrypting, decrypting, electronic data, to achieve an electronic signature. The Signature mentioned in the CPS is digital signature.

1.6.16 Electronic Signer

Electronic signatory is a person who holds electronic signature data created by electronic signature and implement electronic signatures in his own identity or on behalf of the person he

represents.

1.6.17 The Relying Party on Electronic Signature

The relying party on electronic signature is the person who engages in the relevant activities which is based on his trust in the electronic certificate or electronic signature.

1.6.18 Private Key (creation data of electronic signature)

In the course of the use of electronic signatures, private key is the data such as character, encoding associating reliably electronic signatures with electronic signatory.

1.6.19 Public Key (validation data of electronic signature)

Public key refers to the subscriber's validation data of electronic signature.

1.6.20 Subscribers

Subscriber is the entity receiving the certificate from the electronic certification authority, known as certificate holders. In the applications of electronic signature, subscriber is an electronic signatory.

1.6.21 Relying Party

A Relying Party is an individual or entity that acts in reliance of a certificate and/or a digital signature issued by CA. A Relying party may, or may not also be a Subscriber.

1.6.22 Certificate Advance Vendor

Certificate Advance Vendor is the group or organization who is able to bear all the certificate service fees for subsidiary and served subscribers or potential subscribers .It is also a special service point.

2. Publication and Repository Management

2.1. Publication of Certificate Information

SHECA will publish related information on <http://www.sheca.com>; The site is the foremost, most timely, most authoritative channel releasing all the information. SHECA will publish the new information in time. Only SHECA is empowered to deal with old information on the site.

2.1.1 SHECA Repository

SHECA repository is open to the public, it can store, retrieve certificates and its related information. SHECA repository includes but is not limited to the following: CP, CPS and other

policy documents like the current and historical versions of the documents, certificates, CRL, and other information published from time to time by the SHECA. SHECA repository will not change any notification about certificate and certificate revocation that are published by the authority, but describe the above content accurately.

Deal with any related matter about SHECA, SHECA must use its repository as the main and the formal repository.

SHECA repository will release timely information about the certificate, CPS revision, revocation notice and so on that must remain consistent with the CPS and the relevant laws and regulations. You can via Web: <http://www.sheca.com/repository/> to visit SHECA repository, or other communication methods specified by the SHECA at any time. SHECA can issue subscriber certificates and associated CRL information outside the SHECA repository. CPS prohibits anyone except those persons authorized by SHECA from visiting any confidential information CPS and / or SHECA declared (or other data maintained by the issuing authority) in repository.

2.1.2 Directory Services

SHECA will release a copy of the certificate at the same time, when the subscriber accepts a certificate. The issuing authority also announces the certificate revoked within the valid period SHECA issues the certificate and the related information of certificate revocation through directory services. Users obtain these information by visiting the SHECA's directory server. It also provides services of online certificate status check, certificate revocation lists check services, etc.

2.1.3 The Release of Announcements and Notifications

SHECA will release the Certification Practice Statement, Certificate Policies, business processes, technology and the changes of product timely by the form of bulletins and notification on website <http://www.sheca.com>, meanwhile, SHECA will also release in other possible forms.

SHECA will publish possible effective measure to protect the private key of certificate holder according to the new technological developments.

2.2. The Time and Frequency of Releasing

2.2.1 The Time and Frequency of the Certificate Practice Statement Releasing

SHECA will release the latest version of Certificate Practice Statement (CPS) in time. Once amendments to the CPS are approved, SHECA will post them on <http://www.sheca.com> and publish the latest CPS on SHECA repository, and list together with the original CPS in order to retrieve.

SHECA may change the CPS, with the technological advancements, business development, application promotion and the objective requirements of laws and regulations. The releasing time and frequency of the CPS will be independently decided by the SHECA. This publication should

be immediate, efficient, and be consistent with the national laws and regulations.

The current CPS is effective and is in the implementation of the state, before the SHECA releasing a new CPS or any form of announcements, notices to modify, supply, adjust or update for CPS. Only the SHECA has the right to change any form of the state

2.2.2 The Time and Frequency of Certificates Releasing

Issuing authority will publish copy of the certificate in SHECA repository or one or more other repository decided by the SHECA and its issuing certificate authority, once the subscribers accept the certificate. Subscribers can also publish their certificates issued by SHECA in other repository.

When certificates are published by the directory server, SHECA will issue a certificate successfully and release simultaneous. Users can also check and obtain a certificate by visiting <http://www.sheca.com>.

2.2.3 Time and Frequency of the CRL Publishing

Issuing authority must immediately issue revocation notice in SHECA repository, after the revocation of the certificate issued. SHECA will publish one or more of the following: publishing a list of certificates revoked which can be obtained through a secure channel.

The requester can instantaneously view and obtain the state as well as the effectiveness of a certificate through the OCSP. SHECA can also provide follow-up services, after the requirements are met. When the specified certificate is revoked, SHECA will notify the service requester in accordance with the agreement.

All CRL will be released by the SHECA directory server. SHECA should release Certificate Revocation List (CRL) of a subscriber certificate at least once within 24 hours , release Certificate Revocation List of a sub-CA certificate (ARL) at least once every three months , and release a Root Certificate List (Root-CA Certificate) annually. If the root certificate is revoked, revocation information is published on the website in time. They can also publish the latest CRL manually if it is needed.

SHECA ensures that various types of certificate revocation lists (CRL) will be issued at least once every 24 hours, unless it is specified. In case of emergency, SHECA can choose time and frequency of the certificate revocation list to publish.

2.2.4 The Time and Frequency of Announcement, Notification and Other Information Releasing

Once there is a need to publish notification and announcement related to electronic authentication service for some reason, SHECA will release these information on website <http://www.sheca.com> in time.

The release of such information is at irregular intervals. SHECA ensures that the information will be released at the first time.

2.2.5 The Releasing Time and Frequency of Customer Service, Business Structure, Market Development and Other Information

SHECA will publish related information on the website <http://www.sheca.com> at any time.

2.3. Repository Access Control

2.3.1 SSL Channel

Hypertext Transfer Protocol (HTTPS) was used to access to sensitive information with Secure Sockets Layer protocol (SSL), In order to achieve access to the safe mode of records (must use an SSL-enabled browser).

2.3.2 Rights Management and Security Audit Channel

SHECA sets up access control and security auditing measures to ensure that the one authorized by SHECA can write and modify the SHECA related information published online.

SHECA can make implementation to access control certain SHECA information related in order to ensure that only SHECA certificate holders have the right to read the information, when it is necessary. SHECA can decide whether to take the rights management.

3. Authentication and Identification

3.1 Naming

3.1.1 Type of Names

In order to distinguish from other applicants, Certification authority issues certificate in accordance with specific procedures to save the particular record of the certificate registration process, identify specific object identification. This name appeared with naming process, including the distinguished name and the unique identifiers included in certificate extension item, is able to identify a group of real-world entity.

The Subject Name of certificate generated and identified by SHECA uses the way of X.501 Distinguished Name (DN).

Each certificate subscriber has a distinguished name correspondingly, consists of the screening name and user uniquely identify items, following the regulation of X.509. Screening name is included in the subject of each certificate, and the user uniquely identify items is included in the certificate extension item, which uniquely identifies the certificate subscriber's identity.

As a third party certification authority trusted who is responsible for identifying the link between the public key and the named entities. This relationship will be confirmed unequivocally through a certificate. Naming could be solved by negotiating between SHECA and the applicant, which can also be completed by the applicant independently.

3.1.2 Need for Names to be Meaningful

User identification information used for identifying name must be clear, traceable and certainly representative significance, that does not allow to appear anonymous or pseudo-names etc. However, in e-government applications of some special requirements, SHECA can not only specify a special name for the user according to certain regulation but also contact uniquely the special name with a certain entity (individual, organization or device). Any particular naming must be approved by SHECA Security Certification Committee.

3.1.3 Anonymity or Pseudonymity of Subscribers

SHECA does not accept or allow any anonymity or pseudonymity only to accept a clear sense of the name as a unique identifier, expressly stated in this CPS. SHECA may specify a special name for the user according to certain regulation, unless being in certain e-government special requirements applications, and SHECA can also contact the special name with an only certain entity (individual, organization or device). Any particular naming must be approved by SHECA Security Certification Committee.

3.1.4 Rules for Interpreting Various Name Forms

The certificates issued by SHECA certification service system, whose contents format of distinguished name DN is comply with naming regulation of the X.500. The following is a general identified naming regulation:

Distinguished Name (DN)	Explanation	Content(demonstration)
1、Country(C)	The company's country name	C=CN
2、Organization(O)	Company Name	O=SHECA
3、Organization Unit (OU)	Unit or Department name	OU=Technical Support Center
4、Common Name (CN)	Certificate holder's general common name	CN=Zhang Shan

Detailed description of the DN may refer to options in SHECA certificate format in the CPS appendix about instructions of SUBJECT.

The naming regulation of uniquely identifier is defined by the SHECA, referring to the CPS appendix about the instructions of the SHECA certificate custom extensions.

3.1.5 Uniqueness of Names

All certificate holders' names are required to be unique. SHECA identifies certificate holders according to the name. When the same name appears, the first applicant is preferential, the other applicant name should be identified through the difference followed by the unique identification code.

3.1.6 The Processing of Name Dispute

The first applicant applies for the registration is priority in use, when the subscriber or applicant uses the same name. SHECA has no rights and obligations to deal with the related dispute, and the relevant users can apply to the relevant authorities to resolve.

When the subscriber or applicant's names are proved by the legal documents of the competent authorities that they are belong to other subscribers or applicant, SHECA will cancel the right of previous subscriber to use the name immediately and revoke the user certificate. The subscriber must assume legal liability of the resulting. It is not SHECA's responsibility to verify the legitimacy of subscriber or applicant.

3.1.7 Naming Agencies

Naming agencies, the SHECA naming authority coordinates all SHECA Relative Distinguished Names issuance. SHECA naming agencies determine the naming convention of subject name of SHECA repository, which may be due to the difference between certificate categories and issuing authorities. These naming conventions vary for the difference between certification issuance and re-issue / re-registration certificates.

SHECA naming agencies have the right to specify the name of Relative Distinguished Names (RDN) and the certificate serial number in the certificate issued by SHECA. When naming agencies specify relative distinguished names, the relevant certificates about screening name will be asked to provide, or inquiries to the appropriate agency to determine whether the subscriber has the right to use the appropriate distinguished name.

3.1.8 Recognition, Identification and Role of Trademark

The trademark information is allowed to be contained in subscriber's certificate, but can not be used for identifying individuals, organization or device. If the trademark is in the certificate information, subscriber should provide documentary proof for SHECA trademark registration party, and this requirement is not and should not be considered that SHECA will judge and decide the ownership of the trademark.

Any certificate applicants are prohibited from using names in their certificate applications that infringe upon the Intellectual Property Rights of others. SHECA does not verify or arbitrate whether a certificate applicant has intellectual property rights over the name appearing in a certificate application. SHECA does not resolve any dispute concerning the ownership of any

domain name, trade name, trademark, or service mark, or ensure for the uniqueness of this right. SHECA is entitled, without liability to any certificate applicant, to reject or suspend any certificate application because of such dispute.

3.2 Initial Identity Validation

3.2.1 Method to Prove Possession of Private Key

SHECA must verify that the applicant has the legitimacy and correctness of the private key. SHECA may verify the applicant's private key at least by one of the following methods:

- 1、 If a subscriber requests a certificate using its private key to sign on the application information, SHECA and its authorized service agencies must verify the correctness, legality and uniqueness of the public key and private key as well as the applicant identity information.
- 2、 SHECA and its authorized service agencies provide the applicant with certificate initialization information for completing the certificate request (such as a password envelope). When the certificate applicant is applying for a certificate or certain certificate operations, the applicant must use the initialization information to ensure the applicant is the legitimate owner of the private key. Initialization information is generally safely delivered to the certificate applicant off-line.

3.2.2 Authentication of the Applicant Identity

SHECA has set up a procedure to verify the certificate applicant's identity, including but is not limited to verifying the user's identity documents, investigating through a third-party or a public database and verifying the user's postal address.

SHECA will firstly require the applicant to state for the authenticity of the submitted material, and the applicant bears the corresponding legal responsibility. SHECA will verify the material following the provisions of this CPS. SHECA may also take additional or extra methods for the verification.

If the applicant refuses the verification requirements of SHECA, then he or she will be deemed as forfeiting the qualification of certificate application. Meanwhile, SHECA states that it may refuse any application, and doesn't have an obligation for providing the reason.

3.2.3 Authentication of the Organization Identity

The authentication processes of organization identity are different as there are different types of certificates for application. SHECA can follow the corresponding requirements of each different certificate to validate, such as proving the validity of e-mail, quering credible database to verify the authenticity, distinguishing materials face to face and other methods applicants can obtain a clear identity information. The corresponding certificate application process sets different identification procedure. The signature of applicants themselves or the applicants who are fully authorized is in the certificate application form.

When applying for an organization certificate, the applicant shall designate the certificate

application representative to endow lawful authority, and the certificate application representative signs on the application form express accepting the relevant provisions of the certificate application and undertakes the corresponding responsibility. SHECA and its certification services organization audit whether certificate applicant's representative meets the requirements.

The authentication of organizations as follows:

SHECA or registered institution, registration authority terminal and other certification services must examine documents submitted by applicants, and applicants are required to provide a valid certificate of the existence of the organization or server for SHECA, including but not limited to business license, enterprises organization code certificate, etc. The applicant has obligation to ensure that application materials are real and effective, and bears the related legal liability. SHECA shall determine that the organization exists by using at least one third party identity proofing service or database, or alternatively, organizational documentation issued by or filed with the applicable government agency or competent authority that confirms the existence of the organization. SHECA shall confirm by telephone or comparable procedure to the Certificate Applicant that the organization has authorized the Certificate Application, and that the person submitting the Certificate Application on behalf of the Certificate Applicant is authorized to do so. If SHECA can not get all the required information from a third-party, it may require a third-party to conduct an investigation or to require certificate applicants to provide additional information and evidence material.

When the domain name, device name or e-mail address is used as the contents of the certificate subject to apply for a certificate, it is also needed to verify reasonably whether the organization has the right, such as request for submitting domain ownership documents, ownership documents, querying a third-party databases and sending a confirmation e-mail and so on .

If SHECA or registered institution, receiving registration authority terminal or other certificate service organization has been identified in advance the identity of the certificate applicant, SHECA and its certification services organization can rely on evidence provided by the applicant.

This identification is usually conducted face to face. It is acceptable that the applicant sends the material for identification by post. However through such a way, SHECA will require the applicant to provide additional identification information and proof, and identify by the assisted way of the phone, a third-party surveying, postal address that a reasonable investigation SHECA considered.

SHECA and its authorized certificate services organization save all the organization application materials within the prescribed time, and the limit period is decided by the laws, policies, requirements of administrative department or SHECA itself.

3.2.4 Authentication of Individual Identify

Authentication of individual identity differs according to the types of certificates applied. SHECA can validate information follow the corresponding requirements for each different certificate, such as by proving the validity of e-mail, querying credible database to verify the authenticity, distinguishing materials face to face and other ways that applicants can obtain a clear identity information. The process of the corresponding certificate application provides a

different authentication procedure. The signature of applicants themselves or the applicants who are fully authorized is in the certificate application form.

1. Prove the validity of e-mail. Review and identify the real existence of the certificate holder's e-mail address to identify and distinguish individual identity.
2. Query the credible information database. Check and confirm necessary personal characteristics in the credibility database to identify personal identification. The Credible database was chosen and decided by the SHECA, including existing SHECA database and other third-party database.
3. Face-to-face identification. Individual applicant's identification and authentication can be conducted by one of the following methods:

SHECA and its authorized certificate service organization will compare the applicants themselves with two of Identification (original and copy). Identification must be a valid identity card or passport document.

If SHECA or registration authority terminal has clearly confirmed the identity of individual applicants, SHECA or its authorized certificate services organization can trust the existing certificate.

4. SHECA can also obtain information from a third-party to verify the identity of the individual applicant. If SHECA can not get all the required information from a third-party, it may require a third-party to conduct an investigation or to require certificate applicants to provide additional information and evidence material.

5. SHECA also supports the way through the post as identification. But for this way, SHECA will require the applicant to provide additional identification information and proof, and identify by the assisted way of the phone, a third-party surveying, postal address that a reasonable investigation SHECA considered.

6、For an application in the name of an individual identity, it also need to submit proof of its organization material .

7. When the domain name, device name or e-mail address is used as the contents of the certificate subject to apply for a certificate, you also need to verify reasonably whether the applicant has the right, such as request for domain ownership documents, ownership certificate, querying a third-party databases and sending a confirmation e-mail and so on .

Applicant must bear the responsibility for the authenticity of materials. SHECA and its authorized certificate services organization after a limited audit according to the law ,which does not bear the applicant's identity document (such as ID cards, etc.) to identify the obligation of the legality .

SHECA and its authorized certificate services organization save the detail information for certificate holders which is filled out in the application form.

3.2.5 Domain Recognition and Identification

If the certificate name is a domain name, SHECA requires the applicant to provide additional evidence material of domain name in addition to the written materials submitted by the applicant to audit. SHECA also needs to inquire of the appropriate domain name registrar service organization or other third-party database to determine whether the applicant has the right to use

the appropriate domain name. SHECA must proceed the following procedure while performing verification,

1 SHECA should confirm the requested domain name is not in the form of .onion. SSL Certificate issuance for a domain name in the form of .onion is not allowed by SHECA;

2 SHECA performs WHOIS check with the domain name and makes sure the presented information through WHOIS, especially the registrant, is the same with the one the applicant provides.

3 If the registrant is not the one applies for certificate, the applicant shall prove the ownership of domain name by using at least one of the following ways.

i) The applicant provides a valid authorization letter from the domain registrant.

ii) SHECA confirms the information provided by the applicant with the domain registrant through email or telephone that are presented by WHOIS.

iii) The applicant uploads required code to a certain web that is designated by SHECA, and SHECA is responsible for the confirmation.

3.2.6 IP Address Recognition and Identification

If the certificate name is an IP address, SHECA requires the applicant to provide evidence of the IP address in addition to the written materials submitted by the applicant for verification. SHECA also needs to inquire of the appropriate IP address registrar service organization or other third-party database to determine whether the applicant has the right to use the IP address. SHECA must proceed the following procedure while performing verification,

1 SHECA should confirm the requested IP address is not a reserved IP address. SSL Certificate issuance for a reserved IP address is not allowed by SHECA.

2 SHECA must perform CNNIC (<http://www.cnnic.net.cn/>) check with the IP address and make sure the presented information through CNNIC, especially the registrant, is the same with the one the applicant provides.

3 If the registrant is not the one applies for certificate, the applicant shall prove the ownership of the IP address by at least one of the following ways.

i) The applicant provides a valid authorization letter from the IP address registrant.

ii) SHECA confirms the information provided by the applicant with the IP address registrant through email or telephone that are presented by CNNIC.

iii) The applicant uploads required code to a certain web that is designated by SHECA, and SHECA is responsible for the confirmation.

3.2.7 Wildcard Domain Validation

In common circumstance, if a wildcard falls within the label immediately to the left of a registry-controlled or public suffix, SHECA must refuse the issuance unless the applicant proves its rightful control of the entire Domain Namespace.

At the same time, SHECA should review section 3.2.5 in this CPS to confirm that the domain

name in the right position of the wildcard is in valid registration and is controlled by the applied organization.

If necessary, SHECA may take other methods for validating the ownership of the domain such as consulting a public suffix list (<http://publicsuffix.org/>) maintained by Mozilla, during this process, the applicant has the obligation to provide assistance to SHECA.

3.2.8 Email Address Verification

When an email address is applied as one of the contents presented in the subject of the requested certificate, SHECA must verify the effectiveness and ownership of the email address before the issuance of the certificate. The verification process shows below,

1 After the applicant finishes and submits the CSR file, system of SHECA will perform detection to the CSR file, once an email address is detected, an email including a Random Value will be sent to the applicant. The Random Value shall be unique in each email.

2 The applicant must reply the email as a response with the Random Value to confirm the effectiveness and ownership of the email address.

3 SHECA receives the response and shall make sure the received Random Value is the same with the sent one.

The confirming email MAY be re-sent in its entirety, including the re-use of the Random Value, provided that its entire contents and recipient shall remain unchanged. The Random Value shall remain valid for use in a confirming response for no more than 30 days from its creation.

3.2.9 Data Source Accuracy

Prior to using any data source as a Reliable Data Source, SHECA evaluates the source for its reliability,

accuracy, and resistance to alteration or falsification. That is SHECA will consider the following during its

evaluation:

1. The age of the information provided,
2. The frequency of updates to the information source,
3. The data provider and purpose of the data collection,
4. The public accessibility of the data availability, and
5. The relative difficulty in falsifying or altering the data.

3.2.10 Non-Verified Subscriber information

Generally, this certificate identity information should be verified clearly and reliably, and the following information in the application can not be required to verify:

- E-mail address of individual and organization certificate.

- Any other information designated as non-verified in the certificate

For non-verified subscriber information, SHECA will archive it in written or electronic form. SHECA will not promise the authenticity of such information and assume any liability and the obligation to settle disputes as this information is untrue or incomplete, etc.

3.2.11 Validation of Authority

When applicant entrusts others to take personal application or organization entrusts authorized person to apply for a certificate, SHECA and its authorized certificate services organization need to review the applicant's identity and eligibility, including the essential proof of identity and authorization, and verify and confirm with representative entity by telephone, letter or other way to review whether applicant has the right to represent the entity.

SHECA can connect the organization to verify an applicant's authorization (for example, verify the agent's job application or verify whether the applicant is the one who is in the application form) by the way of obtaining phone number and other contact information from a third-party. If SHECA can not get all the required information from a third-party, it may require a third-party to carry out an investigation, or requiring certificate applicant to provide additional information and evidence material.

3.2.12 Criteria for Interoperation

Other certification services organization can interoperate with SHECA of non-UNTSH certification services system. But the CPS of certificate services organization must meet the requirements of UNTSH CP, and certificate services organization may sign the corresponding agreement with SHECA. SHECA will accept the information identified by the certifying authority of non-SHECA and issue the corresponding certificate based on content of the agreement. If there is no similar agreement between the two parties, SHECA will decide whether to accept the reviewed material with specific conditions and make a decision whether to accept.

If there are provisions of national laws and regulations, SHECA will perform strictly

3.3 Identification and Authentication of Re-key Requests

Prior to the expiration of an existing subscriber's certificate, it is necessary for the subscriber to obtain a new certificate to maintain continuity of certificate usage. After the key expires, the user can choose to update (re-generate a pair of public key and private key), and apply to issuing authority for re-issue certificate, which is called the certificate re-key. Subscribers can also choose to retain the original key, and to apply to issue organization for a new certificate. Subscribers may request a new certificate for an existing key pair (technically defined as "renewal").

Generally speaking, both "Rekey" and "Renewal" are commonly described as "Certificate Renewal", focusing on the fact that the old certificate is being replaced with a new certificate and not emphasizing whether or not a new key pair is generated. In addition to some possible specific applications, whether the certificate renewal generates new key pair is not usually the key point.

But SHECA usually requires subscribers to use the new key pair when certificate is renewed. When subscribers concern the key's security, they must re-register, and generate a new key pair and apply to issue authority for a new certificate. In this case, the subscriber will not be allowed to use the old key pair in order to consider risk management and security when re-applying for a certificate.

If the certificate information related changes, subscribers can choose to keep the original key or new key to re-issue certificate. If subscribers choose to retain the original key pair, subscribers need to ensure that its key pair is safe.

If there are provisions of national laws and regulations about key management and renewal, SHECA will perform strictly.

3.3.1 Identification and Authentication of Routine Re-key

Routine re-key procedures ensure that subscribers can use the existing private key to sign the requests for updating. Issuing authority will authenticate and identify the accuracy, legitimacy, uniqueness of user request information contained, the users signature and public key.

Identification and authentication of routine re-key including:

- Subscribers sign the application information, and CA verifies the signature with its original certificate's public key.
- If subscriber registration information has not changed, CA issues a new certificate based on subscriber original registration information.

Subscribers can also choose the initial certificate application process to re-key conventionally, submit the appropriate certificate in accordance with requirements of the application and identification information. In any case, the means of initial identification can be used for identifying means of the re-key processing.

If there are provisions of national laws and regulations about key management and renewal, SHECA will perform strictly.

3.3.2 Identification and Authentication for Re-key After Revocation

Re-key/renewal after revocation is not permitted. Subscribers must re-identify and re-register, and generate a new key pair to apply to re-issuance a certificate for SHECA.

3.4 Identification and Authentication for Revocation Requests

SHECA and its authorized certificate services agency need to verify identification on-site for revocation request of certificates. Subscribers need to submit the same material, certificate and private key with applying for certificate to SHECA and its authorized certificate services agency.

SHECA will verify identification for the identity of the applicant by reasonable means, such as by telephone, mail, and other third-party proof, if not on-site auditing because of constraints,

If the judiciary proposes revocation according to the law, SHECA directly regards judiciary written revocation request as the basis on identification documents, not to conduct other forms of identification.

SHECA ensure that the identification of the revocation request will undergo reasonably.

3.5 Identification and Authentication of Authorized Service Organization

For the various certificate service agencies who are authorized to join in, including registry RA, RAB and RAT, SHECA assigns a unique number and the operation authority and manages the number.

SHECA issues a digital certificate for each RA as the unique identity of RA in the certificate system. CA identifies the identification of RA based on RA's signature in order to determine whether the institution is recognized by SHECA, what authority and whether it accepted all kinds of service requests and service information SHECA uploading.

SHECA issues a digital certificate for the operator of each perspective center and service registration authority terminal, and the operator of the same perspective center and service registration authority terminal is assigned to an operation group. The operation group number is the number of perspective center and service registration authority terminal. CA (including the RA) identifies identification according to the signature of the perspective center and service registration authority terminal to determine whether the perspective center and registration authority terminal is accredited by SHECA, what authority , and whether it accepted all kinds of service requests and service information SHECA uploading.

4. Operational Requirements of Certification Life Cycle

The whole process of certification life cycle according to the announced CPS is introduced under the SHECA certification system, which including the implementation of the certificate application, issuance, management, updating, revocation etc. Each party's responsibilities and obligations are also elaborated involved during the process.

In order to meet the users' need for electronic signature and other network security services technology, SHECA digital certificates can support secure e-commerce, secure e-government and other general secure services. To this end, as the trusted third-party, SHECA and its authorized issuing authority complete all the process of certificate service to meet the numerous, open, widely distributed users on a variety of communications and information security needs.

4.1 Certification Application

SHECA accepts two modes of certificate application, the offline and online. According to the certificate type of the applications, SHECA takes different application registration process, but the steps requested by certificate application operation should be complied.

4.1.1 Certificate Type

Currently, SHECA provides two types of certificate which include formal certificate and test certificate.

4.1.1.1 Test Certificate

Test certificate is made by registration authority terminal of SHECA. SHECA does not assume any responsibility for the validity of the certificate. Test certificate is only for users testing. SHECA recommends that subscribers do not use any test certificate to prove their true identity in order to avoid unnecessary losses and disputes.

SHECA does not save or publish the information filled out in test certificate application, nor assuming any liability arise from information leakage.

SHECA has strict requirements on the test certificate. Its user name must be in English "test" or Chinese "测试" at the beginning, and the expiration date sets in 3 months.

Especially, SHECA do not issue SSL test certificates for customers.

4.1.1.2 Formal Certificate

Formal certificate is ratified by Certificate Authority after submitting real information in accordance with the regulation and the process regulated in this CPS, and SHECA bears the obligations and responsibilities regulated in this CPS of such certificates. Applicants need to submit complete application form with personal handwritten signature or official seal according to the certificate type. The application form can be downloaded from the website or got from SHECA and its authorized service authority. The filling of application forms vary from certificate form.

SHECA issues certificates into Chinese, English and Chinese and English bilingual edition. The name of the Chinese version is the applicant's Chinese name; English version is the applicant's English name; the name of Chinese and English bilingual version can be the applicant's Chinese name or English name, Chinese name used mainly.

When applicants apply for the Chinese version certificate, if applicant is personal, the Chinese name on identification or (other legal personal documents) can be used as the certificate name; if applicant is a company, the Chinese name on business license or organization code certificate can be used as the certificate name. When applying for the English version certificate, individual can use the English name on passport or (other legal personal documents) as the certificate name;

company should submit materials to prove the English name, if not, SHECA chooses business license or organization code certificate as proving material, from which the common English translation of Chinese names as the English name, and the specific company name should be Chinese phonetic alphabet of Chinese name or words in similar English pronunciation. As for the Chinese and English bilingual version, mainly using the Chinese name on legal documents, English name of the certificate is in accordance with the approach applied in English.

1. Personal Certificate

(A) Personal certificate---SHECA personal certificate is signed by SHECA containing personally identifiable information and personal public key file, which format follows international standard of the x.509. Personal certificate is used to sign the certificate holder during the exchange of information, electronic signatures, e-government, e-commerce and other Internet activities and guarantee security and integrity of information in the transmission which can be stored in the hard drive, USB Key, IC card and other medium.

Applicants applying for personal certificate, required to submit the following information:

- A written application form filled out and signed by applicants as required
- Personal ID card (or Military ID, passport or student card or other valid identification documents) and a copy of the original; if SHECA and registration authority terminal verify the identity of individual applicants by phone, mail, third-party, or other means expressly confirm, applicants can submit copies of identification documents, identity documents by fax, mail, etc. without submitting the originals.
- If it is entrusted to handle, it is required to submit the applicant and the client's documents, and copies of the above, and a written authorization signed by the client who applies for a certificate.

(B) Personal E-mail certificate---personal email certificate is used to encrypt and sign operations in personal communication of important contents by the e-mail .With a certificate to encrypt e-mail content and attachments, only the designated recipient can read the message, which can ensure that the message in transit will not be stolen and tampered. E-mail signed with a certificate is not tampered during transmission, and the receiver may confirm the message sender, which ensures non-repudiation of messages.

Applicants applying for personal E-mail certificate, required to submit the following information:

- Applicants fill in and sign a written application form (in triplicate)
- Original personal ID card (or military ID, student ID, passport, etc.)
- A copy of personal ID card (or military ID, student ID, passport, etc.)
- If it is entrusted to handle, it is required to submit the applicant and the client's documents, and copies of the above, and a written authorization signed by the client who applies for a certificate.
- SHECA confirm subscriber's e-mail address by requiring the subscriber to be able to answer a challenge-response e-mail to that address. As a means of verifying whether the applicant control the E-mail, the verification message include arithmetical operation, question about the user identity information etc. Applicant should reply to

the email within the prescribed period. SHECA decide whether to issue a certificate to the applicant in accordance with the e-mail reply.

2. Organization certificate

(A) Organization Identity certificate---- SHECA organization Identity certificate is signed by SHECA containing organization identity information, which stands for the holders of organization during the exchange of information, electronic signatures, e-government, e-commerce and other Internet activities status, awarded to enterprises, government departments, community groups and other organizations. Certificate can be stored in the hard drive, USB Key, IC card and other types of medium.

When applying for organization identity certificate, the following information should be required:

- Applicants fill in , sign and seal a written application form
- The original (original or copy) and copy of applicant enterprises organization code certificate
- The applicant's original business license (original or copy) and copy, if a business license isn't here, the valid original documents (original or copy) optional in the a written application form ; currently recognized valid documents as follows: business license, registration institutions legal certificate , tax registration certificate, the organization code certificate, other social groups registration certificate, national laws recognized valid documents. If SHECA and the registration authority terminal have identified by phone, mail, and other third-party verification, or confirm identity of the unit applicant by other way, the applicant can submit copies of all documents by fax, mail, etc. without having to submit original documents.
- A copy and the original of identity card (or military ID, student ID, passport and other valid documents) of entrusted applicant
- A letter of attorney to entrusted applicant (to be stamped with official seal).When submitting the application form, applicant stamp with official seal after the applicant signs the application form , which means written authorization of the commission applicant is made .

(B) Organization E-mail certificate---SHECA organization Email certificate is signed by SHECA for marking unit E-mail identity of a certificate holder .Certificate holder encrypts and signs operations on the contents of the letter by e-mail .

SHECA confirms whether the applicants have the E-mail by sending mail, and issues their certificates on basis of e-mail replying. However, this process does not mean that SHECA can deem that the applicant is really legal ownership of the E-mail. SHECA has no obligation and doesn't need to confirm E-mail belonging to the applicant. SHECA ensures that applicant's information is applied for E-mail certificate applications and whether information is correspondence with the E-mail Certificates information SHECA will not resolve, because of E-mail ownership causing dispute. SHECA will provide help in accordance with the requirements of the relevant departments, but this is not an obligation of commitment. Organization E-mail certificate, required to submit the following information:

- The original (original or copy) and copy of applicant enterprises organization code

certificate

- The applicant's original business license (original or copy) and copy, if a business license isn't here, the valid original documents (original or copy) optional in the a written application form ; currently recognized valid documents as follows: business license, registration institutions legal certificate , tax registration certificate, the organization code certificate, other social groups registration certificate, national laws recognized valid documents. If SHECA and the registration authority terminal have identified by phone, mail, and other third-party verification, or confirm identity of the unit applicant by other way, the applicant can submit copies of all documents by fax, mail, etc. without having to submit original documents.
- A copy and the original of identity card(or military ID, student ID, passport and other valid documents) of entrusted applicant
- A letter of attorney to entrusted applicant (to be stamped with official seal).When submitting the application form, applicants stamp with official seal after the applicant signs the application form , which means written authorization for the commission applicant is made .

(C) Department certificate--- according to different needs of each unit, awarded to a department for using and used to prove the identity of the digital certificate of the department, which is called the department certificate.

Applying for department certificate is required to submit the following information:

- The original (original or copy) and copy of applicant enterprises organization code certificate
- The applicant's original business license (original or copy) and copy, if a business license isn't here, the valid original documents (original or copy) optional in the a written application form ; currently recognized valid documents as follows: business license, registration institutions legal certificate , tax registration certificate, the organization code certificate, other social groups registration certificate, national laws recognized valid documents. If SHECA and the registration authority terminal have identified by phone, mail, and other third-party verification, or confirm identity of the unit applicant by other way, the applicant can submit copies of all documents by fax, mail, etc. without having to submit original documents.
- A copy and the original of identity card(or military ID, student ID, passport and other valid documents) of entrusted applicant
- A letter of attorney to entrusted applicant (to be stamped with official seal).When submitting the application form, applicants stamp with official seal after the applicant signs the application form, which means written authorization for the commission applicant is made.

(D) Position certificate--- The position certificate is used to identify holder's identity when in the network communication, containing basic information, the public key and SHECA signatures of the certificate holder, which can be stored in various media, one of the unit certificates.

Applying for position certificate is required to submit the following information:

- The original (original or copy) and copy of applicant enterprises organization code certificate
- The applicant's original business license (original or copy) and copy, if a business license isn't here, the valid original documents (original or copy) optional in the a written application form ; currently recognized valid documents as follows: business license, registration institutions legal certificate , tax registration certificate, the organization code certificate, other social groups registration certificate, national laws recognized valid documents. If SHECA and the registration authority terminal have identified by phone, mail, and other third-party verification, or confirm identity of the unit applicant by other way, the applicant can submit copies of all documents by fax, mail, etc. without having to submit original documents.
- A copy and the original of identity card(or military ID, student ID, passport and other valid documents) of entrusted applicant
- A letter of attorney to entrusted applicant (to be stamped with official seal).When submitting the application form, applicants stamped with official seal after the applicant signs the application form , which means written authorization for the commission applicant is made.

3. SSL Certificate

SSL Certificate is also called a security cite certificate or a web server certificate. SSL certificate binding with the site's IP address and domain, can guarantee the authenticity of the site and not faked. The users are safe in the network communications, by the client browser and web server to establish the SSL security channel to ensure.

Applying for SSL certificate is required to submit the following information:

- Applicants fill in and sign (or seal) a written application form
- Applicants (individual or organization) identification material or the copies(the specific requirements mentioned as individual and organization certificates requirements above).
- Applicants must submit a written commitment documents about the domain name (or IP address of the Internet), including the usage of domain ownership information and assurance to indicate that the domain name (or IP address) belonging to all applicants, and the certificate is legitimate used. SHECA will take appropriate way to assess applicants for the domain ownership, including access to domain name registration authority for registration information, visiting the domain name (or the Internet IP address).
- If it is entrusted to handle, which is required to submit an original and copy of identification documents of an application and the trustee and a letter of attorney signed by the applicant.

4. Code signing certificate

(A) Personal code-signing certificate applied by a personal identification is used to sign software code, in order to effectively prevent tampering, identity theft by other such owners. The software

is downloaded that code signing, which ensures that the source of the software and software is integrity.

Applying for an individual code signing certificate is required to submit the following information:

- Applicants are required to fill in and sign a written application form
- A copy and the original of personal ID card (or military ID, student ID, passport and other valid identification documents); if SHECA and registration authority terminal have confirmed the identity of individual applicants by phone, mail, third-party verification or other ways. Applicants can submit copies of identification documents by fax, mail, etc. without having to submit the originals of identity documents.
- Applicants must commit through written documents that the code certificate will not be used for any malicious or illegal purposes.
- If it is entrusted to handle, it is required to submit original and copy of the above applicant and client, and a letter signed by the client.

(B) Organization code signing certificate applied by the organization name is used to sign software code, in order to effectively prevent tampering, identity theft by other such owners. The software is downloaded that code signing, which ensures that the source of the software and software is integrity.

Applying for organization code signing certificate is required to submit the following information:

- Applicants fill in ,sign and seal a written application form
- the original (original or copy) and copy of applicant enterprises organization code certificate
- The applicant's original business license (original or copy) and copy, if a business license isn't here, the valid original documents (original or copy) optional in the a written application form ; currently recognized valid documents as follows: business license, registration institutions legal certificate , tax registration certificate, the organization code certificate, other social groups registration certificate, national laws recognized valid documents. If SHECA and the registration authority terminal have identified by phone, mail, and other third-party verification, or confirm identity of the unit applicant by other way, the applicant can submit copies of all documents by fax, mail, etc. without having to submit original documents.
- Applicants must commit the code certificate will not be used for any malicious or illegal purposes.
- A copy and the original of identity card (or military ID, student ID, passport and other valid documents) of entrusted applicant
- A letter of attorney to entrusted applicant (to be stamped with official seal).When submitting the application form, applicants stamped with official seal after the applicant signs the application form , which means written authorization for the commission applicant is made .

5.Device Certificate

(A) Equipment certificate is issued to various types of non-web application servers, and is used to achieve encryption, electronic signatures of application servers identity and application .Application server certificate can be stored in the hard disk, IC card, encryption machines, cards and other types of encryption devices.

Applying for a server certificate may be required to submit the following information:

- Applicants fill in and sign (or seal) a written application form
- Applicants (individual or organization) identification material or the copies(the specific requirements mentioned as individual and organization certificates requirements above).
- Applicants must fill in the ownership declaration documents about a application server to show that the application server belongs to all applicants.
- If it is entrusted to handle, it is required to submit an original and copy of identification documents of the applicant and the agent, and a letter of attorney signed by the applicant.

(B) Internet equipment certificate is issued to various types of VPN gateways, network access equipment in order, and is used to record the device identity, and achieve the encryption, electronic signatures of the application. Such certificates can be stored in the hard disk, IC card, encryption machines, cards and other types of encryption devices. Specific application requirements please see the SSL certificate.

4.1.2 Certificate Application Entity

The entities involved in the certificate application process include:

1. Certificate applicants, including individuals, enterprises, institutions, government agencies, social organizations, people's organizations and other organizations. Any legitimate organizations, individuals and the subject of having a clear identity and ownership may apply for digital certificates to ensure that online transactions and online administrative operations are safe and reliable.
2. SHECA authorized service agencies, including RA, RAB, RAT and advance certificate providers, as well as the corresponding system, system administrators, operators, etc.
3. The electronic certification service agencies, including SHECA and SHECA authorized sub-CA and so on.
4. Subscribers issued certificate by issuing authority, do not depend whether to accept their certificates.
5. Key generators, including electronic certification service agencies and users choosing the key generator, including but not limited to USB key, IC card, card encryption, encryption machine and other hardware providers and IE and so on.
6. Manage department, including the department defined by the "Electronic Signatures Law of PRC ", " Measures for Administration of Electronic Authentication Services ", " Measures for Administration of Electronic Authentication Service Password " and other department.

4.1.3 The Registration Process and Responsibilities

4.1.3.1 Registration Process

Offline certificate application process

1. The certificate applicant brings all relevant evidence document to RAT of certification services agencies (or submits application by mail to RAT), and fills in the application form.
2. The RAT audit authenticity of identity related to the certificate applicant. If authentication fails, RAT will refuse to issue certificates for applicant, and save information not passed.
3. If the authentication passes, RAT entries and audits certificate application information by service system, and signs by operator's certificate, then encrypts the certificate by the higher level RA, and submits the information to the RA.
4. When RA receives information submitted from RAT, verifies the signature after decryption, then transfers information to CA .If authentication is not passed, then the next step is refused, and failure is returned directly.
5. RAT gives out a password envelopes to the certificate applicant.
6. RA sends the certificate application data of the applicants to CA.
7. CA issues certificate in accordance with the certificate request.
8. Applicants accept and download the certificate.

For online application, SHECA requires:

SHECA supports online certificate requests. When the security and authentication is good, the applicant may submit their application information by fax or network. Applicants personally need not go to SHECA and its authorized service for physical authentication. This mode of application is for testing certificate applications, the certificate renewal application, and the applicant group identified by SHECA.

4.1.3.2 The Responsibility of The Participating Entities

1. The Responsibility of Electronic Authentication Service Agencies

Electronic certification service agencies should bear these responsibilities: ensure that the private key within their electronic signature certification service providers is stored and protected safely in SHECA, and security mechanisms by SHECA established and carried out meet national policy need.

Electronic authentication service agencies may audit and manage its authorized service agencies to ensure the safety and reliability throughout the application process.

Electronic certification service agencies provide safe and reliable operation for CA system .SHECA doesn't bear reparation responsibility of operational failure or delay caused by objective accidents or other force majeure event .To express clearly, these events include strikes or

other labor disputes, riots, civil unrest, supplier actions, intended or not, force majeure, war, fire, explosion, earthquake, flood or other disasters.

Electronic certification service agencies require certificate subscriber to update certificate timely to ensure the reliability of the certificate, with technical progress and development.

2. The Responsibilities of RA

RA obtains SHECA authorization in accordance with procedures , follows the operation agreements of CPS and SHECA and other SHECA published standards and procedures to receive and process the applicant's certificate services requests, and sets up and manages various types of subordinate receiving agency based on authorization , including RA, RAT, RAB and so on.

RA must follow the service acceptance, systems operation and management practices created by SHECA, and SHECA will continue to improve and release timely relevant norms and standards. RA has right to decide whether to provide appropriate services for applicants, according to the CPS and practice statement published by SHECA. RA must meet establishes a reasonable mechanism to ensure the credibility safe and reliable of information transmission of all certificate services (such as applications, renewals, suspension, etc.), according to SHECA requirements and SHECA proposes mandatory standards.

According to SHECA requirements and specifications, RA determines setting up methods, management methods and audit methods of the certificate services agency, and these methods shall not conflict, contradiction or inconsistent with SHECA published relevant provisions must be written and published in the form of documents.

According to the provisions of the CPS, RA ensures that its operating system is in a secure physical environment, and has appropriate safety management measures. RA must be able to provide all the data and backup of certificate services, and in accordance with SHECA requirements to ensure information transfer security between the subordinate certificate service institutions. Importantly, RA promises it carries out strictly obligations to save application data for subscribers, and bears the legal responsibility therefore.

Electronic certification service agencies manage RA in accordance with this CPS and licensing agreements, including Service qualification examination and standardize inspection. Electronic certification service agencies have the final disposal right for servicing applicants. Electronic certification service agencies have the right to review the information of the applicant. All the losses are assumed by the RA, because of the applicant's qualification certificate checking lax.

RA must keep all the applicant information and does not leak to any unrelated third parties. RA must manage all kinds of application forms, certificate storage medium, passwords envelopes, etc. safely, reliably, strictly to ensure their adequate protection.

RA must accept SHECA supervision and audit for its operations, and act in concert with SHECA's audit requirements.

3. The Responsibility of RAB

RA obtains SHECA authorization in accordance with procedures , follows the operation agreements of CPS and SHECA and other SHECA published standards and procedures to receive and process the applicant's certificate services requests, and sets up and manages various types of subordinate receiving agency based on authorization , including RAT and so on. RAB must follow

the service acceptance, systems operation and management practices created by the electronic certification service providers and RA, and electronic certification service providers and RA will continue to improve and release timely relevant norms and standards. According to the CPS, SHECA publishing specifications, RAB has right to decide whether to apply for a appropriate certificate services for applicants, according to SHECA requirements and SHECA proposes mandatory standards.

According to RA and electronic certification service agencies requirements and specifications , RAB determines setting up methods, management methods and audit methods of the certificate services agency , and these methods shall not conflict, contradiction or inconsistent with RA and electronic certification service agencies published relevant provisions must be written and published in the form of documents.

RAB must meet establishes a reasonable mechanism to ensure the credibility safe and reliable of information transmission of all certificate services (such as applications, renewals, suspension, etc.), according to SHECA requirements and SHECA proposes mandatory standards.

RAB must keep all the applicant information and does not leak to any unrelated third parties, and bears the legal responsibility therefore. RAB must manage all kinds of application forms, certificate storage medium, passwords envelopes, etc. safely, reliably, strictly to ensure their adequate protection.

According to the provisions of the CPS, RAB ensure the security of its operating system is in the physical environment, and has the appropriate safety and quarantine measures. RAB must be able to provide certificate services and backup data, and in accordance with SHECA requirements to ensure that its information transfer is safe between the subordinate services agencies.

Electronic certification service agencies manage RAB in accordance with this CPS and licensing agreements, including Service qualification examination and standardize inspection. Electronic certification service agencies have the final disposal right for servicing applicants. Electronic certification service agencies have the right to review the information of the applicant. All the losses are assumed by the RAB, because of the applicant's qualification certificate checking lax.

RAB must accept SHECA supervision and audit of its operations, and act in concert with SHECA's audit requirements.

4. The responsibility of RAT

RAT obtains SHECA and higher level RA (or RAB) authorization in accordance with procedures , follows this CPS and related operation agreements and other SHECA published standards and procedures, receives and processes the applicant's certificate service requests.

RAT must follow the service acceptance, systems operation and management practices created by the electronic certification service providers and superior RA(or RAB), and electronic certification service providers and superior RA(or RAB) will continue to improve and release timely relevant norms and standards . According to the CPS, superior RA(or RAB), SHECA publishing specifications, RAT has right to decide whether to apply for a appropriate certificate services for applicants, according to SHECA requirements and SHECA proposes mandatory standards.

According to the provisions of the CPS, RAT ensures the security of its operating system is in the

physical environment, and has the appropriate safety and quarantine measures. RAT must meet establishes a reasonable mechanism to ensure the credibility safe and reliable of information transmission of all certificate services (such as applications, renewals, suspension, etc.), according to SHECA requirements and SHECA proposes mandatory standards.

Electronic certification service agencies and superiors RA (or RAB) manage RAT in accordance with this CPS and licensing agreements, including Service qualification examination and standardize inspection. Electronic certification service agencies have the final disposal right for servicing applicants. Electronic certification service agencies have the right to review the information of the applicant. RAT has responsible for the authenticity of the information of certificate applicants, no matter whether the application is accepted or not. All the losses are assumed by the RAT, because of the applicant's qualification certificate checking lax. RAT

RAT must keep all the information of applicant and doesn't reveal to any unrelated third-party. RAT must manage all kinds of application forms, certificate storage media, passwords envelopes, etc. safely, reliably, strictly to ensure their adequate protection.

RAT must accept SHECA the supervision and audit of its operations, and act in concert with SHECA's audit requirements.

5. The responsibility of the advance vendor

Advance vendors are required to bear all the cost of the certificate, and pay off according to the manner provided by SHECA.

The behavior of advances vendors , that means he or she is willing and able to take the provisions of CPS and SHECA relevant agreement, guarantee authenticity on the identity of the applicant .

6. The responsibility of certificate applicants

Certificate applicants must strictly comply with requirements about the ownership of private key and certificate applications related hold safely:

The certificate applicants commit that all the statements and information filled in the application form must be complete, accurate, true and correct, for inspection and verification of issuing authority. Moreover the certificate applicant is willing to undertake legal liability arising from any false information provided, false information and other acts. As the application selves reasons causing that issuing authority is unable to correctly issue the certificate that the applicant should bear the loss and liability.

Certificate applicants must carefully read and understand the CPS listed or recommended by the SHECA or security measures to fully understand the importance of private key saving, to ensure the security of the private key.

Before applicants applying for, accepting the certificate and its related services, they need to know the regulations of the CPS and policies related with the certificate. Before SHECA receiving applications , it considers that applicants have already known the CPS content, and promise to comply with restrictions by the certificate holder using certificate.

7. The responsibility of subscriber

When SHECA recognizes the applicant's application and issues a certificate for applicant,

certificate applicant becomes a subscriber, no matter what certificate is or not received by applicant

Subscribers must ensure that the certificate is used as intended application purpose.

Subscribers must ensure private key is safe. SHECA only inform, but does not require certificate applicants comply with security measures SHECA proposed. Subscribers can choose any secret measures that they think. At the same time, SHECA states that SHECA does not undertake all the responsibilities for problems caused by the subscriber keeping private key, unless the subscriber can legally prove that the primary responsibility of such problems coming from the issuing authority.

Once any crisis occurs that lead to security, including loss of subscribers' private key, forgotten or compromised, and other non-listed occasions, the subscriber should immediately notify SHECA to take measures. If the subscriber knows the private key is in some problems and without noticing SHECA timely, and led losses to SHECA, the relevant certificate authority services agencies, other subscribers and certificate relying party losses, the subscriber must bear the corresponding liability.

8. The responsibility of the relying party

The relying party trusts the certificates issued by SHECA and sub-CA, must ensure comply with and carry out the following terms:

(A) The relying party is familiar with the terms of the CPS and policies, laws certificate related, understands the purpose and restrictions of certificates using.

(B) Before the relying party trusts the certificates issued by SHECA and its sub-CA, they must have a reasonable review, including but not limited to: check whether the certificate is valid, check effective CRL SHECA announced to obtain the certificate status. SHECA thinks that the relying party always follows this provision. Once the relying party violates the terms and brought to SHECA losses because of negligence or otherwise, SHECA will reserve the right to take appropriate legal action.

(C) All relying parties must recognize that their behavior of trusting the certificate means that they have acknowledged and understood the relevant regulations of the CPS, including the terms of exemption, rejection and limit obligation.

9. The obligation of directory service

SHECA publishes subscriber's certificate and CRL the certificate associated in the directory server.

SHECA publishes and updates directory service of certificate and CRL at least every 24 hours, adjust and publish the time interval according to relevant laws, policies, requirements and certification service requirements. SHECA will publish the adjustment through the website <http://www.sheca.com>.

10. Responsibility of Key Generator Provider

Once the certificate applicants choose certain key generator, it indicates that the applicant trusts security and reliability of key pair generated by the generator. SHECA does not provide any form of guarantee, and has no responsibility and right to deal with dissension.

11. The Competent Authorities

SHECA commits that it will provide a third-party electronic authentication services in accordance with strictly laws and regulations of national authorities and meet the requirements of a written request from competent department.

4.2 Certificate Application Processing

4.2.1 The implementation of Identification and Authentication

SHECA and its authorized certificate service agencies have rights and responsibilities to identify reasonably for applicant identity. For security and audit requirements, the certificate application form should be recorded the name, signature, date of verification and validation results of identifier.

Upon receipt of subscriber's certificate application, the issuing agencies shall complete the following identification work as the pre-conditions of subscriber's certificate issued:

- Verify that the certificate applicant has accepted the terms of the subscriber agreement.
- According to the type of certificate applied by applicant, verify the identity of the applicant in accordance with the different types of certificate authentication.
- Confirm the certificate applicant is the legal owner of private key that matching with the public key contained in the certificate (adopt different recognition methods according to different types of certificate, such as ask subscriber to guarantee, etc.).
- Confirm the information contained in the certificate is accurate except unauthenticated subscriber information.
- Confirm any trustee applying for a certificate in behalf of their organizations, and has been represented by the organization's legal authority.
- Confirm legitimacy and authority of the identity of the consignor and the consignee.

After the issuance of the certificate, SHECA will no longer bear the responsibility to continue to monitor and investigate the accuracy of the certificate, unless it is noticed the certificate has been damaged described in this CPS.

SHECA retains the right to update identification procedures and requirements. The identification procedures and requirements renewed will be published on <http://www.sheca.com>, and you can also obtain it via the following address:

18F, No. 1717, North Sichuan Road, Shanghai, People's Republic of China (200080)

Shanghai Electronic Certificate Authority Center Co., Ltd.

SHECA Customer Service Center

The auditors of SHECA and its authorized service agencies audit reasonably and prudently for the applicant identification and approve or reject.

4.2.2 Certificate Approval and Rejection

SHECA and its authorized service agencies receive the certificate applications then identify the application information and identity information completely, effectively, reliably and truly, and if it is accurate, they will approve the applications. SHECA and its authorized service agencies issue a certificate for the applicant in accordance with the provisions of CPS to prove that they have approved the applicant's certificate request.

The certificate application was authorized, if the following conditions occur :

- The application satisfy fully the clause 3.2 about the subscriber's identification information and identification requirements
- Applicant accepts or does not opposed to the content or requirements of the subscriber's agreement
- Applicant has paid in accordance with the provisions , except other provisions

When SHECA and its authorized certification service agencies are in the identification process, if the applicant fails to successfully identify, SHECA will reject the applicant's certificate application and notify applicant failure. SHECA has the right to refuse to explain the reason for the failure, and does not need to notify the applicant except for a clear legal requirement . If it is the third-party information which led to identification failure, SHECA will provide this third-party contact information for applicants to inquire. SHECA uses the same method that the applicant submits a certificate application to the SHECA to notify the applicant that his or her certificate application is failure.

SHECA creates and maintains certificates high risk applicants list according to the list published by the anti-phishing Alliance, antivirus vendors or related Union, government agencies responsible for network security services, or information disclosed in public reports by media. SHECA will check the list before accepting certificate application. For applicants in the list, SHECA will refuse its application directly, or request additional application materials, fund guarantees to prove that their certificates will not be misused or unlawful use. Issued certificates will be reviewed according to the list on a regular basis, once a holder of the certificate appears in the list, SHECA has the right to revoke the certificate, or adopt appropriate mechanisms for careful handling.

SHECA can also refuse an applicant certificate in its sole discretion, and does not need any explanation, and does not have obligations and liability of any loss or costs .Unless the applicant of the certificate has submitted fraudulent or falsified information, after SHECA refusing to issue a certificate, SHECA would immediately return the cost that the applicant pays for the certificates.

If the following circumstances happened, SHECA may refuse the certificate request:

- The application does not meet the terms of the previous 3.2 Information on the identity of subscribers and identification requirements
- The applicant can not provide the required identity documents or other supporting documents that is needed
- The applicant can not accept or against the relevant content and requirements of the subscriber's agreement

- The applicant has not or can not pay the appropriate fees
- RA or CA considers that the approval of the application will bring the dispute, legal disputes or losses to the CA

The certificate applicant who is rejected could then apply again.

4.2.3 Time of Processing the Certificate Application

SHECA will identify and review the certificate information submitted by the applicant and make a decision for approval or rejection in 7 working days.

4.3 Certificate Issuance

4.3.1 Issuing the Certificate

Upon an applicant submitting a certificate application, despite the fact that he or she doesn't accept the certificate, but still regarded as the subscriber who has agreed to receive a certificate from the issuing authority.

When the issuing authority approves the certificate request, it will issue a certificate by means of HTTP and LDAP for subscriber. The release of certificate means SHECA formally approved the final certification application.

4.3.2 The Behavior of Electronic Certification Service Agencies and Registered Agencies When Issuing the Certificate

When the certificate application is approved, the applicant will receive a marked items that containing the application password, referred to application password (such as passwords or password card envelopes, bar codes, encrypted digital streams, etc.) to ensure apply for a certificate safely.

SHECA and its authorized service agencies will issue the password to the applicant, which fully meets the following conditions:

- Comply with application procedures of SHECA certificate;
- Pay a certificate fee according to the regulation;
- SHECA and its authorized service agencies have approved the application;

The registered agencies have accomplished the registration of applications and operation of certificate in accordance with this CPS and SHECA relevant operation agreement, and send the licensing information and user data to the certification agencies.

After the certificate agencies receive application information and verify the legitimacy of the applicant's identity and the integrity, validity and reliability of the certificate application information, if they are all correct, then the applicant will be issued the certificate.

If the applicant applies for a signed certificate, then:

- 1、 The applicant sends to SHECA a public key. SHECA will establish a secure channel with the applicant through the network, and the applicant upload the public key to CA agencies. SHECA supports PKCS10 standard certificate request.
- 2、 SHECA confirm the authenticity of the certificate requesting. SHECA issues the corresponding certificates, once confirmed.

If the certificate applicant applies for encryption certificate, then:

- 1、 When the applicant applies for a signing certificate, he or she can also apply for encryption certificate simultaneously.
- 2、 When SHECA receives the request of applying for encryption certificate, SHECA will obtain encryption key pairs from the corresponding national key management ,and issue the certificate to the user.

Besides, certificate issuance by the Root CA shall require an individual authorized by the CA system administrator of SHECA to deliberately issue a direct command in order for the Root CA to perform a certificate signing operation.

4.3.3 Notification of Electronic Authentication Services and Registry to Subscribers

The way of sending password can be divided into the following ways, according to SHECA different application objects:

- 1、 Notify the applicant face to face(such as the applicant gets certificate from RAT, etc.);
- 2、 Notify via e-mail;
- 3、 Notify via postal letters;
- 4、 Notice via the confirmed safety channel ;
- 5、 Other safe and practical manner SHECA considered.

SHECA does not have the obligations of installing the certificate on-site for users .If the applicant needs, SHECA can go to install but need to charge the appropriate services. SHECA and its authorized service agencies support hotline services. Hotline telephone and mail is announced by SHECA and its authorized service agencies.

4.4 Certificate Acceptance

4.4.1 Conduct Constituting Certificate Acceptance

When the applicant completes the application process, and SHECA and its authorized service agencies deliver the certificate, a way to obtain the certificate, or the password associated with the certificate to the applicant, which means that the applicant accepts the certificate. After subscribers receive digital certificate, the private key should be kept properly with the corresponding certification.

The following acts are considered that subscribers receive a certificate:

- Subscribers have received a medium containing certificate
- Subscribers download or install the certificate to a local storage medium through the network , such as the local PC, IC card, USB Key, mobile hard drive or other removable storage medium
- Subscribers receive a way of obtaining certificate , and do not object certificate or the contents of the certificate
- Subscribers object certificate or content of certificate operation failure

4.4.2 Publication of the Certificate by the CA

Once the subscriber accepts the certificate, SHECA will publish one or more copies of the certificate in its repository, directory services and other repository. Subscribers can also publish their certifications in other places.

Subscriber and the relying party can download their own or others' certificates through certificate directory service or HTTP.

If the subscriber submits written application, CA can not publish the subscriber's certificate information to any public information repository.

4.4.3 Notification of Certificate Issuance by the CA to Other Entities

After the subscriber accepts certificate, SHECA will not specifically notice to the registrar, registration authority terminal, the competent departments and other entities , and these entities can obtain subscriber's certificates and related information by quering the directory service or SHECA database .

4.5 The Key Pair and Certificate Usage

4.5.1 The Subscriber Private Key and Certificate Usage

The subscribers use their certificates and the corresponding private key, only the subscribers agree and accept the subscriber's agreement requirements (for example, sign a subscriber agreement). The certificate can be used only based on the CPS and the relevant provisions of the CP. Subscribers can only use the private key and certificate in the proper range of applications which is consistent with the contents of the certificate (if the usage and purpose of the certificate is defined in some fields, this certificate will be used only in this range, such as key usage). All acts must be consistent with the requirements of the subscriber agreement.

When the subscribers use the certificate, they must keep and store the private key associated with the certificate in order to avoid the loss, disclosure, alteration, or embezzled. Any person who uses the certificate must check the validity of the certificate, including whether the certificate is revoked, expiration and it is issued by the right authority and so on.

When using electronic signature information and electronic signature issued by SHECA,

participants have the rights and obligations provided by the CPS. Participants (the issuing authority, the certificate subscriber and relying party) agree to abide by the CPS, UNTSH CP and SHECA agreement. Any usage of certification and private keys beyond the provisions of this CPS, SHECA will not bear any resulting consequences.

The certificate issued by SHECA only indicates that certificate holders who apply for a certificate identity, and verifies the signature made by private key corresponding certificate holder the public key .Thus, by signing and verifying signature, SHECA can ensure the authenticity of the certificate holder's identity, the integrity of information and the information non-repudiation etc. If the certificate holder uses the certificate for any other purposes, SHECA will not bear any responsibilities and obligations arising therefrom.

If the usage and purpose of the certificate is defined in some fields, this certificate will be used only in this range. The person who takes any actions beyond certificate marked the usage scope bear the responsibility. Beyond any usage scope, SHECA does not bear any responsibilities and obligations arising therefore.

4.5.2 Signature and Verification

Signature can only be created under the following situations:

- Created in certificate valid period
- The signature is verified exactly through the chain of certificates
- Relying party doesn't find or noticed the behavior contrary to the CPS requirements
- Relying party complies with all provisions of the CPS

The usage of certificates does not mean that subscriber can act on any individual interests or have the rights to take any special action. Certification can be indicated only that the subscriber's identity and the subscriber's signature is verified.

The signature verification confirms that the signature is created by the signer's private key corresponding to private key contained in the certification, and after the signature is created, the information of the signature has not been changed.

This validation will be conducted by the way of CPS prescribed, and authentications are as follows:

1、Confirmed the certificate chain of the signature verification - to verify the signature firstly you should confirm that the selected certificate chain is the best match with the digital signature certificate chain. There are possibly more than one valid certificate chain (eg:cross validation),from a given certificate to an acceptable root certificate. If there are multiple certificate chains between the acceptable root certificates, the person who selects or confirms the signature certificate chain may have different choices. In this case, the person who verifies the digital signature has better make the choice for the end of the "higher trust level" of a CA or an end in the root certificate chain of SHECA.

2、Checking SHECA or other agencies repository to view the certificate of certificate chain whether it is revoked. Certificate may be revoked and is no longer valid, during the signature created period ,. You can check the revocation status or view the latest certificate chain provided

in the Certificate Revocation List (CRL) to verify the certificate status.

3、 When the signature is verified, the range of a signed message should be determined and you should know exactly what data has been signed.

4、 Determine the scope and the purpose of the signer. Issuing authority may limit to the use of private key which is corresponding with its issued certification. These limitations will be accompanied by a certificate or displayed in the reference information of the certificate, and as a warning to the recipient that in some cases it is unreasonable to trust the certificate. The warning and restrictions of certificate was checked to ensure the rational use of the certificate.

SHECA solemnly points out:

- If the relying party trusts the signature which can not be verified, then all risks should be borne by themselves.
- And relying parties don't have the right to make any assumptions about the digital signature whether it is valid.
- This means that any reliance on the signature must be judged reasonably and properly.
Under the following conditions, the receiving party who received the information by subscriber's signature can trust subscriber's bound signature:
- Signature is created by the legal validity of the certificate use and the signature can be verified through a valid certificate chain.
- The relying party trusts the digital signature reasonably. If you need additional guarantee to trust the signatures, the relying party must obtain these assurances then trust the signature reasonably.
Of course, whether to trust the final decision of verified signature will be verified independently by the authenticator.

4.5.3 The Relying Party Public Key and Certificate Usage

Before trusting the certificates and signatures, the relying party should make due diligence and reasonable judgments independently:

- Whether the certificate issued by a trusted CA
- For any given purpose, the certificate is used appropriately; whether the certificate is used against the CP, CPS or the relevant laws and regulations. SHECA and RA are not responsible and can not assess whether the subscriber certificate is used appropriately.
- When the certificate is used whether it is consistent with the content included (if the usage and the purpose of the certificate is defined , this certificate will only be allowed to use within this range, such as key usage)
- Checking the certificate status of all certificates and certificate chain, whether it is in the period, or it has been revoked. If the subscriber certificate or any certificate of the certificate chain has been revoked, the relying party must know whether the signature is made before revoked

Unless provided in this CPS, certificate from the issuing authority is not any commitment of

power or privilege. The relying party only trusts certificate and the public key contained in the certificate within the limits prescribed in this CPS and makes this decision.

If the usage and purpose of the certificate is defined in some fields, this certificate will be used only in this range. This relying party must make reasonable judgments, and the person who takes any actions beyond certificate marked the usage scope bear the responsibility. Beyond any usage scope, SHECA does not bear any responsibilities and obligations arising therefore.

4.6 Certificate Renewal

Certificate renewal is the issuance of a new certificate to the subscriber without changing the public key or any other information in the certificate. When certificate renewal, the subscriber no longer needs to submit a certificate registration information, only submits sufficient information which can identify the original certificate, such as subscriber distinguished name, certificate serial number, etc. Using the private key of the original certificate signature for the renewal application information containing of the public key . To ensure that the certificate and key are safe and reliable, SHECA sets for the validity period of the certificate issuance, usually one year. Before the expiry date of the certificate, the certificate subscribers can choose to retain the original key to update the certificate by issuing authority. Subscribers must ensure that the private key held by them is safe and reliable.

4.6.1 The Situation of Certificate Renewal

Prior to the expiration of an existing subscriber's certificate, SHECA will make reasonable efforts to send a certificate renewal prompt to the certificate subscriber or certificate application trustee, suppliers or agents. Reasonable efforts including but not limited, site prompts, the system prompts, writing prompts, E-mail notification or other means, but SHECA and its authorized service agencies take any of the above methods of hints or notices which may be reasonable efforts.

User certificate issued by SHECA generally valid period is one year, and effective data is from the time when the certificate is issued. SHECA will send certificate holders the renewal notice or the appropriate information, a month before the expiry of the certificate.

Meanwhile, SHECA also accepts update requests made by subscribers, and do some update processing for their certifications.

4.6.2 Who May Request Renewal

All subscribers hold certificates issued by SHECA , including individuals, enterprises, institutions, government agencies, social organizations, people's organizations and other organizations, etc., they all can request to update their various types of certificates, before the validity of the certificate is about to expire.

4.6.3 Processing Certificate Renewal Requests

SHECA and its authorized service agencies provide two means, online and offline renewal. Certificate holder can choose the appropriate update strategy. For certificate renewal, SHECA

need ensure that the person requesting the certificate update is the subscriber. When SHECA issues new certificate, the applicant can be asked to update the original private key or use the same process of issuing the initial certificate to identify. Usually, when the certificate is updated, subscribers can use the existing private key to sign the update request, and the issuing authority will verify and identify the signature and public key of the user, user information contained certificate renewal requests correctly, legally, uniquely:

- Subscriber signs the application information, and CA verifies signature by the original certification public key
- Subscriber's registration information has not changed, and CA issues a new certificate based on their original registration information

When updating the certificate online, the subscribers must fill out the update request, and in accordance with SHECA and its authorized certification service requirements, sign the update request information with the current private key and submit to the issuing authority. After the issuing authority receives update requests, it issues a new certificate, when the identity and request information of the applicant are confirmed.

When updating the certificate offline, the subscriber can give update request to SHECA and its authorized service agencies in accordance with the original application process. Issuing authority will identify and verify certificate renewal application in accordance with the original application process. Certifying authority will issue a new certificate after it has recognized and approved the update application.

4.6.4 Notification of New Certificate Issuance to Subscriber

Before subscribers update certificates, they should ensure that the upcoming key is safe and reliable. Once this reliability can not be confirmed, SHECA and its authorized service agencies recommend subscribers to directly select the certificate key updating.

4.6.5 The Behavior Constitutes Acceptance of the Certificate Renewal

When the updating requests online or offline submitted by subscribers are approved, SHECA and its authorized service agencies deliver the certificate or the way of obtaining the certificate, or the password associated with the certificates to the subscriber, which means the subscriber has accepted the certificate. When the subscribers receive digital certificate, private key should be kept safely.

4.6.6 Publication of the Renewal Certificate by the CA

Once the subscriber accepts the certificate renewal, SHECA will issue copies of the certificate in its repository, directory services and other one or more repository decided by the SHECA. Subscribers can also publish their certificates in other place.

After new certificates are issued, SHECA and its authorized service agencies can revoke the old certificate according to subscribers' requirements.

4.6.7 The Notices From Electronic Certification Authority to Other Entities

After subscribers receive updated certificate, SHECA will not notice the registration agencies, registration authority terminal, competent departments and other entities, which can obtain subscribers' updated certificate and related information by querying the directory service or SHECA information repository.

4.7 Certificate Key Renewal

When the subscriber or other participants need to generate a new key and issue the new certificate for new public key, the user can select the certificate key renewal service. For some security reasons, SHECA recommends subscribers update key at the same time while updating certificate

After the expiration of the certificate, when the certificate key is updated, the subscriber needn't submit the registration certificate, and submit sufficient information that can identify the original certificate, such as subscriber's distinguished name, certificate serial number, the certificate key renewal signature of the original certificate's corresponding private key, and send a new public key for applying a new certificate.

4.7.1 Circumstances for Certificate Re-Key

If the following circumstances happen, the subscriber must select the certificate key renewal:

- Certificate expires and the key also expires
- Certificate key pair has been leaked, stolen, tampered or safely is not exit for other reason
- After the certificate is revoked , a new certificate is needed

In addition, any certificates under the SHECA structure, including RA, RAB, certificate operators, etc., must be updated after the expiration of the certificate key.

Subscriber whose certificate is about to expire, should update the certificate key to obtain a new certificate for security reasons.

4.7.2 Who May Request Certification of a New Public Key

All subscribers hold certificates issued by SHECA, including individuals, enterprises, institutions, government agencies, social organizations, people's organizations and other organizations, etc. may request a certificate key update service.

4.7.3 Certificate Key Update Request Processing

SHECA and its authorized service agencies provide online and offline update means. Usually, when the certificate key is updated, subscribers can submit the related information of original certificate, such as the certificate distinguished name, certificate serial number, the certificate key renewal signature of the original certificate's corresponding private key to identify their status.

Issuing authority will verify and identify the user information of the user's renewal request correctly, legally and uniquely. Including:

- Subscribers submit information to verify their identity ,then CA identifies it
- Subscribers sign to the certificate key renewal request by the original certificate corresponding private key , and CA verifies their signature
- Subscriber registration information doesn't change, then CA issues a new certificate based on their original registration information.

Online updating the certificate----The subscriber must fill out the online renewal request , and sign the update request information of the new generated public key by the current private key, in accordance with SHECA and its authorized certification service requirements, then submit it to the issuing authority . After SHECA and its authorized service agencies receive the certificate key update request and identify the identity of the applicant and request information, they issue new certificate for the applicant. The certificate's public key is a new public key submitted by the applicant.

Offline updating the certificate----The subscriber submits certificate renewal request to SHECA and its authorized service agencies in accordance with the original application process, and submit public key newly generated. SHECA and its authorized service agencies identify and verify certificate renewal application in accordance with the certificate application process. After issuing authority recognize and approve the update application, they issue a new certificate for the applicant, and certificate public key is new public key submitted by the applicant.

4.7.4 Notification of Updating the Certificate key

When subscribers select the certificate key update, encrypted information and data to be updated certificate should be proper treated (such as backup certificate and key to be updated, or using an existing certificate encrypted file to decrypt t, and reasonable disposition subscriber thought), then the certificate can be updated.

If the subscriber does not properly handle the certificate but update key directly may result in the original encrypted information and data that can not be decrypted. SHECA will not bear any responsibility for the result of the possible loss.

4.7.5 Conduct Constituting Acceptance of a Re-Keyed Certificate

After subscribers' certificate key updating request submitting or a certificate offline key updating request submitting is approved, SHECA and its authorized service agencies delivered the certificate itself, or the way of obtaining the certificate, or the password associated with the certificate to subscribers, which means the subscriber accepts the certificate. After subscriber receives digital certificate, the private key corresponding to the certificate should be kept safely.

4.7.6 Publication of the Re-Keyed Certificate by the CA

Once the subscriber receives the Re-Keyed certificate, SHECA will issue copies of the certificate in its repository, directory services and other one or more repositories decided by the SHECA. Subscribers can also publish their updated certificate in other places .

After new certificate is issued, SHECA and its authorized service agencies can revoke the old certificate according to subscriber's requirements.

4.7.7 Notification of Certificate Issuance by the CA to Other Entities

After subscribers receive key updates certificates, SHECA will not specifically notice the registration authority, registration authority terminal, the competent departments and other entities for special notice, and these entities can obtain subscribers' updated certifications and related information by querying the directory service or SHECA information repository.

4.8 Certificate Modification

In the validity of the certificate, when the certificate information is changed, the subscriber or other participants may choose to change the certification, preserve the public key and apply for a new certificate. SHECA will provide a re-certification once the information submitted by the applicant identified and verified. Only in the period, subscribers can change the certificate. When the subscriber information contained in the certificate is changed, the subscriber must apply for certificate change to ensure that it does not affect the relying party's trust.

When the subscriber information is changed, which is enough to affect the identity changes of the certificate held by the subscriber, the subscriber has the obligation to report for the SHECA.

4.8.1 The Circumstances of Certificate Modification

When the modification of the subscriber or other participant information results in physical status changes, the user must make changes to the original certificate and re-apply for certification after the certificate is revoked. Including:

- Subscriber's name, telephone, address and other information changes
- Subscriber changes because of organizational restructuring and other reasons
- Other information changes

If information contained in the certificate changes that may affect and modify the rights and obligations of subscribers. The subscriber can not apply for the certificate change, only can revoke the certificate then re-apply for a new certificate.

The process and conditions of certificate changing is the same with and certificate application.

4.8.2 Who May Request Certificate Modification

All subscribers hold certificates issued by SHECA , including individuals, enterprises, institutions, government agencies, social organizations, people's organizations and other organizations, etc., when their certificate information changes , resulting in physical status changes, they may request to certificate modification service.

4.8.3 The Processing of Certificate Modification Requests

SHECA and its authorized service agencies can provide online and offline changing.

Changing the certificate online----The subscriber must fill out the change request online , and in accordance with SHECA requirements , uses the private key in corresponding public key to sign the modification request information, then submit to the issuing authority .When the certificate authority receives the certificate modification request , after they identify and verify the identity of the applicant and request information , issue a new certificate ,and the original public key is still used .

Changing the certificate offline----The subscribers should fill out the certificate application form to the SHECA and its authorized service agencies in accordance with the original application process. SHECA and its authorized certification service agency identify and verify certification changed application according to the original application process. After issuing authority recognizes and approves application, it will issue a new certificate, and certificate's public key is the original applicant public key.

Currently, the only way is changing the certificate offline.

4.8.4 The Notification of Certificate Change

After the certificate is changed, the certificate is valid from the day it is changed till the original expiration date .

Before subscribers change the certificate, they should ensure that the certificate key pair is safe and reliable. Once this reliability can not be confirmed, then SHECA recommends subscribers to select directly the certificate key updating.

4.8.5 The Behavior Constitutes Acceptance of Certificate Change

After a certificate modification request submitted by the subscribers online or offline is approved, SHECA and its authorized service agencies will deliver the certificate, a way of obtaining the certificate or the password associated with the certificates to the subscriber, which means that subscribers accept the certificate. After subscribers receive digital certificate, the private key corresponding to the certificate should be kept properly.

4.8.6 The Release of Electronic Certification Service Agency to Change the Certificate

Once the subscriber accepts the certificate modification, SHECA will issue copies of the certificate in its repository, directory services and other one or more repositories decided by the SHECA . Subscribers can also publish their modification certificate in other places.

After new certificate is issued, the old certificate will be revoked within 24 hours, which is released by CRL.

4.8.7 Notification of Certificate Issuance by the CA to Other

Entities

After subscribers accept the certificate modification, SHECA will not devoted to the RA, RAT, the competent departments and other entities for special notification, these entities can obtain modification certificates and related information by querying the directory service or SHECA information repository .

4.9 Certificate Revocation and Suspension

Subscriber, the electronic certification service agencies and law or government authority departments can request certificate revocation.

After the certificate is revoked, the certificate holder may re-apply for a digital certificate to SHECA or its authorized certificate services agencies, and the procedure is the same with the first application procedure. The private key with the corresponding public key contained in the certificate is revoked, unless destroyed, should be protected by subscriber ate key in a credible method in the preservation.

All certificate revocation application forms and other formats are saved by the SHECA and its authorized certificate service agencies.

Currently, SHECA does not provide certificate suspension services. Once these services are provided, SHECA will announce it through the website, etc.

4.9.1 The Situation of Certificate Revocation

4.9.1.1 Reasons for Revoking a Subscriber Certificate

1、 The certificate within the validity period, if it appears (including but not limited circumstances listed below), SHECA and its authorized service agencies can revoke the certificate:

- Because it is not applicable in the certificate management system or certificate system integration needs
- Because the subscriber fails to fulfill the agreement between SHECA and its authorized service agencies , such as subscriber don't pay the fees, and put forward by these entities who have the right to make claims to revoke
- Because the certificate is improper used in violation of the main and important obligations of the CPS, state laws and regulations.
- Government authorities or courts apply in accordance with the formal legal procedures
- Subscriber (or authorized agent) requests to revoke certificate, once the revocation requester is the subscriber's own
- The initial subscriber provides false or deceptive material when registration application ;
- Important data within CA or CA root key is stolen because of operational problems in the

electronic certification service agency

- Certificate's private key is lost, stolen, tampered, unauthorized disclosure or damaged
- It is discovered and confirmed that a certificate is not issued under the SHECA CPS
- If the lower-level issuing authority is confirmed to have any of the following acts, whether subordinate certification authority agree or disagree, SHECA will make reasonable efforts to revoke certificate from subordinate certification authority : SHECA knows or has reason to believe that key facts of the statement from subordinate certification authority is false, the certain key conditions of issuing certificate are neither met nor gave up, subordinate issuing authority private key or trustworthy system exists security risks and they may impact on the reliability of the certificate ,and subordinate certification agencies have violated the provisions of CPS
- Due to force majeure, natural disaster, computer or communications failure, changes of laws and regulations, government action (including but not limited to the export control restrictions on management) or other causes beyond the reasonable control , resulting in information seriously threatened or security endangered , thereby delaying or preventing the execution of subscriber liability

2、The certificate within the validity period, if the following conditions occur, the subscriber must submit cancellation request:

- The private key corresponding with the public key contained in the certificate is compromised, stolen, tampered with, or has other reasons for security concerns
- Subscriber information in the certificate modification
- Because the certificate is no longer needed for the original purpose then to be terminated
- Relevant content of certificate is different from registration applications
- Certificate holder is not able to perform or breach responsibilities and obligations of the CPS or other agreements and regulations

3 、 Apart from the circumstances above, when one or more of the followings happen the certificate also needs to be revoked.

- CA is made aware that the domain name is no longer legal, for example the domain name is judged as illegal by court or the agreement with the domain register expires, etc.
- CA is made aware that a Wildcard Certificate has been used to authenticate a fraudulently misleading subdomain name.
- CA stops running for some reason, but certificate revocation operation is not done in time by other CAs for supporting.
- CA's right of issuing certificates comes to expiration or revocation or termination unless CA has arranged a continuing service of CRL/OCSP.

- The technical content or format of the certificate caused unacceptable risks for the software supplier or the relying parties.
- 4、Other reasons certificate to be revoked
- 5、SHECA has no obligation to open the reason of certificate revoked

4.9.1.2 Reasons for Revoking a Subordinate CA Certificate

1. SHECA obtains evidence that the Subordinate certificate's Private Key corresponding to the Public Key in the Certificate suffered a Key Compromise or no longer complies with the requirements of Sections 6.1.5 and 6.1.6;
2. SHECA obtains evidence that the Certificate was misused;
3. SHECA is made aware that the Certificate was not issued in accordance with the applicable requirements such as Certificate Policy or Certification Practice Statement;
4. SHECA determines that any of the information appearing in the Certificate is inaccurate or misleading;
5. SHECA ceases operations for any reason and has not made arrangements for another CA to provide revocation support for the Certificate;
6. SHECA's right to issue Certificates under these Requirements expires or is revoked or terminated, unless SHECA has made arrangements to continue maintaining the CRL/OCSP Repository;
7. Revocation is required by SHECA's Certificate Policy and/or Certification Practice Statement; or
8. The technical content or format of the Certificate presents an unacceptable risk to Application Software Suppliers or Relying Parties.

4.9.2 Who Can Request Revocation

The following subject can request revocation:

- Certificates subscriber, Representative who is authorized legally by Certificates subscriber or business entity who pays for the certificate with proper authorization
- SHECA
- The courts, government and other public power department

Other parties may report suspected Private Key Compromise, Certificate misuse, or other types of fraud, compromise, misuse, inappropriate conduct, or any other matter related to Certificates, in the first instance, by email to report@sheca.com.

Only SHECA can revoke root certificate or sub-CA certificate.

4.9.3 The Process of Revocation Request

As for the certificate revocation application, SHECA shall handle it in accordance with the following process:

- (1) Certificate Subscriber representative or designated agent could apply certificate revocation in the following ways:
 - Online application(only for subscribers with USB KEY):log in on <http://issp.sheca.com/> with the USB KEY and apply for certificate revocation
 - Email: report @sheca.com
 - Fax 021 -36393200
 - Tel 021 -36393196
 - site application: SHECA's service locations
- (2) During the valid period of the certificate, SHECA should begin an investigation within 24 hours after receive the revocation request. SHECA performs identification and verification for certificate revocation request according to the following rules.
 - a) For subscribers with USB KEY, just log in on <http://issp.sheca.com/> with the USB KEY and submit the certificate revocation request online.
 - b) For subscribers with no USB KEY, Certificate Subscriber representative or designated agent must go to one of the service locations of SHECA and submit the certificate revocation request together with essential proof of identity and authorization. If there is no service location available for the subscriber, the request may be submitted (by the person who was responsible for the certificate application is preferred) via telephone or email, SHECA staff shall perform identification verification of the individual and the organization via telephone.
- (3) SHECA shall decide whether revocation or other appropriate action is warranted during two workdays.
- (4) After the certificate has been revoked, SHECA should publish it to the certificate revocation list

Any revocation application that is not requested from the subscriber, should be approved appropriately before proceeding.

When Root certificate or sub CA certificate's private key encounters severe security risk, the certificate can be directly revoked after approved by competent authorities.

SHECA establishes and maintains 7 * 24 hours online service for Certificate Problem Reports and Acceptance mechanism.

4.9.4 Problem Reporting and Processing Mechanism

SHECA should set up and maintain a 7*24h problem reporting and processing mechanism. Any subscriber, relying party, software supplier or other third party who finds there might be problems with the certificate, or finds or doubts there is private

key leak or certificate abuse, or finds other related certificate malpractice, leak and abuse or other misbehavior can report or complain to SHECA. Details for reporting show below.

- Email: report@sheca.com
- Fax: 021-36393200
- Phone: 021-36393196

After accepting the report or complaint, SHECA will launch an audit and investigation process within 24 hours to the related certificate and inform the reporter and related other parties whether or not it will revoke the certificate within 2 business days. The investigation includes but is not limited to the following,

- The reporter's identity authentication
- The nature and the cause of the problem reported
- The number of times and the frequency of the problem reported
- The re-examination of the certificate issuing process and other related business processes.
- The conformance to CP/CPS and subscriber agreement.
- The conformance to related laws and regulations.

Besides, when SHECA is made aware of incidents involving malware, the following actions will be taken by SHECA.

- Within 1 business day of being made aware of the incident, SHECA contacts the software publisher and requests a response within 72 hours.
- Within 72 hours of being made aware of the incident, SHECA determines the volume of relying parties impacted.
- If a response is received from the publisher, SHECA and publisher determine a 'reasonable date' for revocating the CodeSigning certificate.
- If no response is received from the publisher, SHECA notifies the publisher that the certificate will be revoked in 7 days unless it has documented evidence that this will cause significant impact to the general public.

4.9.5 Revocation Request Grace Period

Revocation requests shall be submitted as promptly as possible within a commercially reasonable time. If the delay happens due to objective reasons, it should not exceed 8 hours. If it is in the grace period, subscribers did not timely request revocation, SHECA will not bear any loss or responsibility resulting from subscribers don't request timely revocation.

4.9.6 Time Within Which CA Must Process the Revocation Request

After receiving the revocation request, CA should take reasonable steps to deal with, and shall not delay.

Usually, SHECA should start the investigation within 24 hours and decide whether revocation or other appropriate action is warranted during two workdays based on at least the following criteria:

1. The nature of the alleged problem;
2. The number of Certificate Problem Reports received about a particular Certificate or Subscriber;
3. The entity making the complaint (for example, a complaint from a law enforcement official that a Web site is

engaged in illegal activities should carry more weight than a complaint from a consumer alleging that she didn't

receive the goods she ordered); and

4. Relevant legislation..

4.9.7 Revocation Checking Requirements for Relying Parties

Certificate revocation list (CRL) as public information, read permissions is not set safely. Relying parties can inquiry as required, including checking certificate revocation list, quering certificate state by the website: <http://www.sheca.com> website or quering through the Online Certificate Status Protocol (OCSP).

Before the relying party trusts the certificate, they should take the initiative to check the status of certificate according to the latest CRL which based on SHECA and its sub-CA.

Meanwhile, they also need to verify the reliability and integrity of the CRL to ensure that it is published by SHECA and its authorized sub-CA, including digital signature of SHECA and its authorized sub-CA.

4.9.8 CRL Issuance Frequency

SHECA updates and publishes certificate revocation list (CRL) every 24 hours. For the sub-CA certificate, it is issued or published once at least every three months, annually for the root CA certificate.

SHECA may decide to shorten the time of generating and updating CRL.

4.9.9 Maximum Latency for CRLs

CRL is effective after revocation request approved within 24 hours. CRL can come into effect immediately in special emergency circumstances (without regarding network conditions, the time difference because of the network factors is allowed) . It means SHECA will publish the revoked certificate in the CRL.

SHECA promises to publish the certificate revocation list within 24 hours after revocation act happens.

4.9.10 The Availability of Online Status Queries

SHECA provide online certificate service protocol (OCSP) to subscribers and relying parties. OCSP's availability complies with requirements in RFC6960 and/or RFC5019.

SHECA provides OCSP services at: <http://ocsp3.sheca.com/Sheca/sheca.ocsp>.

4.9.11 Online Status Query Requirements

Effective 1 January 2013, SHECA supports an OCSP capability using the GET method for Certificates issued in accordance with these Requirements.

1 For the status of Subscriber Certificates:

SHECA maintains real-time update of information provided via an Online Certificate Status Protocol. OCSP responses from this service have a maximum expiration time of one hour.

2 For the status of Subordinate CA Certificates:

SHECA maintains real-time update of information provided via an Online Certificate Status Protocol. If the OCSP responder receives a request for status of a certificate that has not been issued, the responder will not respond with a "good" status. SHECA monitors the responder for such requests as part of security response procedures.

Effective 1 August 2013, OCSP responders for SHECA which are not Technically Constrained in line with BR Section 7.1.5 will not respond with a "good" status for such certificates.

Users can freely inquire status online. SHECA doesn't set any read permissions. If the relying parties can not query the CRL, then they can query certificate status through the OCSP or by visiting the website.

4.9.12 Other Forms of Revocation Advertisements Available

In addition to CRL mode of X.509 V2 format, SHECA does not provide other methods of the revocation information dissemination.

4.9.13 Special Requirements of Key Damage

If the subscriber finds or suspects that the key security is damaged, the certificate should be revoked immediately.

If SHECA own key is damaged, or due to the SHECA's reason f users' key is also damaged, SHECA will revoke the certificate actively and immediately and issue the certificate real-time to CRL. SHECA take responsibility for the subscribers' losses caused by key damage, and SHECA will issue new certificates in time.

4.10 Certificate Status Services

4.10.1 Operational Characteristics

SHECA provides three ways of certificate status services:

1、CRL ----CRL is published by the directory server ,and its credibility and security is to be guaranteed by SHECA and its authorized issuing authority via CA certificate's signature . CRL only provides periodic certificate status inquiry. Now SHECA publishes CRL once every 24 hours.

Users need to download the CRL to the locality and verify, including legality verification and checking whether the CRL contains the serial number of the certificate to be tested.

2、OCSP ----The user can inquire the status of certificates through the OCSP . OCSP provides real-time queries of certificate status information.

3、HTTP ----Users can query by <http://www.sheca.com/>.

4.10.2 Service Availability

Certificate Status Services must be available in 7X24 hours. Without scheduled interruption, SHECA should ensure that CRL and OCSP inquiry is in use. Once exception circumstance happens, the user can query by http to obtain certificate status information.

4.11 Termination

The following conditions shall be deemed that the user terminated to use the certificate services provided by SHECA:

1、After the expiration of the certificate, the certificate subscriber no longer extends the period of the certificate or reapplies for a certificate then it will automatically terminate SHECA services.

2、In the validity of the certificate, the subscriber terminates service certificate.

Once the user terminates to use SHECA certificate authentication services in the validity of certificate, after SHECA approves his or her request for termination, the subscriber's certificate will be revoked real-time, and released in accordance with the CRL distribution strategy.

4.12 Key Generation, Backup and Recovery

4.12.1 Signature Key Generation, Backup and Recovery Strategies and Actions

In order to ensure the security and uniqueness of subscribers' signature private key, SHECA will suggest subscribers to operate their keys generation and backup, and even operate the recovery themselves if the key is lost.

However, if the subscriber submits a written application in accordance with SHECA's requirements and specifications asking SHECA to generate user keys for them, SHECA may generate signature key instead of the user. SHECA will take strict measures to ensure the safety of the user key generation and follow relevant regulations of the State Commercial Cryptography Administration of China which is equivalent to FIPS 140-2 Level 2. SHECA won't keep any copies of user's private key.

SHECA does not provide services of hosting and recovery for subscriber's private key.

4.12.2 Encryption Key Generation, Backup and Recovery Strategies and Actions

The user's encryption key is generated by the designated key management agency which is set up by the state. All the encryption key generation, backup and recovery strategy are decided by this agency.

4.13 Certificates and CRL Archiving

After the certificate is expired or revoked, user information and certificates data are reserved not less than 7years.

CRL files are archived in CD-ROM, the archive period is 7 years.

5. Facility, Management and Operational Control

5.1 Physical Control

The physical control and security policies, authentication service system complied with by SHECA is in a secure building which has independent hardware and software operating environment. Only authorized operators can enter into the appropriate area to operate based on the related security practices. Root key of SHECA in the environment of maximum security strength avoid the operation destroying or operating unauthorized.

5.1.1 Site Location and Construction

The host house of SHECA authentication system is in Shanghai Telecom Building, and backup room located in SHECA building has three physical protection layers to monitor and manage physical channel. Host and backup rooms of SHECA are equipped with shock-proof, fireproof, waterproof temperature control systems, access control systems, video surveillance systems and alarm systems to ensure continuity and reliability of certification services. The construction and management of all rooms is in strict accordance with the requirements of SHECA. In principle, machine room is prohibited to visit, only person authorized by SHECA can enter into the site and the area authorized. The high-security monitoring technology was made in generator room, including video, fingerprint, access control and other security management tools to ensure the security of the physical channel. Entering into SHECA generator room, there are time-limited access control system. All-weather automatic monitoring is carried out in computer room.

Monitoring Record documents includes the records of all traces of channel in the engine room. All personnel authorized by the SHECA acts in restricted areas accompanying with SHECA staff .List of personnel authorized by SHECA is sent to SHECA operation responsible departments to ensure that only personnel authorized by SHECA can enter the room. For the visitors who want to enter the SHECA room, only after the corresponding approval, accompanied by the SHECA authorized employees can enter the SHECA room.

All authorized service agencies by SHECA, including the registered agencies, RAT certificate service systems must be protected to ensure that only employees authorized can enter the system to operate. SHECA administrator is responsible for setting and checking privileges of registration agencies, RAT administrator. The privileges and responsibilities of registered agencies and RAT operator are made provision in the operation agreement.

5.1.2 Physical Access

Operators enter the room, through the IC card access control system and fingerprint identification system; operators enter and leave shielded room, engine room and other important system areas

also together with two or more person, and 24-hour video surveillance.

When the operator enters the work area, he or she must access through fingerprint verification and inspection.

5.1.3 Power and Air Conditioning

CA supplying power is fully protected with using an uninterruptible power supply (UPS) to avoid power fluctuations. Dual power is used when the single power supplied is damaged, which can automatically switch to maintain the system normal operation

CA air conditioning system uses a separate air conditioning system and ventilation equipment to ensure that the temperature and humidity is controlled within the operation scope to ensure system stability.

SHECA maintains according to the provisions of the telecommunications facilities.

5.1.4 Water Exposures

The place SHECA CA system in is an enclosed building, and taking measures of a raised floor to prevent flood erosion.

5.1.5 Fire Prevention and Protection

Machine room is adopted fire-resistant materials with the central fireproof control equipment and automatic sprinkler system to avoid the threat of fire. SHECA establishes fire prevention and protection and other emergency response measures through coordination with professional fire departments, and the machine room passes the fire test from the national authorities.

5.1.6 Media Storage

The storage medium system used is in anti-magnetic, anti-static interference circumstance, safe and reliable protection, against harm and destruction produced possibly from such as temperature, humidity, and magnetic and other environmental changing.

5.1.7 Waste Disposal

Hardware devices, storage devices, encryption devices used by SHECA, are abandoned, involving in sensitive and confidential information eliminated safely and completely.

The documents、 materials and storage media containing sensitive and confidential information before disposal have been a special measures to ensure that the information can not be recovered and read.

All the procession behavior will be recorded in order to meet the needs of the review, and all the destruction behavior shall follow the relevant laws and regulations.

5.1.8 Off-site Backup

1. System backup

CA system has the off-site system backup, preventing the system can not work properly because of uncertainties. When the main system can not work properly, the backup system will be put into use to continue to provide certification services.

2. Data backup

SHECA has the off-site data backup at the same time. The operation of off-site backup is made in the disaster recovery plan of SHECA. Security requirements for medium of SHECA off-site data backup are corresponded with backup standards and procedures of SHECA.

5.2 Procedural Control

5.2.1 Trusted Roles

Certificate services have the requirements of high reliability and high security. The employees, third-party services, consultant and so on who should be recognized as credible persons can work in a credible position, in order to ensure that reliable personnel management. SHECA have all the right to use or control staff, third parties service personnel (collectively, the "staff") that may affect such operations (including repository restrictive operations for SHECA) as the issuance of the certificate, usage, management and revocation, considered as credible role in the CPS.

SHECA clearly defines the key functions positions for CA, including

1. The administrator of the application system
2. The administrator of the operating system
3. The administrator of the database system
4. The administrator of the network system
5. RA administrator
6. Entry staffs
7. Auditors
8. The key control group
9. Safety Executive Group
10. Other personnel

Arrangements for these posts are to ensure share a clear responsibility and establish an effective security mechanism to ensure the safety of internal management and operations.

SHECA in accordance with this CPS and authorized agreement creates the management practices of authorized certification services organization (RA, RAB, RAT and others), standardizes the certification service organization and the operation of service systems management staff and operator. Take full account of security constraints during a related software designed. Responsibility of authorized certification service organization by SHECA is divided reasonably to ensure responsibilities and obligations management and implementation through the systems and technology.

5.2.2 Number of Persons Required per Task

CA and RA should establish, maintain and enforce strict control process, and establish measures of duties segregation, based on job requirements and arrangement to implement the safety mechanism of mutual restraint, mutual supervision to ensure that sensitive operation is completed by a number of credible personnel.

Tactics and control procedures of duties segregation are based on the requirements of actual duties. For the certification business, the most important sensitive operations is visiting and managing CA cryptographic equipment, distribution and management of key material and protection of key password. These operations must require more credible personnel to accomplish together. The sensitive internal control processes require two credible personnel at least to participate, have their own independent physical or logical control facilities, and the process of CA key equipment life cycle is required strictly to participate together by more credible personnel. Key control will be separated physical and logical, such as the personnel having critical equipment physical authority can not hold logic authority, and vice versa.

SHECA ensure that a single person can not touch, export, restore, update or revoke the private key stored by SHECA. At least three persons together may have the operation of any CA key generation and key recovery, by a technology of secret key segmentation and synthesis for participating operators.

For identification and issuance of the certificate application, it requires two credible personnel at least to operate.

For manipulation of critical systems data and important system, it needs one person to operate, at the same time one person to monitor at least.

SHECA has a clear labour division for its operation and functions related operation, the security mechanism of mutual restraint, mutual supervision.

SHECA usually arranges one person to operate, the other one to monitor and record for operations and maintenance of critical system.

5.2.3 Identification and Authentication of Each Role

For all personnel seeking to become Trusted Persons, verification and authentication of identity is performed strictly to ensure that it can meet the requirements for the job duties. Mainly including:

- Each role should be defined according to actual needs and be distributed with rights and requirements as well as background demands.
- In order to meet the requirement for the role, background investigation should be conducted for personnel seeking to be included as certain role.
- Security token and proper rights should be assigned to trusted roles.

Before the credible background checking, firstly the person's authenticity and reliability of physical identity is confirmed, and identity is further confirmed through the background checking procedures in CPS.

All serving officers in SHECA must be certified then given to the required system operation cards, access cards, password, operating certificate, operating accounts and other security tokens, according to the job nature and position right. For the employees using security tokens, SHECA will record completely all the operating behavior.

All SHECA employees must ensure that:

- Security tokens issued only directly belongs to personal or organization
- Security tokens issued does not allow to share
- SHECA systems and processes control operator authority by identifying the different token.

5.2.4 Roles Requiring Separation of Duties

Roles requiring separation of duties include (but are not limited to)

- The validation of information in Certificate Applications;
 - The acceptance, rejection, or other processing of Certificate Applications, revocation requests, key recovery requests or renewal requests, or enrollment information;
 - The issuance, or revocation of Certificates, including personnel having access to restricted portions of the repository;
 - The handling of Subscriber information or requests
 - The generation, issuing or destruction of a CA certificate
 - The personnel of system on-line or off-line
 - The personnel of mastering important password key Management staff and operator of key and cryptographic equipment
- The acceptance of the certificate services is completed by two roles entry clerks and auditors.

For the root key operation, three or more of the root key administrator simultaneously on the scene, can carry out the operation.

When SHECA system encountering emergency and need to joint repair, one SHECA personnel at least on the scene, repair personnel accompanying with SHECA personnel, may carry out licensing operation, and all operations, modifications retain records.

When the non-SHECA employees because of physical fix, fire, high power failures, etc., need enter the machine room to repair something, they must be approved, firstly with the identity confirmed. Then repair personnel is agreed to complete the repair of the agreed parts by SHECA while under accompanying and guardian of stuff of SHECA.

5.3 Personnel Control

5.3.1 Qualifications, Experience, and Clearance Requirements of No-fault

Personnel seeking to become Trusted Persons must present proof of the required background, qualifications, experience and other conditions, and is able to submit the appropriate documents.

1. Various operators of certification business systems in SHECA must have the characteristics of credibility and high enthusiasm, other part-time work without affecting their jobs. And they don't have the irresponsible experience of certification business operation, and there is no lawlessness record.
2. System operators must have relevant work experience in authentication systems or obtaining related training in SHECA.
3. Managers must have practical certificate authentication experience and many years of experience in systems management and operation.

5.3.2 Background Check Procedures

The personnel operating as trusted role need to take a rigorous background investigation process, generally re-investigate again within five years. Background investigation must comply with laws and regulations, and survey content, survey method and officer engaging in the investigation shall not violate the laws and regulations.

According to the work characteristics of different credible position, background checks should include but are not limited to the following:

- Identification, such as personal identity cards, passports, permanent residence booklet, etc.
- Education, degrees and other qualifications.
- Resume, including education, training experience, work experience and reference related
- No crime evidence

Background investigations should use legal ways as much as possible background information verification by relevant organizations, departments for staff. The person assessment is worked out by certification organization's human resources department and security personnel.

Employees in SHECA need to have study period of three-month, and employees of key and core position after pass the study period, they also need an additional study period .According to the inspection results Employees are arranged for relevant work or fired. According to the need for staff, SHECA conduct the training of responsibilities, job, technology, policy, legal, security and other aspects.

SHECA will conduct strictly the background investigation for staff in key positions. Background investigation need to verify the materials and procedures, including but not limited to the following:

- Verify the authenticity of the previous work record
- Verify the authenticity of identity
- Verify education, degrees and other authenticity of credentials
- Check no criminal evidence and confirm without a criminal record
- See whether there is a serious dishonesty in the work through appropriate channels to

In the background investigation, if SHECA finds the following circumstances, SHECA can refuse qualifications of trusted personnel:

- There is fabricating facts or information
- With evidence of the unreliable staff
- There are some criminal record or fact
- Use illegal identification or education, qualifications
- The behavior of serious dishonesty in the work

The check of certification service manager and operator staff authorized by SHECA can refer to the way of trusted employees examination by SHECA, on this basis, increasing visits and training provision, but not contrary to the CPS and the corresponding CP, licensing agreements and requirement of public certificate services specifications by SHECA.

SHECA establishes the rules of process management regulation, and under which employees are restrained by contract, not allowed to disclose sensitive information of SHECA certificate service. All employees sign confidentiality agreements with SHECA and go on working in similar with SHECA after expiration of the agreements 2 years.

If necessary, SHECA can complete background investigation on employee collaborate with relevant government departments and investigative organizations.

5.3.3 Requirements of the Training

The following training is offered by SHECA to staff:

- SHECA security management strategy
- Job responsibilities
- PKI basic knowledge
- The software description of SHECA authentication system used
- Control system of authentication and management on SHECA
- Identity authentication, auditing policy and procedures
- Disaster recovery and business continuity procedures
- Authentication policy, the CPS policy and related standards and procedures Common threats in regards to authentication procedure, including phishing and other social engineering actions
- Electronic authentication and other relevant laws and regulations

- Other training

5.3.4 Retraining Frequency and Requirements

SHECA may require employees to continue training to adapt new change, according to SHECA strategy adjustment, system updates, etc.

The company Safety management strategy should be training at least once a year.

Related personnel for authentication system operations should be trained relevant skills and knowledge at least once a year.

For the cases of authentication system upgrade, new systems implementation and the progress of PKI / CA and cryptographic technological etc., SHECA needs to arrange appropriate training accordingly.

5.3.5 Job Rotation Cycle and The Sequence

The operation and maintenance personnel have different responsibilities with the employees who design and develop system in SHECA certification system, separation of both positions, and in order to ensure safety the latter can not become the former that means developing staff and running staff are in duty segregation.

In order to meet the certification system operational needs and job adaptation, SHECA will select suitable candidates according to the situation in the rotation of different positions. But this rotation shall not violate the principle of the position separation above.

5.3.6 Penalties for Unauthorized Actions

When SHECA employee is suspected or has carried out unauthorized operations, such as abusing right under the unauthorized situation or using SHECA system beyond the limits of authority or conducting the ultra operation, after SHECA get information to suspend immediately that personnel entered work of certification services within the system on SHECA. According to the severity, SHECA can take criticism education, and implement including the submission to judicial authority.

Once any one of above happens, SHECA suspends or terminates immediately the personnel's security token.

5.3.7 Requirements of Independent Contractor

In limited circumstances of human resource or special requirements, CA and RA can use independent contractors or consultants to fill Trusted Persons as long as it meets the following conditions:

- No suitable Trusted Person and independent contractors or consultants can take this role.
- Independent contractor or consultant can be trusted as a trusted employee

Otherwise, independent contractors and consultants are permitted access to secure facilities only to the extent they are escorted and directly supervised by Trusted Persons at all times.

In addition to signing confidentiality agreement, independent contractors or consultants should take training of necessary knowledge and safety regulations to comply with SHECA specifications strictly.

5.3.8 Documentation Supplied to Personnel

In order to continue normal security operation for authentication system running, employees should be provided with the relevant document, at least: including the following

- System software and hardware documentation for the operation, cryptographic equipment documentation for the operation, WWW services for operating documentation
- The operating instructions manual for authentication system itself
- CP, CPS and related agreements and norms
- Internal operating files, including backup manual, disaster recovery programs
- Job descriptions
- Company-related training materials
- The standards of relevant safety management

5.4 Audit Logging Procedures

5.4.1 Types of Event Recorded

SHECA must record the events of operating system-related with the CA and RA. These records whether handwritten, or electronic format must include date of the event, content of the event, time of the event, entities of event-related, including but are not limited to:

1. Information of certificate subscriber service application and revocation, such as the application form, agreement, identity information and other relevant information.
2. Generation, storage, recovery, archiving and destruction for CA key .
3. All kinds of service system key pair for generation, built-in, changes and other records of success and failure in the authentication system.
4. The log files generated from the authentication system daily operation
5. CRL's operational records.
6. Form of passing in and going out SHECA region, record of security token passing in and going out sensitive areas, work logs of machine room ,records of system maintenance daily, surveillance video, etc.
7. The records of system software and hardware devices on the line, replacement and off-line and other.
8. Specifications and records related work of among CA、RA、RAT .
9. SHECA also records the events not directly related with the system, such as visiting records of

physical access, personnel changes.

10. Record of credible personnel management, including account application record of network access, an application record of application, change, creation for the system permissions, personnel changes in circumstances.

11. System security events , including: activity of successful or unsuccessful access to the CA system network, unauthorized access attempts and access for CA system network, unauthorized access attempts and access for the system files, security, sensitive documents or records of read, write or delete, system crashes, hardware failures and other anomalies.

12. Security events of firewall and intrusion detection system recording.

5.4.2 Frequency of Processing Log

SHECA periodically reviews the log records, putting on records for the behavior of the record reviewed. Reviews should be conducted not less than two times in a year.

5.4.3 Retention Period for Audit Log

SHECA shall retain any audit logs generated for at least seven years. In the event that there are laws and regulations defining rules for this point, the rules in laws and regulations shall govern..

5.4.4 Protection of Audit Log

SHECA carries out strictly the measures of physical and logical access control to ensure that only personnel authorized by SHECA can close to the records reviewed. These records are strictly protected, and strictly prohibited of the operations of unauthorized access, read, modify, and delete.

5.4.5 Backup Procedures of Audit Log

SHECA ensures that all records of review and the summary of review in accordance with standards and procedures on SHECA are backed up. Following the nature and requirements of the record, it needs real-time, daily, weekly, monthly and annual and other forms of backup, using a variety of on-line and off-line backup tools.

5.4.6 Audit Collection System

SHECA audits collection systems, including the objects involved:

- Certificate management system
- Certificate issuing system
- directory system
- Certificate accepted and approval system
- Backup and recovery system
- Access and control systems (including firewalls)

- Customer service system
- Security system of website, database
- other systems by SHECA considering necessary to review

SHECA conducts collection and review for the system log to meet the system's safe operation needs using the mode of automatic and manual combination.

5.4.7 Notification of Abnormal Events

When operation of the authentication system has affected safety control, the security officers must be informed, and measures should be taken. If the operation affects the system seriously, which leads to SHECA providing unnormal services on certificate, SHECA will announce to users by website and other way.

If attack phenomenon is found during the review in SHECA, SHECA will record the attack behavior and retrospect the attacker within the law. SHECA reserves the right to take appropriate counter measures. According to the attacker's behavior, SHECA takes the measures including cutting off the open services for attacker, submitting the judiciary to deal with. Whether to notify the attacker or the perpetrators, it is decided by SHECA.

5.4.8 Weakness Assessments

Events recorded in the audit section is used to monitor system vulnerabilities, logical security vulnerability assessment data can be recorded in real time, daily, monthly, and annual basis.

SHECA performs regular vulnerability assessments at least annually, which focus on internal and external threats. Based on the assessment results and the implementation of regular audit of system log, the safety control measures related to system operation should be timely adjusted in order to minimize the risk of system operation. Including:

- Vulnerability Assessment of operating system
- Vulnerability Assessment of physical facilities
- Vulnerability Assessment of Certificate System
- Vulnerability Assessment of network

5.5 Record Archive

5.5.1 Types of Records Archived

SHECA follows the records (including but not limited to) for archiving:

1. System constructed and upgraded documentation of SHECA
2. Certificate application for information, information of certificate service approved and rejected, the certificate subscriber agreement, certificate and CRL and so on

3. Log data of system operating and certificate authentication service, the key upgraded for certificate authentication system, and the information updated, etc.
4. The electronic certification service rules, the services specification and operational protocols, and management regulation
5. Data of the system database
6. Records of personnel passing in and out, and records of third-party personnel service
7. Video surveillance
8. Employee information, including background investigation, hiring, training, etc.
9. Various external, internal document of the review and assessment

Subscriber's private key and certificate signature encryption key are stored by the subscribers themselves. Responsibility related for the preservation is undertaken by subscribers themselves.

5.5.2 Retention Period of Archiving Records

In addition to the deadline of preserve by laws and regulations and proposed of the certificate authority, SHECA develops about third-party electronic authentication related for operating information archived for at least the following.

1. The business rules of the electronic authentication, certificate policy, forms of the user application information and related agreements, subscriber applications, renewals, expired and revoked certificates should be kept for at least 7 years after the end of the certificate validation. As for those e-government electronic certification services for government departments, the related documents and information should be kept for at least 10 years.
2. The service records of the certificate user's certificate application, query, and revocation should be saved for at least 7 years after the validation of the certificate.
3. The subscriber's certificate, key and changes of related information are saved 7 years at least.
4. The certificate and key of certification authority, and related change information are saved 20 years at least.
5. Video surveillance content is stored in local hard disk in the system for one month. Video surveillance content in the surveillance system is backed up weekly. Backup content must be kept for one year, in accordance with the provisions to archive a year later.
6. Other information is retained for 5 years at least.
7. Records of business management is retained not less than 2 years
8. If the time is different with the provisions of laws and policies, the longer time between them is chosen.

In addition, SHECA can decide the information regular archive period without an explanation and interpretation, under the premise without violating the laws and regulations and the provisions of the competent authorities.

5.5.3 Archive File Protection

Archive content is ensured not only physical security measures, but also cryptography guarantees, which ensure that the archive document can be saved effectively and long-term. Only authorized personnel can close and access the archive content in accordance with the specific security way. In addition to legal requirements and the certification practices need, no person gets freely.

SHECA protects files information related to avoid the threat of harsh environment such as temperature, humidity and strong magnetic and other damage to ensure that the content of archiving content within the period of provision, meets the needs of any legitimate requirement for reading and using .For information deemed necessary, SHECA will take the way of off-site backup to save.

The identification information and basic information of the application and user saved by SHECA, any unrelated third parties can't get them by non-governmental authorities or the judiciary to apply through legal means.

5.5.4 Backup Procedures of Archive File

All the documents and data archived, usually is stored in the main storage site on SHECA. Really necessary, it will also be saved the backup in its offsite. Database archived generally is accepted the physical or logical isolation for approach, not exchanging information with the outside world. Only authorized personnel can conduct the operation for reading the file in the supervision of the case. SHECA makes sure that it prohibits deletion or modification for backup and files, or other inappropriate operations in the security mechanism.

The files and data to be continued and saved are backed up and archived on SHECA backup strategy.

When the authentication system is leaded to abnormal operation because of unusual circumstances, in accordance with SHECA recovery strategy, the system can be recovered by these data archived.

5.5.5 Requirements for Time-Stamping of Records

All the archive contents above have time stamp, for example, the time recorded automatically by the system, or the time marked manually by the operator. The time doesn't take the time stamp based on the encryption manner.

5.5.6 Archiving Collection System

SHECA authentication system operational information related from the SHECA internal staff or the security controls internal system is generated and collected in accordance with operation for manual and automatic conducted, and is managed and classified by the people with the relevant authority.

5.5.7 Procedures to Obtain and Verify Archive Information

Only authorized Trusted Personnel are able to obtain access to the archive. The integrity of the

information is verified when it is restored. During the archiving period, all the records accessed must verify the consistency in the return.

5.6 Expiration Date of Root Certificate for Electronic Certification Services Agencies

Valid of SHECA root certificate for a maximum is not more than 30 years, and any certificate validity issued by root certificate including the sub-CA certificate, the subscriber certificate, is shorter than the valid of root certificate. Any subscribers certificate validity issued by sub-CA certificate, is shorter than the sub-CA certificate validity.

The validity of root certificate and sub-CA certificate is introduced clearly in the certificate.

5.7 Key Changeover of Electronic Certification Services Agencies

Prior to the expiration of certificate, SHECA will replace the root key in accordance with the provisions of UNTSH CP, and generate a new certificate. When making a generation for key, specifications of SHECA key management is followed strictly. CA key replacement must comply with the following principles:

1. The new certificates isn't issued before the end of the lower certificate life cycle, which ensure that all subordinate certificates are all expired as the CA certificate expiration.
2. CA continues to issue CRLs signed with the original CA private key until the expiration date of the last Certificate issued using the original key pair has been reached.
3. CA key generation and management conform to key regulations strictly.
4. Release the new CA certificate timely.
5. The entire transition process is safe and smooth, which did not appear a vacuum of trust and confidence.

5.8 Compromise and Disaster Recovery

SHECA assigns a reliable damage and disaster recovery plan to deal with the system problems by unexpected incidents, in order to enable to regain certification system operation in the shortest time when the situation of abnormal or disaster appears.

5.8.1 Incident and Compromise Handling Procedures

When SHECA is attacked, the following happens, a communication network resources are destroyed, computer system of equipment can not provide normal services, software is damaged, the database is tampered or disaster because of force majeure. SHECA will imply recovery

according to disaster recovery plan .Specific work depends on SHECA disaster recovery plan.

5.8.2 Computing Resources, Software and / or Data Corruption

In the event of the corruption of computing resources, software, and/or data, such an occurrence is reported to SHECA, incident handling procedures are enacted, follows SHECA system backup and recovery operations manuals and conducts the system recovery operations to enable authentication system to resume normal operations in accordance with backed-up data within the system or off-site backed-up data.

When the authentication system hardware device is damaged, SHECA can follow system backup and recovery operations manuals to start the backup hardware, and related operating system backed-up and authentication system to restore system operation.

Recovery process should be completed by SHECA as soon as possible, if not to complete the recovery process within 6 hours, and the accident led to the certificate services without operation, then SHECA should start off-site backup mechanism to restore certificate services within 24 hours.

5.8.3 SHECA Private Key Compromise Procedures

When SHECA root private key appears damage, missing, leaking, cracking, tampering or unauthorized used by third parties, SHECA should:

1. SHECA reports immediately to the electronic authentication service management office and other government departments through the website and other public media to notice for subscribers, and takes measures to protect t users' interests.
2. SHECA revokes immediately all the certificates issued, and updates CRL and OCSP information for certificate subscriber and relying party to query. Meanwhile, SHECA generates immediately a new key pair and self-issues a new root certificate.
3. SHECA Re-issues lower certificates and lower sub-CA certificate for operating in accordance with the CPS about provision of a certificate issued after the new root certificate is issued.
4. After the new root certificate issued by SHECA, it will be immediately published by SHECA repository, directory server, HTTP, etc.

When private key of SHECA sub-CA appears damaged, missing, leaking, cracking, tampering or doubt for unauthorized used by third parties, SHECA should:

1. Sub-CA reports immediately to the SHECA and generates a new key pair and certificate request to apply a new certificate issued by SHECA.
2. SHECA reports immediately to the electronic authentication service management office and other government departments through the website and other public media to notice for subscribers, and takes measures to protect t users' interests.
3. All the certificates issued by the sub-CA are revoked immediately to update information on CRL and OCSP for certificate subscriber and relying party to query.
4. Subscriber certificate is re-issued in accordance with the CPS about provision of a certificate

issued after the new sub-CA certificate is issued.

5. After the new root certificate is issued, it will be immediately published by the SHECA repository, directory server, HTTP, etc. for distribution.

When private key for subscriber certificate appears damaged, missing, leaking, cracking, tampering or doubt for unauthorized used by third parties, the subscriber should follow the provision with the CPS, applying for certificate revocation firstly and following the provisions to re-apply the new certificate.

5.8.4 Continuity Capabilities on Business After a Disaster

In order to avoid the authentication business intermission because of the sudden disaster, SHECA develops a comprehensive continuity plan on business, and establishes the corresponding backup system for off-site disaster, hardware and software, data storage, and user certificates information required for the operation, business practices and disaster recovery documentation provided by certification, leaving an appropriate distance from safe place of existing operational systems to establish backup system and backup files.

The conduct training and testing of disaster recovery plan is conducted for authentication business recovery system of off-site disaster recovery center, according to demand a year at least, and updating the recovery plans and disaster recovery file immediately and saving the corresponding archive record in accordance with changes of the actual situation. In order to ensure when abnormal disaster appears, SHECA certification system can recover system for operation and service delivery within 24 hours at most, which will minimize the risks.

5.9CA or RA Termination

If SHECA discontinues operations for any reason, SHECA will report to competent authorities in accordance with relevant laws and regulations, and operates on the basis of legal procedures, including:

1. Before the deadline of the laws and regulations provisions, SHECA notices the competent authorities, the certificate holder and all other related entities.
2. Arrange the business to undertake.
 - Save all of the operational information related to certification service, including certificates, user information, system files, CPS, norms and agreements.
 - Stop the related operation services.
 - Clear system root key.

When certification service agencies authorized by SHECA discontinues service for any reason, SHECA deals with related business matters and other matters in accordance with the signing agreement. Termination of service for any reason, SHECA will operate in accordance with the RA operation agreement to undertake the business matters and other matters.

6. Technical Security Controls for Certification System

6.1 Key Pair Generation and Installation

Key pair is the critical part for electronic signatures security mechanism. The corresponding provisions are created in the CPS to ensure generation, transmission, installation for the key pair with confidentiality, integrity and non-repudiation.

6.1.1 Key Pair Generation

1. Generation of root key pair

SHECA's root key pairs are generated by the equipment approved and licensed by the State Commercial Cryptography Administration of China. Currently, SHECA accepts SJY05-B host encryption server of Jinan De An computer technology Ltd., the encryption server is in accordance with relevant provisions of state encryption management. Since FIPS140-2 standard is not recognized and supported by the State Commercial Cryptography Administration of China, and the government has strict regulatory requirements for cryptography products, the standards for key generation, key operation and key protection are following requirements of FIPS140-2, while other parts are following the relevant provisions of state encryption management, which are equivalent to the standard of FIPS140-2.

When the key pair is being generated by SHECA, there must be at least three management personnels with authorization for key management and co-operate the hardware encryption machine to generate a key pair. No person alone can generate a root key pair. Any operations related to private key is operated inside the encryption machine and the private key can not be exported in the form of plain text or cipher text.

2. Generation of subscribers signing key pair

Each signing certificate subscribers can choose freely key pair generated by the equipment of state cryptography administration department approving and licensing, such as encryption machine, encryption card, USB Key, IC card. Before the choice of these devices, users should consult in advance system compatibility and acceptance related towards SHECA. SHECA did not promise to accept all types of the password generation equipment. The subscribers are provided the USB Key by SHECA in accordance with the relevant provisions of the state encryption management as the device for key generation and storage.

SHECA generally doesn't offer replace signing key pair, if user written application is approved by the SHECA, and SHECA can generate the key pair on behalf of the applicant, and promises to take adequate measures to ensure key security, reliability, and the uniqueness. But because of this key pair loss, leakage causing loss, SHECA does not assume any responsibility and obligation.

The Subscribers certificate key pair generation must follow country's laws and policies. SHECA

supports generation method for multiple modes of signature key pair, certificate applicants may select according to their needs. No matter what way, the security the key pair generated should be guaranteed. SHECA has implemented security measures in technology, business processes and management.

3. Generation for Encryption Key Pair of the Subscriber

Encryption key pair is generated by the appropriate state management institutions and transmitted by the safe way.

4. Certificate subscribers have the responsibilities and obligations to protect the private key security, and assume the legal liability as this.

6.1.2 Private Key Delivery to the Subscribers

The private key of SHECA certificate authentication system is generated in the system initial phase. Private key delivered to a Subscriber is not applicable..

SHECA normally does not offer or generate signing key pair for subscribers. But if the applicant provides written application asking SHECA to sign the key pairs and after the application is approved by SHECA, SHECA will generate the key pairs on behalf of the applicant, and make sure to take adequate measures to ensure key security while delivering the key pairs to the applicant who performs the certificate application. But in case of the loss, leakage of this key pair, SHECA does not assume any responsibility and obligation.

6.1.3 Public Key Delivery to Certificate Issuer

Certificate subscribers apply for a certificate by the public key to SHECA, the public key within the requested information obtaining the protection of subscribers private key signature, user's authentication and message integrity, and transferring by the way of safety and reliability.

The reply message of certificate issued successfully is protected by the electronic signatures and message integrity, transferring by the way of safety and reliability.

6.1.4 CA Public Key Delivery to Relying Parties

Public key of SHECA is included in the root CA certificate self-signed by SHECA, through the website <http://www.sheca.com> to publish. SHECA supports on-line delivery the public-key or the way of downloading from SHECA to deliver the public key for the certificate subscriber and relying party's to query.

In addition, CA also supports the way of built-in browser and the software agreement (such as S / MIME) to distribute public key to the relying party.

6.1.5 Key Length

SHECA provides the length of the RSA key for subscriber at least 1024 bits, and reserves support for more than 1024 bits.

The SHECA key pair length is 1024 bits, 2048 bits and 4096 bits.

SHECA will fully comply with the specifications and requirements for the length of key that is issued by national laws and regulations, government authorities and others.

6.1.6 Public Key Parameters Generation and Quality Checking

Public key parameters must be used the generation of encryption equipment approved and permitted by national password authorities, such as encryption machine, encryption card, USB Key, IC card, and follow generation norms and standards of these devices. Of course, SHECA considers that built-in protocols, algorithms for these devices meet already sufficient level of security requirements.

Public key parameters quality is also checked through the encryption equipment approved and permitted by the national password authorities, such as encryption machine, encryption card, USB Key, IC cards. Of course, SHECA considers that built-in protocols, algorithms for these devices meet already sufficient level of security requirements.

6.1.7 Key Usage Purposes

The Root CA keys of SHECA are not used to sign certificates except in the following states:

- 1 Self-signed certificates to represent the Root CA itself
- 2 Certificates for Subordinate CAs and Cross Certificates
- 3 Certificates for Infrastructure purposes

Certificate issued by SHECA is X.509 version 3, contains key usage extension .If the key usage of certificate issued is defined in key usage extension, the certificate subscriber must use the key according to the key usage defined.

All the keys usage must follow the CPS and the CP-related.

6.2 Private Key Protection and Cryptographic Module Engineering Controls

6.2.1 Standards and Controls of Cryptographic Module

SHECA uses the products SJY05-B host approved and permitted by the national state cryptography administrative department. The standards, usage and controls of cryptographic module meet national relevant provisions, and some parts follow related provisions for FIPS140-2 standard, mainly in the aspects of generation for key, operation for key and protection for key following FIPS140-2 requirements.

As FIPS140-2 standard is not recognized and supported by the state cryptography administration department, country has strict regulatory requirements for cryptography products. Therefore, SHECA only consults FIPS140-2 standards and chooses autonomous encryption devices, under the state encryption management consent, may specifically reference to the information provided by equipment manufacturers.

SJY05-B host encryption servers studied and accomplished by the Jinan De An computer technology Ltd. are the high-speed encryption devices with independent intellectual property, passing the safety review by the State Encryption Management Commission in March 2002, passing the technical appraisal organized by the State Encryption Management Commission at the beginning of 2003 .Its main features include:

1. Key generation: It can generate 99 pairs 1024-bit or 2048-bit RSA key, and it can generate more symmetric key (the communication key).The speed of generating the key is fast with the physical noise source as a random number.
2. Key storage: It can store and generate the RSA key and the communication key. Keys are stored in security, and illegal one can not get the key.
3. Rights management: It can initialize the administrators and operators, and is responsible for the judgment of administrators and operator's right. Administrator password uses the separating permission key management mechanism.
4. Key backup: On meeting permissions the keys and other important information in the host encryption server encrypted backups to other storage medium and can be imported into the host server with same type according to need.
5. Key generation and output: It can use number 0 or number 6 key in the host encryption server to generate RSA key pair which can be output encryption devices and the key pair is already encrypted.
6. Physical noise source random number generator chip with hardware generates random numbers.
7. Using the IC card to store PIN and using IC password card to distinguish the administrator and operator identity, the password using the key management mechanism of separate permission.
8. When the client host invokes the SJY05-B host server encryption to invoke business, it is necessary to pass it with shake hands, and it is means that it requires to pass the authentication password, and verifies the compatibility of version number.
9. Key encrypted is stored in electronic storage devices, and is not allow the key output by the way of plain text, appears on disk and memory in clear text.

6.2.2 Private Key (n out of m) Multi-Person Control

1、 SHECA uses multi-person control to activate, use, stop private.

SHECA private key accepts multi-control strategy(means n out of m strategies, $m > n$, $n \geq 3$).At present SHECA uses five persons to control, at least three or more key control personnel to complete generation and segmentation procedures on common. SHECA system has established appropriate security mechanisms with the technology to limit the generation operation .The key management personnel with authority holds respectively a separate password. All the information related private key, such as controlling the IC card, protecting PIN code etc. should be controlled by different managers.

6.2.3 Private Key Escrow

SHECA does not offer private key escrow service.

Protection, management, archiving, backup, escrow etc. of encrypted private key are regulated and decided by the Shanghai Key Management Center (KM). Certificate subscribers can communicate with the appropriate national authorities on encrypted private key trusteeship problem.

6.2.4 Private Key Backup

In order to ensure ongoing operations, electronic certification service agencies must create backup of the CA private key for disaster recovery. Such keys are stored in encrypted form within hardware cryptographic modules and associated key storage devices. Backup of the private key in encrypted form is stored in the hardware cryptographic module, and cryptographic modules used for CA private key storage meet the requirements of 6.2.1. CA private key is copied to backup for hardware cryptographic module to meet the requirements of 6.2.6.

For subscribers signing certificate, if the private key is stored in the software code module, it is proposed that subscribers backup the private key, the backup private key using the password for access control authorized to prevent unauthorized modification or disclosure.

For subscribers encryption certificate, the protection, management, archiving, backup, escrow etc. of encrypted private key are regulated and decided by the appropriate state key management department. Certificate subscribers can communicate with the appropriate national authorities on private key backup problem.

6.2.5 Private Key Archival

SHECA private key will be securely retained after encryption. SHECA does not archive Private Keys.

6.2.6 Private Key Transfer into or from a Cryptographic Module

SHECA private key backup is run strictly in accordance with procedure and strategies specified by SHECA, in addition, any imported and exported operations not to be allowed. When CA key pair is backed up to another hardware cryptographic module, by the way of the encrypted form to transmit between the modules, and made a authentication before the transmitting to prevent the CA private key from being lost, stolen, modified, disclosure non-authorized, used unauthorized.

SHECA does not provide subscriber for the way that private key derived from the hardware cryptographic module and does not allow this operation. As for the private key stored in the software code module, and if subscribers are willing to bear the relevant risks, the subscriber can choose the way of import and export, the operation using password protection and other control measures authorized access.

6.2.7 Private Key Storage on Cryptographic Module

Private keys held on hardware cryptographic modules shall be stored in encrypted form which is

approved and permitted by the national encryption department, and all the private key stored in the cryptographic modules are stored in the form of cipher text.

Subscriber's private key is stored in the USB key medium meeting the regulations of the national password administration, and all the private key stored in the USB key are stored in the form of cipher text. For the private key generated by software cryptographic modules, preferably storage and using in hardware cryptographic modules (such as USB Key, Smart Card), you can also use specific software code modules with security measures.

6.2.8 Method of Activating Private Key

SHECA assumes that the private key can only be activated after password authentication by the subscriber, unless the subscriber has asked for a change for the method of activating the private key, and is willing to assume the responsibility after the change.

SHECA's private key is stored in a hardware encryption module, the activation data is parted in accordance with 6.2.2. It must take at least three authorization from the authorized management personnels to activate the private key of SHECA. Any unauthorized person must not be allowed to access, use or activate the private key.

For the private key stored in the subscriber's computer software code module, the subscriber should take reasonable measures to protect the physical security of the computers in order to prevent other users without the authorization using the subscriber's computer as well as the relevant private key. If the private key is stored in software code module without password protection, then the loading of software cryptographic module means the activation for private key. If you use password to protect private key, after software code module is loaded, you need to input the password to activate the private key.

For the private key stored in such as a USB Key, smart cards, encryption card, encryption machine, or other forms of hardware module, the subscriber can further protect through password, fingerprint, IC card, etc. If the subscriber's computer is installed with appropriate driver, and the USB Key, smart cards are plugged into the appropriate device, after the input of password or fingerprint, the private key will be activated.

6.2.9 Method of Deactivating Private Key

Once the private key is activated, unless the state is removed, the private key is always active. In the use of some private key, private key is activated each time, only for one operation, if it needs for a second, it must be activated again.

SHECA removed the way of the private key active statement, including exit, power off, remove token / key and automatic freeze. Any unauthorized person must not make relevant operations.

Subscriber removed the way of the private key active statement decided its own, such as exit, power off, remove token / key, automatic freeze and so on. Subscriber own must bear the risk and responsibility for removing the private key active statement.

6.2.10 Method of Destroying Private Key

SHECA private key is no longer used, after the public key corresponding to private key is expired

or revoked, there are no residuals remains in the encryption device. Meanwhile, all the PIN code, IC card, dynamic tokens for activating private key also must be destroyed or recovered. Archival operations for private key follows the provisions of the CPS to deal with.

Subscriber's private key is used no longer, or the public key corresponding to private key expired or revoked, the method of destruction is determined by the subscribers. The subscriber must ensure to log off effectively the private key, and bear the relevant responsibility. Preservation and archiving involved of key expired, the subscriber must follow the provisions of this CPS.

6.2.11 Cryptographic Module Rating

SHECA uses the products approved and permitted by the national encryption department, and accepts various standards, specifications, assessment, evaluation certification and other requirements published by the national encryption department. SHECA selects the module according to product performance, efficiency, suppliers' qualifications and other aspects.

6.2.12 USB Key Lifecycle Management

SHECA provides the USB Key in accordance with relevant provision of national encryption management as the generation subscribers' signature key and storage devices for user. SHECA ensures that the certificate applicant obtains the USB Key to meet the management and application requirements of certificate and private key:

- USB Key is kept properly before the certificate applicant getting, including procurement, inventory, distribution and other management by implement strict standards.
- USB Key must pass the password authentication before it can be used.
- The private key stored in USB Key can not be exported and stored in the form of cipher text.
- Once the USB Key Certificate is issued to the applicant, it will be held by the certificate subscriber, and by controlled and owned completely by the subscribers.
- SHECA provides subscribers a year warranty of USB Key.
- During the updating the certificate, subscribers may not replace the USB Key.
- After subscribers certificate is lost, revoked or updated, subscribers deals with their own USB Key. SHECA is not responsible for the destruction or reclamation of subscribers' USB Key.

6.3 Other Aspects of Key Pair Management

6.3.1 Public Key Archival

Operation process, security measures, preservation deadline and strategy kept of public key archival is in accordance with certificates. Public key archival requirements refers to the relevant provisions of 5.5 in the CPS.

6.3.2 Archival and Destruction of Subscribers trusteeship key

No stipulation.

6.3.3 Certificate Operational Periods and Key Pair Usage Periods

The usage period of public keys and private keys is related to validity period of certificate, but it is not completely consistent. For the certificate signing used, the private key can only be used for digital signatures within the certificate validity period, the use period of private key not exceeding the validity period of the certificate. However, in order to ensure signature information within the certificate validity period can be verified, the usage period of public keys can surpass validity period of certificate. For encryption certificate, the public key can only be used for encrypted information within the validity period of certificate, the use period of private key not exceeding the validity period of the certificate. However, in order to ensure information encrypted can be used to unlock the information within the validity period of certificate, the usage period of private keys can surpass validity period of certificate. Certificate authentication used, the private key and public key can be used within the validity period of certificate. When a certificate has multiple usages, the usage period of public keys and private keys is a combination of the above.

The certificate operating period is in accordance with the validity period contained within the certificate. For subscription certificate, the validity period for a maximum does not exceed four years. For CA certificates, the longest period does not exceed 30 years.

In addition to attention, after the end of the validity for whether subscriber certificate or CA certificate, under the circumstances of ensuring safety, is allowed to use the original key pair to update the certificate. But the key pair can not be used indefinitely. The key pair usage period and certificate validation period are set as following:

Type	Key Pair Usage Period	Certificate Validation Period
Root certificate	30 years	30 years
Subordinate CA certificate	25 years	25 years
OV SSL certificate	No stipulation	27 months
EV SSL certificate	No stipulation	27 months
CodeSigning certificate	No stipulation	39 months
EV CodeSigning certificate	No stipulation	39 months

Other types of subscriber certificate	No stipulation	48 months
---------------------------------------	----------------	-----------

6.4 Activation Data

6.4.1 Generation and Installation of Activation Data

In order to protect the security of private keys, certificates subscriber generating and installing activation data must ensure safety and reliability, so as to avoid the private key compromised, stolen, used unauthorized, tampered or disclosed without authorization.

Activation data of CA private key must follow the requirements of the key activation data segmentation and key management methods to make a strict production, distribution and usage. Activation data for subscribers' private key , including passwords for downloading the certificate (provided in the form of the password envelope), USB Key, landing passwords of IC card, must generate randomly in the safe and reliable environment.

Activation data generated by SHECA, including passwords for downloading the certificate (provided in the form of the password envelope), USB Key, landing passwords of IC card , must generate randomly in the safe and reliable environment .The activation data are delivered to subscribers by the safety and reliability way, such as offline in person to submit, post courier, etc. For activation data of non-single usage, SHECA suggests users to modify by themselves.

All the passwords protected should not be guessed easily, and should follow the following principles:

- Eight characters at least
- Contain one character and one number at least
- Contain one lowercase letter at least
- Not contain many same characters
- And operator's name can not be the same
- Can not use birthdays, telephone numbers
- The longer substring in the user name information

6.4.2 Protection of Activation Data

For the activation data of CA private key, must be segmented according to reliable way to administer by different people, and administer must meet the requirements of segmentation.

Subscriber activation data must be properly safeguarded or destroyed, and can not be got by others. If the certificate subscriber uses a password or PIN to protect private key, the subscriber should take good care of password or PIN to prevent the leakage or theft. If the certificate subscriber uses

biological characteristics to protect the private key, the subscriber should also take attention to prevent its biological characteristics from illegal obtaining. Meanwhile, in order to meet the safe requirements of business systems, activation data should always be modified.

6.4.3 Other Aspects of Activation Data

When activation data of the private key is transferred, they should be protected from loss, theft, modification, unauthorized disclosure, or unauthorized usage during the transmission.

The private key activation data no usage should be destroyed, and protect them from lost theft, disclosure or unauthorized use during the process. The destruction result can not be obtained directly or indirectly some or all of the activation data by the remnants information and medium, such as paper recorded passwords must be crushed.

Considering safety reasons, the provisions for the life cycle of the application certificate subscriber activating data stated as follows:

1. The certificate password applied for subscribers, becomes invalid after the application is successful.
2. The password used to protect the password of the private key, or IC card, USB Key, could be modified by subscriber at any time based on business application , and should be modified after three months the using period .

6.5 Security Controls of Computer

6.5.1 Specific Computer Security Technical Requirements

Information security management of SHECA certification system agrees " Certificate Authentication System Encryption Security Technical Specifications" published by State Encryption Administration, " Electronic Authentication Service Management Approach "published by Ministry of Industry and Information Technology, standards of information security in ISO17799 and security standards of other relevant information. SHECA draws up comprehensive and perfect security management strategies and standard, has implementation, review and record within operations.

The main security technologies and control measures include:

- Identification and authentication management
- Access rights control of resources and information
- Security audit and log
- Material backup and preservation for safeguard
- Decentralization of personnel's responsibilities, classification for the role of the CA job to establish secure distributed and contained mechanisms
- Internal operation control procedures for
- Recovery mechanism of disaster backup

- Personal computer security management
- Encryption mechanism of Information transmission

Through strict security controls to ensure that the system of CA software and data files is safe and reliable without unauthorized access. In addition, the certification authorities should only allow necessary personnel with work requirements to access the certificate server, and the general application user has not account in the certificate server. Core system must be separated physically with other systems and the production system separated with other system for logic isolation.

6.5.2 Computer Security Rating

SHECA certification business systems pass the relative evaluation, review and certification of the State Cryptography Administration, China National Information Security Evaluation Center, the Shanghai Information Security Evaluation Center and other departments.

6.6 Technical Controls of Life Cycle

6.6.1 Development Controls of System

SHECA development control includes credible personnel management, development environment security management, product design and development assessment, the use of reliable development tools, production systems designed to meet the requirements of redundancy, fault tolerance and modularity. Software design and development process follow the following principles:

Verification and review of third-party

The security risk analysis and reliability design

Meanwhile, the software development specifications developed by SHECA refers to national relevant standards, implements strictly relevant planning and development control in the implementation.

6.6.2 Controls of Security Management

Information security management of SHECA certification system follows strictly the relevant operation management specification of the Ministry of Industry and Information Technology, the State Encryption Administration and other departments and SHECA security management strategy to operate.

The usage of SHECA authentication system is under strict controls, and all the systems may use through rigorous testing and verifying. Any modifications and upgrades will be recorded for reference and make a version control, functional test and record. SHECA also carries out regular and irregular inspection and test for certification systems.

SHECA accepts the strict management system to control and monitor system configuration to prevent unauthorized modification.

Hardware devices are safety checked before from procurement to on-line to identify whether the

device is compromised and the existence of security holes. The procurement and installation of encryption equipment is in a more strict security control mechanism to carry out inspection, installation and acceptance.

After all the hardware and software equipment of SHECA authentication systems are upgraded, SHECA must confirm whether the information for affecting authenticate business security is in waste equipment during the process.

6.6.3 Security Control of Lifetime

No stipulation.

6.7 Security Controls of Network

SHECA authentication system accepts the protection of multi-level firewall and network control systems and implies perfect access control technology.

Authentication system only opens the relevant operation functions with the certificate application , checking the certificate to operate by network for users.

In order to ensure network security, SHECA authentication system installs firewall, intrusion detection, security auditing, virus protection system, and update the version of firewall, intrusion detection, security audits, virus protection system , as much as possible to reduce the risk from the network.

6.8 Time-Stamping

All kinds of system log and operations log of authentication system should contain a corresponding time record. The time record does not need to accept the technology of digital time-stamping based on password encryption.

7. Certificates, Certificate Revocation Lists, and Online Certificate Status Protocol

7.1 Certificates

The SHECA certificate detailed format meets the international standards and follows the ITU-T X.509 V3 (1997): information technology-- open systems interconnection--the directory: authentication framework (June 1997) standard and RFC 5280: Internet X.509 public key infrastructure certificate and CRL structure (May 2008).

7.1.1 Version

Certificate issued by SHECA is in line with X.509 V3 certificate format. The version information is stored in the attribute column of certificate version.

7.1.2 Certificate Extensions

In addition to the certificate standard items and standard extensions, SHECA also uses private extensions defined by SHECA itself.

1、the certificate extensions

- Key Usage

Key is used for electronic signatures, non-repudiation, key encryption, data encryption, key agreement, certificate signature verification , CRL signature validation ,only encryption and only decryption.

	SSL Certificate	Code Signing Certificate	Timestamp Certificate	CA Certificate
0 digitalSignature	√	√	√	×
1 nonRepudiation	×	×	√	×
2 keyEncipherment	√	×	×	×
3 dataEncipherment	×	×	×	×
4 keyAgreement	×	×	×	×
5 keyCertSign	×	×	×	√
6 CRLSign	×	×	×	√
7 encipherOnly	×	×	×	×
8 decipherOnly	×	×	×	×

The key usage for other types of certificates are set based on demand which is compliant with RFC5280.

- netscape certificate type

The extension is used to declare the approbatory type of certificate approved for a relying party who uses netscape. The extension is declared as the following key usage: SSL client authentication, SSL server authentication, S / MIME, the object signature and so on.

- Certificate policy

Certificate policy issued by SHECA is in line with the X.509 certificate format, which is stored in the attribute column of certificate policy .

- Basic restrictions

Basic restriction is used to identify the certificate holder's identity, such as final users.

- Extended Key Usage

	SSL Certificate	Code Signing Certificate	Timestamp Certificate
Server Authentication 1.3.6.1.5.5.7.3.1	√	×	×
Client Authentication 1.3.6.1.5.5.7.3.2	√	×	×
Code Signing 1.3.6.1.5.5.7.3.3	×	√	×
Secure e-mail 1.3.6.1.5.5.7.3.4	×	×	×
Time stamp 1.3.6.1.5.5.7.3.8	×	×	√

The extended key usage for other types of certificates are set based on demand which is compliant with RFC5280.

- CRL Distribution Points

The extension of CRL distribution point contains a URL which can obtain CRL and is used to verify the certificate status.

- Serial number

The serial number in all the certificates issued by SHECA is random.

2、Private extensions

The content of private extensions refers to about certificate custom extension instructions in CPS appendix.

7.1.3 Algorithm Object Identifiers

Algorithm object identifier used by SHECA is in accordance with ISO object identifier (OID)

management standards. For example:

1、 the signature algorithm:

- The object identifier of SHA1withRSAEncryption is {iso(1) ISO Identified Organization (3) OIW(14) secsig(3) algorithm(2) 29}
- The object identifier of MD5withRSAEncryption is {iso(1) member-body(2) US(840) rsadsi(113549) pkcs(1) 1 4}

2、 the digest algorithm

- The object identifier of md5 is {iso(1) member-body(2) US(840) rsadsi(113549) digestAlgorithm(2) 5 }
- The object identifier of sha1 is {iso(1) ISO Identified Organization (3) OIW(14) secsig(3) algorithm(2) 26}

3、 asymmetric algorithms

- The object identifier of rsaEncryption is {iso(1) member-body(2) US(840) rsadsi(113549) pkcs(1) 1 1}

4、 symmetric algorithms

- The CPS recommends the use of the symmetric algorithm approved by the state cryptography administration department.

7.1.4 Name Forms

The certificates are issued by SHECA, whose format and content of name form meets the X.501 distinguished name format.

7.1.5 Name Constraints

The certificate is issued by SHECA, whose identifier name cannot be anonymous or pseudo-name, must have a definite name. SHECA can specify a special name for the user in accordance with certain rules and link uniquely the special name to a defined entity (individual, unit or device) in some special requirements e-government applications. Any particular name must be approved by SHECA Security Certification Committee.

7.1.6 Certificate Policy Object Identifier

The certificate is issued by SHECA in accordance with the X.509 standard, whose policy object identifier is stored in the relevant topic of certificate policy. Please refer to SHECA certificate format specification.

7.1.7 The Usage of Policy Constraints Extensions

No stipulation.

7.1.8 The Syntax and Semantics of Policy Qualifiers

No stipulation.

7.1.9 Processing Semantics for the Critical Certificate Policies Extension

No stipulation.

7.2 Certificate Revocation List

SHECA issues regularly CRL for the user to query.

7.2.1. Version Number

SHECA currently issues CRL of X.509 V2 version, the version number was stored in the columns of CRL version format.

7.2.2. CRL and CRL Entry Extensions

No stipulation.

7.2.3. Download CRL

Users can download the CRL through the URL indicated in CRL extensions issued by SHECA.

7.3 Online Certificate Status Protocol

SHECA provides users OCSP (Online Certificate Status Inquiry Service), OCSP as an effective complement to the CRL, and it is convenience for the certificate user to query certificate status information in time.

7.3.1. Version number

RFC2560 defines the OCSP V1.

7.3.2. OCSP Extensions

No stipulation.

7.3.3. The Request and Response of OCSP

An OCSP request contains the following data:

- Protocol Version
- Service Request
- Target certificate identifier
- An optional extension may be handled by OCSP responder

After receiving a request, OCSP server response to the following tests:

- Information correctly formatted
- The response server is configured to provide the requested services
- The request contains the information needed by response server. If any pre-conditions are not met, the OCSP server will generate an error message. Otherwise, it returns a determinate response.

All determinate response is encrypted digital signature by SHECA certificate issuer. The main response status includes that the certificate is valid, revoked, and unknown. The response message consists of the following components:

- Reply syntax version
- Response server name
- Reply to the request client certificate
- Optional extensions
- Signature Algorithm object identifiers
- The signature after replying message hash

If an error occurs, OCSP server will return an error message, which doesn't contain certificate key signature issued by SHECA. Error messages include:

- Malformed Request
- Internal Error
- Try later
- Signature required
- unauthorized

8. Compliance Audit and Other Assessments

As an operating subject of UNTSH, SHECA performs consistency audits and operation assessments quarterly to ensure the reliability, security and controllability of certification services. In addition to internal audit and assessment, SHECA also hires an independent auditing firm in accordance with WebTrust audit for external assessment.

8.1 Frequency and Circumstance of the Assessment

1、SHECA accepts the assessment and inspection authorities once a year under the "Electronic Signature Law", "Electronic Authentication Services" and other requirements.

2、In accordance with the requirements of national authorities , relevant national standards and the operations and services of the CPS provisions , internal evaluation and auditing standards created by SHECA ,SHECA at least perform regularly an internal assessment audit, including SHECA, RA and other related agency's assessment review.

RA, RAB, RAT and other SHECA authorized certification service body or other forms of association must follow the CPS and the corresponding CP, and accept all of its processes and operations audit by SHECA, test whether it is compliance with this CPS and related to SHECA license agreement or other publicity of the trust service policy . SHECA assess the affiliates generally once a year. In the licensing agreement SHECA and all agencies clearly define this. Evaluators is appointed according to requirement by SHECA, and put on record to SHECA Security Certification Committee. Evaluators should be familiar with related knowledge of SHECA norms and trust services, understand the basic safe knowledge, and according to SHECA norms, agreement to provide services, independently and impartially to make conclusion on associated unit.

3、SHECA employs an independent auditing firm, according to the audit rules of WebTrust to CA , annual external audits and assesses.

4、SHECA performs risk assessment annually to discriminate threats from internal and external, and estimates the possibility of occurrence of the threats and the loss that may be caused. Meanwhile, SHECA estimates if the current company policy, technologies, systems and other related measures are able to cover all the risks.

8.2 The Qualifications of the Assessor

1、SHECA unconditionally receives the assessment from information industry department. SHECA is implemented evaluation by those who have the qualification and experience which depend on the competent departments.

2、During the internal assessment audit, SHECA requires a assessment staff at least have the related knowledge of certification and information security audit, more than two years relevant experience and are familiar with the norms of the CPS, and should have a knowledge and practical

experience of computer, network and information security . Internal assessment is organized and implemented by SHECA Strategy Development Department.

3 、 If SHECA deems that it is necessary to hire external auditors to implement internal assessment, then the auditors should have the following qualifications:

- Must be licensed, the rating agencies have a business license , a good reputation in the industry;
- Understand computer information security system, communications network security requirements, PKI technology, standards and operations
- Have the expertise and tools to check the system performance.

8.3 Assessor's Relationship to Assessed Entity

1、 The external evaluators (information industry department or its delegated entities) and SHECA are independent , there is no business, financial transactions, or any other interest could affect the objectivity of the assessment, and assessors should evaluate SHECA with independent, impartial and objective attitude .

2、 It is relationship independent between SHECA internal assessors and the object evaluated , without any interest enough to affect the objectivity of the assessment, and assessors should evaluate object with independent, impartial and objective attitude .

SHECA could choose a professional, impartial, objective and professional audit rating agencies as needed to assist internal evaluation.

8.4 Assessment Content

1 、 SHECA accepts the assessment of any content in accordance with requirements and specifications raised by information industry department.

2、 SHECA internal assessment audit include:

- Whether SHECA develops and publishes CPS
- Whether SHECA develops the relevant practices and operation agreement in accordance with CPS
- Whether it operates in accordance with CPS and related business practices and operational protocols
- Service Integrity: the key and certificate life cycle safety management, certificate revocation operation, safe operation of business systems, business practices review

- Physical and environmental security controls: information security management, personnel security controls, security control of building facilities , security controls of hardware and software equipment and storage medium , system and network security control, security controls of system development and maintenance, disaster recovery and backup system management , audit and archive security management .

3 、 The third-party auditor firm audits independently SHECA in accordance with WebTrust specification requirements for CA .

8.5 Actions Taken as a Result of Deficiency

1 、 After the information industry department assessment has completed, SHECA must inspect deficiencies and shortcomings based on the results of the assessment . According to the requirements of its proposed rectification, SHECA submits modification and prevention measures and corrective plans, and accept its review of the corrective plan as well as reassess the situation.

2、 After SHECA completes the internal assessment , the evaluators need to list the detailed list of all the problem projects . The evaluators and the object evaluated should discuss the issue and the written results should be noticed to SHECA Safety Certification Commission and the person evaluated for further processing.

The object evaluated must inspect deficiencies based on the results of assessment, submit modifications and preventive measures and corrective plans, and accept the assessment of the corrective plan and the evaluation of rectification once again.

3 、 After the assessment from a third-party auditor firm is completed, SHECA will rectify in accordance with its work reports and accept the audit and evaluation once again.

If the authentication agencies confirms that the accident and no action found in the audit will result in threat immediately to the consistency or integrity of certificate security system, then the certification agencies will develop corrective action plans within 30 days and execute within reasonable time.

8.6 Communications and Release of Results

1 、 After the assessment , the information industry authority will deal with assessment results in accordance with laws and regulations . The audit results will be published by the website <http://www.sheca.com>.

2、 After SHECA's internal assessment result is defined by the object relevant person evaluating , result will be treated as confidential information to handle. Only the object evaluated and the evaluator as well as SHECA Safety Certification Committee can understand. Non-certified by the SHECA security committee approval or authorized by object evaluated, the evaluators can not disclose to any other unrelated third parties. If necessary, the notification method of assessment results associated with SHECA entities, which will be stipulated in agreement SHECA and

evaluated entity.

3、After the assessment from a third-party auditor firm is completed, the audit results will be published by the website <http://www.sheca.com>.

Any third-party notices the assessment results or similar information to evaluation entity, which must be clear in advance that the purpose and manner of notice will be shown to SHECA and obtain SHECA consent, except otherwise provided by law; SHECA retains the legal authority in this area.

9. Other Business and Legal Matters

9.1 Fees

SHECA charges subscribers for certificate. The subscribers have the obligation to pay SHECA under prices SHECA published or specified in agreement signed by SHECA.

The price of the certificate and related services will be published on the website <http://www.sheca.com>. Published price will effect in accordance with SHECA specified time, if there isn't specified effective time, it will be effect after seven days from the date of price publication. SHECA can also notify subscribers the change of prices in other ways.

If the price specified in SHECA agreement is different from the one published, the agreement price prevail.

9.1.1 Certificate Issuance and Renewal Fees

The fees of SHECA issuing and renewing certificates are published in the website <http://www.sheca.com> for user to query.

The announcement price is approved by the Shanghai Price Bureau.

If the price specified in SHECA agreement is different from the one published, the agreement price prevail.

9.1.2 Certificate Inquire Fees

At present SHECA doesn't charge for certificate inquiring. Unless the user asks for special demand, which need SHECA pays extra charge, and SHECA will charge to negotiate with users.

If charging policy of the certificate query has any change, SHECA will promptly posts on the website <http://www.sheca.com>.

9.1.3 Revocation or Status Information Access Fees

SHECA currently does not charge any fees for certificate revocation and status inquiry. Once charging policy changes, SHECA will promptly post this change on website <http://www.sheca.com>.

If the specified price signed in SHECA agreement is different from the price published, the agreement price prevails.

9.1.4 Fees for Other Services

1、 When the user requests to SHECA for CPS or other paper related documents, SHECA needs to charge fee for postage and handling.

2、 If SHECA provides these services of the certificate recovery, key escrow, signature key backup and recovery services , then SHECA will release related costs in time for user to query . If the specified price signed in SHECA agreement is different from the price published, then the agreement price prevail.

3、 Other services cost that SHECA will or may provide will be released

9.1.5 Refund Policy

Fees charged subscribers by SHECA, except the certificate application and renewal fees can be refunded because of specific reasons, SHECA does not refund any fees.

In the process of the certificate operation and the certificate issued, SHECA complies with strict operating procedures and policies. If SHECA violates its responsibilities under this CPS or other material obligations, subscribers can request SHECA to revoke certificates and refund. After SHECA revokes subscribers certificate, SHECA will full refund immediately to subscribers that apply for the certificate. Subscribers need to fill out a refund application form and submit to SHECA and its authorized service agencies to request a refund.

Refund policy does not limit users to obtain other reparation.

After accomplishing refund, SHECA shall investigate its legal responsibility, if subscriber continues to use the certificate.

9.1.6 Capacity to Pay

Certificate services agencies authorized by SHECA should have financial ability to maintain its operations and fulfill its responsibilities, and it should afford to subscribers, relying parties who caused risks.

9.2 Financial Responsibility

9.2.1 Insurance Coverage

SHECA shall determine the insurance policy according to business development, which includes but is not limited:

1. The fire of building and hardware facilities and other accident insurance
2. Certificate Liability Insurance, the insurance coverage all subscriber's certificate issued by SHECA according to this CPS.

At present, SHECA cannot provide third-party insurance.

9.2.2 Other Assets

No stipulation.

9.2.3 Insurance or Warranty for Terminal Entities

Currently, SHECA can't provide third-party insurance. SHECA will release insurance policy promptly on its website <http://www.sheca.com>.

Once certificate subscriber accepts SHECA certificate, or accepts certificate services by accomplishing agreement, which means that the subscriber has accepted the requirements and constraints of SHECA about insurance and warranty.

9.3 Confidentiality of Business Information

9.3.1 Scope of Confidential Information

1. Confidential information includes the agreement, letters and business agreement etc. between SHECA and its authorized certificate service authority, SHECA and subscriber, SHECA and other participants offering certificate services, SHECA and its correlative entities. Unless laws has clear provisions and SHECA offers explicitly written permission, generally confidential information is not allowed to be published without the other's permission.
2. The private key corresponding to subscriber holder public key is confidential, and certificate subscriber keeps the private key properly complying with the provisions of this CPS and could not publish it to any third-party which are not authorized. If certificate subscriber discloses the private key, all responsibilities shall be borne by subscriber.
3. Confidential information contains auditing report, audit results of SHECA or its relevant entities and other related information, and confidential information could not be disclosed to any one, except for the authorized and trusted personnel. These information could not used in other functions but audit or laws and regulations.
4. Under the circumstance where the information related with SHECA certification system operation has been designated, and the information could only be offered to the personnel authorized by SHECA, but the authorization does not mean the information is open to public. For SHECA, all information involved in system operation shall be within the scope of confidentiality.
5. Unless the law provides explicitly, SHECA has no obligations to, and shall not publish or disclose any information excluding the information contained in subscriber's certificate; also, when SHECA signs agreement with its authorized certification authority, or other relevant entities, above all shall be regarded as the requirements to meet.

9.3.2 Information not Within the Scope of Confidential Information

1. The application process, application procedure, application operation and other information

related with certificate could be opened. And SHECA could utilize the information including the above information transmitted to the third party to handle application business.

2. Non-confidential information includes relevant subscriber information involved in certificate. The subscriber information involved in certificate could be opened.

3. Certificate and the public key contained in certificate are afforded for users to publish, check and verify.

4. The information of certification revocation is open to public, and SHECA shall publish the information on directory server.

5. The non-confidential information could not be used by any unauthorized third-party, and SHECA and information holder shall reserve relevant rights of the information.

9.3.3 Responsibility to Protect Confidential Information

SHECA, any subscriber, relevant entities and parties involved in certification business, shall have the obligations to assume appropriate responsibility of keeping confidential information in accordance with this CPS.

When facing with any requirements of laws and regulations or any demands for undergoing legal process of court and other agencies, SHECA must review confidential information in this CPS, and could publish the relevant confidential information to law-enforcing department according to requirements of laws, regulations, or court judgments. SHECA shall not assume any responsibility. The reveal shall not be regarded as a breach of confidential requirement and obligations.

When confidential-information holder requires SHECA to publish or reveal all his/her/its own confidential information due to some causes, SHECA shall satisfy his/her/its requirements; Also, SHECA shall require the holder's application and authorization in writing to express his/her/its own will of publishing or revealing.

If compensatory obligations shall be involved in the behavior of revealing confidential information, SHECA shall not assume any damage related with it or caused by the publishing of confidential information. The confidential-information holder shall assume compensatory responsibilities related with it or caused by the opening confidential information.

9.4 Privacy of Personal Information

9.4.1 Privacy Plan

SHECA respects for all users and their privacy, if there is an announcement associated with this explicit privacy protection laws (such as the Personal Information Protection Law) , it will automatically be referenced in this CPS and its privacy protection will become a fundamental basis to perform.

Anyone who choose to use any services of SHECA, has agreed to accept SHECA about the privacy statement.

9.4.2 Information Treated as Private

As SHECA manages and uses relevant information offered by subscriber, in addition to the information in the certificate, the basic information and identification information shall be considered as privacy, and the information shall not be published without subscriber's agreement or the legal requirements of laws and regulations and other agencies.

9.4.3 Information Not Deemed Private

All information made public in a certificate held by subscriber and the status information of the certificate etc, is deemed not private, and shall not be regarded as privacy information.

9.4.4 Responsibility to Protect Private Information

SHECA, any subscriber, relevant entities and the participants involved in certification business, shall have the obligations to assume corresponding responsibilities of protecting privacy information according to the provisions of this CPS.

At the request of laws and regulations or in any court and the public power sector through legal procedures or the owner or the information written authorization, SHECA can release to specific objects about the relevant privacy information. SHECA do not assume any responsibility, and such disclosure can not be considered as a violation of privacy obligations. If this privacy disclosure leads to any loss, SHECA should not bear any responsibility.

9.4.5 Notice and Consent to Use Private Information

Any subscriber information SHECA obtaining within the scope of certification business can only be used for identifying, managing and serving subscribers. As using the information, no matter the privacy is involved or not, SHECA has no obligations to notify subscribers, and doesn't get subscriber consent.

Under any requirements of laws and regulations, and demands for undergoing the legal process of other agencies, or under the circumstance where private information holder submits the written authorization to certain object for publishing the information, SHECA has no obligations to notify subscriber, and to obtain the consent from the subscriber.

If certification authority and registration authority shall apply user's private information to other purposes beyond the functions agreed between two sides, CA and RA shall notify subscriber to obtain his/her/its agreement and authorization, and the agreement and authorization shall be archived with the form (such as fax, letter, e-mail etc).

9.4.6 Disclosure Pursuant to Judicial or Administrative Process

SHECA shall be entitled to disclose Confidential/Private Information if, in good faith, SHECA believes that:

- Submitting the application through the legal process required by relevant agencies

pursuant to the provisions of laws and regulations.

- Court and other agencies handle the legal application submitted because of the dispute of using certificate.
- The formal application of arbitration agency with legal jurisdiction.
- Certificate subscriber authorization in writing

9.4.7 Other Information Disclosure Circumstances

If certificate subscriber shall authorize SHECA to offer the private information to certain object in writing, SHECA could afford the information to the object designated by subscriber. Not written authorized by the subscriber himself, SHECA will reject any disclosure request of third parties.

In addition to the legitimate request of government regulations and the relevant departments, and all written authorization information, or other than SHECA legitimate purposes, SHECA currently doesn't exist any other private information disclosure circumstances.

9.5 Intellectual Property Rights

1. The statement of SHECA owning the intellectual property rights.

SHECA holds and reserves all software offered by SHECA, and all system, intellectual property rights including ownership, name right, interest-sharing rights etc. SHECA shall determine certificate service software system used by entities related with SHECA, to assure the compatibility and intercommunication.

According to the provisions of this CPS, all copyright, trademark and other intellectual property rights involved in all certificates and software, system, documents offered by SHECA belongs to SHECA, these intellectual property rights including all relevant documents, CP, CPS, standard document and user manual and so on. Relevant entities within SHECA certification system could use interrelative documents and manuals, and have the responsibilities and obligations to make some suggestions of amendment, after obtaining the agreement from SHECA.

The intellectual property rights of key which was generated by subscriber belongs to the subscriber, but the public key becomes certificate through the issuance of SHECA, that is to say, SHECA owns the intellectual property rights of the certificate, and shall only provide the right to use for certificate subscriber and relying party.

Without the written agreement of SHECA, users could not use or accept any names, trademark, transaction form or its confused name, trademark, form of transaction or business title.

2. The statement of SHECA using other intellectual property rights

The software and hardware equipment, supporting facility and relevant operation manuals used by SHECA in the certification business system, intellectual property rights belong to related suppliers, SHECA ensure that it is legal to own corresponding rights, and SHECA shall not infringe the third

party rights on purpose absolutely.

SHECA respects the registered trademark stored in “DN” of certificate, but the ownership of registered trademark is not assured. If the Certificate subscriber’s registered trademark has been occupied by the former applicant, disputes settlement resulted from registered trademark and intellectual property rights is not in the SHECA responsibility.

9.6 Representations and Warranties

Unless SHECA makes special agreement in the agreement, if the provisions of this CPS conflict with the relevant provisions of other SHECA developed, the user must accept the constraints of the CPS. When the signing agreement is only binding both sides between SHECA and other parties, including subscribers, if the agreement is not agreed upon the content, then both sides should implement the provisions of this CPS. If the agreement is different from the provisions of the CPS, then the two sides should implement the agreement.

9.6.1 CA Representations and Warranties

1. SHECA warrants that

- Create Certificate Practice Statement(CPS) and other necessary specifications institutional system, for certification services.
- Provide infrastructure and certification services within related CPS provisions, comply with the provisions of this CPS.
- SHECA ensure that the private key will be safely stored and protected, the establishment and implementation of SHECA security mechanisms is in line with national policy.
- And activities related with certification business are in line with laws, regulations and department requirements.
- The relationship between SHECA and subscriber as well as the relationship between the subscriber and relying party is not the relationship between the agent and the principals. Certificate subscriber and relying party haven't the right to let SHECA assume fiduciary responsibilities with the methods of contract form or other ways. SHECA can not express, implied or otherwise, contrary to the provisions of the above statements.

2. SHECA warrants to subscribers

Unless otherwise provided in this CPS or otherwise agreed between the issuing authority and subscribers, SHECA warrants to subscribers named in the certificate:

- Without misrepresentation that issuing authority knows or deriving from the issuing agency in the certificate.
- When generating the certificate, certification agencies will not lead to data conversion errors ,it means they will not cause that certification agencies receive inconsistent information in the certificate because the issuing agency errors.
- Certification agencies issue certificates to subscribers, which is in line with all the substantive requirements of this CPS.
- The certification agencies will revoke the certificate timely according to the provisions of the CPS.
- The issuing agencies will inform subscribers any events, which will fundamentally affect the validity and reliability of the certificate.

These statements are only to guarantee the subscribers interests, and not for the benefit of any other party or other parties enforcing. If the issuing authority's behavior meet the legal and relevant provisions of the CPS, which shall be deemed that the issuing agency make a reasonable effort as described above.

3. The issuing authority warrants to the relying party

The issuing authority warrants to the relying parties who trust the signature (the signature can be verified by the public key contained in the certificate) reasonably in accordance with this CPS:

- In addition to unauthenticated subscriber information, all the information in certificate or certificate merger reference to is accurate.
- The issuing authority is in full compliance with the provisions of the CPS to issue certificate.

4. SHECA warrants about the publishment

By releasing certificate in public, issuing authorities prove to the relying party of SHECA repository and reasonably depending on certificate information: the issuing agency has issued subscriber a certificate, and subscriber has accepted the certificate in accordance with the provisions of the CPS.

9.6.2 RA Representations and Warranties

After obtaining SHECA authorization according to the procedures of authorization, RA warrants

that:

- Follow the license agreement of CPS and SHECA and other specifications and procedures published by SHECA, receive and process the applicant's certificate service requests, and manage all subordinate certification services agencies based on authorization including RAB, RAT, etc.
- RA must follow the norms, systems operation and management requirements created by SHECA. According to specifications published by the SHECA and CPS, RA has the right to decide whether to provide appropriate services for applicants.
- In accordance with SHECA requirements and specifications to determine the setting up mode, management and audit methods of subordinate certificate service institution , the determination of these methods must be published with written documents, which covers and shall not conflict, contradict or inconsistent with relevant provisions published by SHECA.
- According to the provisions of the CPS to ensure operating system in the security physical environment, and have the appropriate safety management and quarantine measures. RA must be able to provide certificate services and backup data, and in accordance with SHECA requirements to ensure that information transfer between the subordinate services agencies is safe. RA promises to imply strictly the obligation of providing privacy security to users, and is willing to bear the legal responsibility therefore.
- Accept that SHECA manages RA under CPS and licensing agreements , including the qualification standards and service performance review
- Recognize SHECA has the final discretion service to applicants for all certificates service requests.
- Shall not reject any statement, change, update, upgrade from SHECA , including but not limited to strategy, standards and modification and deletion of certification services .
- Provide the necessary technical advice for subscribers to protect subscribers to

successfully apply for and use certificates.

9.6.3 Other Related Services Agency Representations and Warranties

1. RAB Warrants:

- As certificates services agencies who may manage RAT, follow the provisions of the CPS to accept management and authorization of CA, RA and in accordance with the authorization of the CA and RA to manage RAT.
- As an optional part of SHECA service system, the management of the RAT and the acceptance of certificate service agree with license agreement and the terms of this CPS.
- Commitment to keep secret for service applicants all private information, and assume the related liability.
- Accept the qualification authority and management assessment.
- Shall not reject any of statement, change, update, upgrade from SHECA, including but are not limited to strategy, standards modification and deletion and addition of certification services.
- Provide the necessary technical advice to subscribers, enabling subscribers to successfully apply for and use certificates.

2. RAT Warrants:

- Provide certification services and its own management, RAT must complies with the relevant provisions of the CPS and the authorized operation agreement.
- As Certificate Services agencies authorized, accept authority qualification and management assessment.
- Private information will be kept confidentiality, regardless whether this application is approved.
- Comply with all provisions of this CPS, fulfill the responsibility of identification and

services.

- Shall not reject statement, change, update, upgrade from SHECA, including but not limited to modification of strategy, standards and additions and deletions of certification services.
- Provide necessary technical advice to subscribers, enable subscribers to successfully apply for and use certificates.

9.6.4 Subscriber Representations and Warranties

Once subscriber accepting a certificate issued by the issuing authority, from the moment of acceptance until the end of the validation of the certificate, if the subscriber does not notice, then the subscriber is considered reasonably trust all information contained in the certificate and made the following guarantees:

- All statements and information filled in the certificate application form must be complete, accurate, true and correct, and can be examined and verified by SHECA and its authorized service agencies, and subscriber is willing to take legal responsibility for any false, forged information.
- If there is an agent, then both subscriber and the agent take jointly responsibility. Subscriber is responsible for notifying SHECA and its authorized certification service agencies about any false statements or omissions the agent makes.
- The private key signature corresponding to public key contained in the certificate is the subscribers own signature, during the signing, and the certificate is valid and has been accepted by the subscriber (the certificate has not expired, revoked).
- The one unauthorized has never visited the subscriber's private key.
- Subscriber warrants to the issuing authority that all the relevant information contained in the certificate is true. If the subscriber finds some errors in the certificate, but does not notify the issuing authority, then the issuing authority regards subscriber information as true.
- Subscriber only use certificate for the authorized or other lawful purpose in line with the provisions of the CPS.

- Subscriber ensures that they don't take the business worked by the issuing agency (or similar institutions), such as use the private key in corresponding with public key contained in the certificate to sign any certificates (or certified in any other form of public key) or certificate revocation list ,unless the subscriber and the issuing authority have a written agreement.
- Once accepts certificate, it means that subscriber is aware of and accept all the terms and conditions in the CPS, and are aware of and accept the corresponding subscriber agreement.
- Once accepts certificate, the subscriber should assume the following responsibilities, always maintains control of their private key, uses trustworthy systems, and takes reasonable precautions to prevent the loss, disclosure, alteration, or unauthorized use of the private key.
- Once accepts certificate, it means that subscriber agrees to the following liability and losses resulted from SHECA direct or indirect action: Subscriber (or authorized agent) states falsely or incorrectly the facts. Subscriber fails to disclose key facts, and the intentional or unintentional misstatement or omission of the subscriber caused any trust of SHECA and the relying party of its certificate to deceive; subscriber does not use the necessary and reasonable measures to prevent the private key from compromised, lost, disclosure, alteration, or unauthorized used. If it causes any liability, loss and all costs associated with litigation, the subscriber will pay financial compensation.
- Shall not reject any statement, change, update, upgrade from SHECA, including but not limited to strategy, standards, and modification and deletion of certification services.

9.6.5 Relying Party Representations and Warranties

When the relying party trust any certificates issued by SHECA, it means to ensure:

- Relying party is familiar with the terms of this CPS, and understands the purpose of the certificates usage.
- Before the relying party trusts certificates issued by SHECA , relying party inspects and

audits reasonably, including: checking the latest CRL announced by SHECA , verifying whether the certificate is revoked; checking all the certificates reliability appeared in the certificate trust path ; checking the validity of the certificate; and checking other information that could affect the validity of the certificate.

- The relying party is willing to compensate SHECA for the losses caused and bear the resulting loss of self or others ,due to negligence or otherwise violating the terms of a reasonable inspection,.
- The trust behavior to certificates indicates that relying party has accepted all the provisions of this CPS, particularly the disclaimer, rejection, and the terms of the limiting liability.
- The relying party shall not reject any statement, change, update, upgrade published from SHECA, including but not limited to modification of strategy, additions and deletions of certification services.

9.6.6 Representations and Warranties of Other Participants

Advance vendor warrants:

- Advance vendor is required to bear all the cost of the certificate and pays all according to the provisions provided by SHECA.
- Advance business's behavior of advance vendor means advance vendor is willing and able to assume responsibility of guaranteeing applicant authenticity based on this CPS.
- Advance vendor shall not reject any statement, change, update, upgrade from SHECA, including but not limited to modification of strategy, standards and additions and deletions of certification services .

9.7 Disclaimers of Warranties

SHECA can't bear liability in the following circumstances:

1. Don't assume any liability of an objective accidents or other force majeure event caused by failure or delay .These events include, but are not limited to, labor disputes, a party of transaction behavior intended or not, strikes, riots, disturbances, war, fire, explosion, earthquake, flood or other catastrophe.

2. Due to equipment failures, line break caused by reason out of SHECA, leading to error, delay, interruption or failure of the issuance of digital certificates, SHECA doesn't assume any liabilities.
3. No information in the CPS can be implied or construed, and SHECA must assume other obligations or other acts promised by SHECA, including but not assume any guarantees and obligations of any other form, and no guarantee for a particular purpose.
4. If the applicant provide intentionally or unintentionally incomplete, unreliable or outdated, including but not limited to forgery, tampering, false information, but applicant also provides the necessary review documents based on the normal process and gets digital certificates issued by SHECA. The legal problems, the applicant result from above should be assumed full responsibility for the economic disputes, and SHECA doesn't assume the legal and economic responsibility associated with the content of the certificate, but can provide investigation and evidence based on victim's Investigation and proof help.
5. SHECA does not assume legal liability for any other unauthorized person or organization on behalf of the SHECA compiling, publishing or distributing unreliable information.
6. For certificates, signatures or any other transaction or design services to use, issuance, authorization, execution, or refuse provided under this CPS, resulting in or relating to any indirect, special nature, with nature, or consequential damages, or any loss of profits, loss of data or other indirect, consequential or punitive damages, whether reasonably foreseeable, SHECA will not assume responsibility, even if SHECA had been warned of the possibility of such damage.
7. SHECA has clearly defined the scope of various types of certificates, if the certificates subscriber uses certificates for other purposes which is not allowed, and SHECA does not assume any responsibility, regardless of whether the usage causing any losses.
8. In the extent permitted by law, according to the law, policy, and the victim's request, SHECA provides truthfully e-government, e-commerce or other network operations based on non-repudiation electronic signatures, but SHECA is not required to bear the responsibilities outside legal or policy.

9.8 Limitations of Liability

Under the "Corporate Law of the PRC" "Electronic Signature Law of the PRC" and other laws and regulations, as a limited liability company established by law, SHECA assumes any responsibility and obligation limited liability within the law.

SHECA doesn't assure and perform any further obligations, in any party agreement between CPS and SHECA.

9.9 Indemnities

9.9.1 The Scope of Compensation

Compensation generated in the certification activities based on the provisions of the CPS, unless it is otherwise prescribed by any law or regulation.

1. Indemnification by SHECA

- When issuing the certificate, if not in accordance with the provisions of the CPS for processing or in violation the requirement of laws and regulations causing the certificate subscriber losses, SHECA should bear the liability.
- Because the operator is malicious, willful or negligent, who is not in accordance with the provisions of this CPS to certificate request of the issuance and revocation resulting in the loss of the certificate subscriber, SHECA should compensate the loss of subscribers.
- Because of SHECA root key problems, resulting in subscriber certificate problems, SHECA should compensate related losses.
- Certificate subscribers or others who have the right to request for the certificate revocation , during the period that SHECA publishing the certificate revocation information , if the certificate is used for illegal transactions or arising from transactions disputes, once SHECA conducts relevant operation in accordance with this CPS , SHECA will not assume any liability for damages.
- The retroactive expiration date of subscriber compensation is operated in accordance with relevant laws and regulations.

2. Indemnification by register authorities (including RAB and RAT)

- If the register authorities and their operators do not take good care of subscriber's registration and authentication-related private information, causing subscriber information leakage, fraud, tampering with or resulting in any loss, the register authorities shall bear liability for damages.
- Because of the operator intentionally malicious or negligent and doesn't transact certificate registration service in accordance with the provisions of the CPS , or violation of laws and regulations that causing subscribers loss , register authorities should compensate the users direct loss , and other collateral damage and the correlation compensation.
- System or software errors caused because of registry , if register authorities haven't sent

subscriber certificate request, revocation, and renewal requests information to SHECA within the CPS specified time, which led to the loss of subscribers or relying parties, register authorities should pay all liability for damages.

- The compensation retroactive expiration date is operated in accordance with relevant laws and regulations.

3. Indemnification by subscribers

- When subscribers apply for registration certificate, due to deliberate, negligent or malicious provide false information, leading to SHECA and its authorized service providers or third party suffered damage, the subscriber should compensate for all damage liability.
- Subscribers private key leakage, loss, knowing the private key has been leaked, lost caused due to intentionally or negligently don't tell SHECA and its authorized service agencies, and don't give others to use ,which causes suffered damage of SHECA and its authorized service agencies, third-party, the subscriber shall bear all liability for damages.
- The behavior of subscribers using the certificate or a relying party trusting certificates , which violating the CPS and related practices norms, or certificate is used for non-business scope of the CPS, the subscriber or relying party shall bear all liability for damages.
- When subscribers use or trust certificate, if not in accordance with the CPS to audit reasonable, resulting in SHECA and its authorized service agencies or a third party suffering damage, subscriber should assume all liability for damages.
- Subscriber or other entity who is entitled to request for certificate revocation, during the period that SHECA publishes the certificate revocation information, if the certificate is used for illegal transactions or arising from transactions disputes, once SHECA conducts relevant operation in accordance with this CPS , subscriber will assume any liability for damages.
- If there are provisions in the agreement between SHECA and otherwise compensations,

subscribers refer to its regulations.

9.9.2 Limit of Compensation

The total liability of SHECA and its authorized issuing authority for all parties (including but not limited to subscribers, the applicant, recipient or relying party) can not exceed the cap on the amount of compensation of these certificates as described following:

All total about signature and transaction processing of a particular certificate, SHECA and its authorized certification service authority for any person (or other entity) ,the aggregate compensation of the specific certificate should be limited to an amount not exceeding the scope of the following (unit: RMB):

1. Individual certificate, no more than RMB 2,000
2. Unit certificate, no more than RMB 50,000
3. Device certificate, no more than RMB 80,000
4. The SSL certificate, no more than RMB 100,000

The limitation of terms applies to some form of damage, including but not limited to any person or entity (including but not limited to subscribers, the certificate applicant, recipient or relying party) because trust or use the certificate of SHECA issuance, management, use or revocation or certificate is expired due to direct, compensatory, indirect, special, consequential, exemplary or incidental damages.

The terms also apply to other responsibilities, such as contractual liability, tort liability or other form of responsibility. Each certificate limits compensation regardless of signature, transaction processing or other claims related to the compensation number. When compensation limit is exceeded, unless there is a judgment by the law or arbitration rule, the available limits of liability will be assigned to the first party who is the first to claim compensation. SHECA has no responsibility for the payment of higher than compensation limit for each certificate, regardless of the sum of compensation limit higher than the limits of liability how to distribute between the claimants.

9.10 Term and Termination

9.10.1 Term

This CPS is effective since it is published, version number and release date shall be specified by the document, as new version is published, and takes effect, the original version shall lose effectiveness automatically.

Since the necessary reasons, SHECA may declare early to end the validity of CPS after obtaining the approval of the national authorities.

9.10.2 Termination

This CPS as amended from time to time shall remain in force until it is replaced by a new version.

If the subscribers end the usage of their certificates, or a relying party end the trust of certificates, the subscriber certificate has been revoked and not re-apply for a certificate, then in addition to CPS provisions of the audit, archiving, confidential information, privacy, intellectual property, compensation and limited liability, for the subscriber or relying party, the CPS will no longer binding to them. If SHECA has other agreement, then operates in accordance with the provisions of the agreement.

9.10.3 Effect of Termination and Survival

After this CPS terminates, the audit, confidential information, privacy protection, archiving, intellectual property involved in this CPS, and indemnification and limited responsibility involved in terms shall exist effectively.

9.11 Individual Notices an Communications with Participants

Unless there are special provisions in laws and regulations or agreement, SHECA shall communicate with each other with the reasonable way, and shall not take individual way.

Whenever any person intends or requires to publish any services, specifications, operation of the notice, demand or request mentioned in this CPS, this information will be communicated in documents.

Written communications must be delivered with written documentation by the courier service, or by registered mail confirmation, accompanied by return mail and write back. Mailing address is as following:

18F, NO.1717, Sichuan North Road ,Shanghai, People's Republic of China (200080) Shanghai Electronic Certificate Authority Center Co., Ltd.

If participants send notification to SHECA by e-mail, then it will be valid only when SHECA receives written confirmation materials within 24 hours after SHECA received e-mail notification.

Sent to others from SHECA via the following address:

The latest address in SHECA's postal record

9.12 Amendments

SHECA has the right to revise this CPS. SHECA has the right to publish revision results with the form of revised edition on <http://www.shECA.com>, or in SHECA repository.

9.12.1 Procedure for Amendment

Through the authorization of SHECA Security Certification Committee, SHECA Strategy Development Department shall review this CPS once a year at least, to ensure that CPS meets the requirements of national laws and regulations, and satisfy the actual requirements of certification business operation.

This CPS must be revised through the approval and verification of SHECA Security Certification Committee —the highest policy management agency of SHECA after Strategy Development Department puts forward the revision report. After the revised CPS shall be published formally, should be submitted to information industry department to record.

9.12.2 Notification Mechanism and Period

SHECA has the right to revise and modify any terminology, conditions and clauses of this CPS within the proper time, and shall not notify any party in advance.

SHECA publishes the revision results on www.sheca.com and SHECA repository. If modification of this CPS is placed in SHECA repository (check www.sheca.com), it equals to modify this CPS. These modifications shall take place of any conflicting and designated terms in CPS original version.

All CPS modification in writing to subscribers should be send according to the following rules:

- If the recipient is company or other organization, the message is sent to the address recorded in SHECA and its authorization certificate service agencies.
- If the recipient is personal, the message is sent to the address recorded in application.
- These notifications may be sent by express delivery or registered letter
- SHECA can send the message to subscribers by e-mail or other way, and the e-mail is defined when the subscribers apply for a certificate.

9.12.3 Comment Period

If certificate applicant and subscriber have not decided to revoke the certificate within 7 days after revision was published, they shall be deemed to agree the revision, and all revision and modification shall take effect.

9.12.4 Circumstance under Which CPS Must Be Modified

If the following situations occur, this CPS must be modified:

- The encryption technology develops significantly enough to affect the effectiveness of existing CPS.

- The certificate policy changes significantly
- The standards of relevant certification business shall be renewed.
- Certification system and relevant management regulations take significant upgrade or changes.
- The requirements of laws and regulations and competent department requirement.
- There is some important deficiency in the existing CPS.

For the revision of the CPS will take effect in release after seven days. Unless before the seven days, SHECA publishes a cancel revision notice in the same way.

However, if SHECA issues a amendment, and if the amendment is not entried into force timely, it will result in all or part of SHECA certification system damage, then the amendment should be immediate taken into effect from the date of release.

9.13 Dispute Resolution Provisions

As an expert agency of certificate dispute resolution, SHECA Security Certification Commission expert group collect relevant evidence to promote dispute resolution, coordination the relationship between SHECA and the parties, and as a final writer of controversial recommendation report.

Whether the expert group complete the proposed report and convey recommendations, and how ruling decisions to form and does not prevent SHECA, parties and other stakeholders to take consistent way related to the CPS and the law ,and find other solutions.

9.14 Governing Law

This CPS accepts “Electronic Signatures Laws of People’s Republic of China”, “Electronic Certificate Service Management Measures” and other laws and regulations of jurisdiction and explanation of People’s Republic of China.

No matter choose of contracts or other clauses or whether commercial relationship is established in People’s Republic of China, the implementation, explanation, interpretation, effectiveness of this CPS shall apply to the laws of People’s Republic of China. Choice of law is to ensure that all subscribers have uniform procedures and interpretation, regardless of where they live and where to use the certificate.

9.15 Compliance with Applicable Law

All participants of electronic certification activities must conform “Electronic Signature Law of People’s Republic of China”, “Electronic Certification Services Management Measures”, “Electronic Certification Service Encryption Management Measures” and other laws and

regulations of People's Republic of China.

9.16 General Provisions

9.16.1 Entire Agreement

The CPS impacts directly on SHECA terms and provisions of rights and obligations, unless issued by the affected parties through the information or documents identified, or other provided, otherwise can not be verbal amended, given up, supplied, modified or ended.

When the CPS and other rules, norms or agreements conflicts, all parties involved in certification activities will be bound by the provisions of this CPS, but except the following:

- Signing before the effective date of the CPS.
- The contract shows expressly the relevant parties to replace the CPS matters, or the provisions of this CPS are prohibited to performed by law.

9.16.2 Assignment

The responsibility and obligation between CA, subscriber and relying party could not be assigned to other parties.

9.16.3 Severability

If any clause or application of this CPS is invalid or unenforceable in any reason or in any scope, the remainder of the CP shall remain valid. Relevant parties understand and agree the limitation of liability, warranties or other terms or restrictions exemption or exclusion of damages specified in this CPS are individual provisions independent of the other terms of the and implementation.

9.16.4 Enforcement

Not applicable.

9.16.5 Force Majeure

In the extent permitted by applicable law, subscriber agreement and CPS formulated in accordance with the CP shall include force majeure clause to protect each party. SHECA isn't responsible for the following force majeure events, the violation, delay or inability to perform that CPS regulated beyond its ability to control.

Force majeure including war, terrorist attacks, strikes, epidemics, natural disasters, fires, earthquakes, supplier or vendor failures, paralysis of the Internet or other infrastructure and other natural disasters.

9.17 All property of security information

Unless otherwise agrees, the following - information and data related security is considered to parties property, indicated as the following:

- Certificate: Certificate is SHECA's property. Unless those certificates that isn't in any directory or repository without SHECA expressed written permission, the certificate can be a complete non-exclusive, royalty-free reproduction and distribution. On copyright notice, you can consult to SHECA.
- CPS: The CPS is SHECA private property.
- Distinguished name: distinguished name is owned by all the named entities.
- Private key: Private key is owned by private subscribers (or their representative organizations, agencies or any other entities), regardless of the medium of storage and protection being used.
- Public key: Public key is owned by subscribers (or their representative organizations, agencies or any other entities), regardless of the medium of storage and protection being used.
- SHECA public key: The public key owned by SHECA is SHECA 's property, and SHECA is allowed to use these public key.
- SHECA private key: Private key is SHECA's private property, whether partial or whole.

Appendix

1. Root Certificate

1.1. Root Certificates In Use

1 UCA Root

Country = CN

Organization = UniTrust

Common Name = UCA Root

Serial Number: 09

Validity: from January 1, 2004 to December 31, 2029

Certificate SHA1 abstract: 82 50 be d5 a2 14 43 3a 66 37 7c bc 10 ef 83 f6 69 da 3a 67

2 UCA Root G2

Country = CN

Organization = UniTrust

Common Name = UCA Root G2

Serial Number: 44 52 a0 b2 e9 05 39 46 7a 53 b0 4f 23 6a a3 c3

Validity: from September 1, 2016 to December 31, 2036

Certificate SHA1 abstract: 57 1e 0b 0b 40 f7 96 6d 1e bb 7a cf c6 4e 70 4d 31 9b f4 fd

3 UCA Global G2 Root

Country = CN

Organization = UniTrust

Common Name = UCA Global G2 Root

Serial Number: 5d df b1 da 5a a3 ed 5d be 5a 65 20 65 03 90 ef

Validity: from March 11, 2016 to December 31, 2040

Certificate SHA1 abstract: 28 f9 78 16 19 7a ff 18 25 18 aa 44 fe c1 a0 ce 5c b6 4c 8a

4 UCA Extended Validation Root

Country = CN

Organization = UniTrust

Common Name = UCA Extended Validation Root

Serial Number: 4f d2 2b 8f f5 64 c8 33 9e 4f 34 58 66 23 70 60

Validity: from March 13, 2015 to December 31, 2038

Certificate SHA1 abstract: a3 a1 b0 6f 24 61 23 4a e3 36 a5 c2 37 fc a6 ff dd f0 d7 3a

1.2. Root Certificates Out of Use

1 UCA Root-G1

Organization = UnitedCA

Common Name = UCA Root

Serial Number: 01000022

Validity: from January 1, 2001 to January 1, 2013

Certificate SHA1 abstract: 31 20 f2 95 41 77 30 07 5f 8c d4 2d 0c ae 00 8e b5 72 6e f8

2 UCA Global Root

Country = CN

Organization = UniTrust

Common Name = UCA Global Root

Serial Number: 08

Validity: from January 1, 2008 to December 31, 2037

Certificate SHA1 abstract: 0b 97 2c 9e a6 e7 cc 58 d9 3b 20 bf 71 ec 41 2e 72 09 fa bf

2. Cryptographic Algorithms and Key Strengths

2.1. Root Certificate

	Digest Algorithm	RSA Algorithm
UCA Root	SHA-1 (note1)	2048 bit
UCA Root G2	SHA256	2048 bit
UCA Global G2 Root	SHA256	4096 bit
UCA Extended Validation Root	SHA256	4096 bit

note1: Since January 1, 2016, this root certificate will no longer issue any new Subscriber

certificates or Subordinate CA certificates using the SHA - 1 hash algorithm.

2.2. Sub-CA certificate

	Digest Algorithm	RSA Algorithm
The sub-CA certificate under UCA Root	SHECA: SHA-1 (note1) SHECA G2& SHECA G2-1 : SHA256	SHECA: 1024 SHECA G2& SHECA G2-1: 2048 bit
The sub-CA certificate under UCA Root G2	SHA256	2048 bit
The sub-CA certificate under UCA Global G2 Root	SHA256	2048 bit
The sub-CA certificate under UCA Extended Validation Root	SHA256	2048 bit

note2: Since January 1, 2016, this sub-CA certificate will no longer issue any new Subscriber certificates using the SHA - 1 hash algorithm.